

Trade name:	BIOFIX			
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version: 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1.	Product identifier	
	Trade name:	BIOFIX
	Chemical name:	-
	Catalogue number:	BF-X**
1.2.	Relevant identified uses of the substance or mixture and uses advised against	
	Uses:	Methyl alcohol-based fixative for cryostat sections.
	Uses advised against:	Only the identified uses are advised.
	Reason why uses advised against:	The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.
1.3.	Details of the supplier of the safety data sheet	
	Supplier:	BioGnost Ltd.
	Address:	Medjugorska 59, Zagreb
	Telephone number:	+385 1 2409997
	Telefax:	+385 1 2404039
	e-mail of competent person:	msds@biognost.hr
	National contact:	
1.4.	Emergency telephone numbers	
	National Protection and Rescue Directorate:	112
	Medical information:	+385 1 2348 342
	Other information:	-





SECTION 2. Hazards identification		
2.1.	Classification of the substance or mixture	
2.1.1.	Classification according to Regulation (EC) No 1272/2008 (CLP)	
	Hazard class and category code:	Hazard statement*:
	Flam. liq. 2	H225
	Acute Tox. 3	H301
	Acute Tox. 3	H311
	Skin Corr. 1B	H314
	Skin Sens. 1B	H317
	Acute Tox. 3	H331
	Muta 2	H341
	STOT SE 1	H370
2.1.2.	Additional information	

Trade name:	BIOFIX				
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version:	5

<p>Endocrine Disrupting Properties: No known endocrine disrupting properties</p> <p>Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.</p>

* For full text of Hazard- and EU Hazard-statements: see SECTION 16

2.2. Label elements

Product identification:	BIOFIX
Identification number:	-
Authorisation number:	-
Hazard pictograms:	<div style="display: flex; flex-wrap: wrap; justify-content: space-around;"> <div style="text-align: center;">  GHS02 </div> <div style="text-align: center;">  GHS06 </div> <div style="text-align: center;">  GHS05 </div> <div style="text-align: center;">  GHS08 </div> </div>
Signal word:	Danger
Hazard statements:	<p>H225 Highly flammable liquid and vapor.</p> <p>H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.</p> <p>H314 Causes severe skin burns and eye damage.</p> <p>H317 May cause an allergic skin reaction.</p> <p>H341 Suspected of causing genetic defects.</p> <p>H350 May cause cancer.</p> <p>H370 Causes damage to organs (eyes).</p>
Precautionary statements:	<p>P210 Keep away from heat/sparks/open flames/hot surfaces. - Do not smoke.</p> <p>P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of soap and water.</p> <p>P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P308+P311 IF exposed or concerned: Call a POISON CENTER or doctor.</p>

Trade name:	BIOFIX			
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version: 5

	Supplemental hazard information (EU):	-
2.3.	Other hazards	
	-	

SECTION 3. Composition/information on ingredients

CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)
67-56-1/ 200-659-6/ 603-001-00-X	-	80 – 85 %	methanol	Flam. liq. 2, H225 Acute tox. 3, H331 Acute tox. 3, H311 Acute tox. 3, H301 STOT-SE 1, H370
50-00-0/ 200-001-8/ 605-001-00-5	-	9 – 10 %	formaldehyde, 37%	Acute tox. 3; H301 Acute tox. 3; H311 Skin corr. 1B; H314 Skin sens. 1; H317 Acute tox. 3; H331 Muta. 2; H341 Carc. 1B; H350
64-19-7/ 200-580-7/ 607-002-00-6	-	4 – 5 %	acetic acid, 99%	Flam. Liq. 3; H226 Skin corr. 1A; H314

SECTION 4. First aid measures

4.1. Description of first aid measures		
	General notes:	-
	Following inhalation:	Carry the afflicted person out for fresh air, place them in half lying position and calm them down. If breathing stops, immediately apply artificial respiration. Rush the afflicted person to the hospital while keeping them in lateral recumbent position in order to keep the airways clear.
	Following skin contact:	Remove contaminated clothing. Wash with plenty of water and soap for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.

Trade name:	BIOFIX				
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version:	5

	Following ingestion:	Rinse with water and expectorate. Make the afflicted person drink 1 - 2 glasses of water (200 - 400 ml). The afflicted person should drink one glass (100 ml) of 40% ethanol (adult dose). Place the afflicted person in the half lying position and rush them to hospital while constantly calming them down. If the afflicted person is vomiting, there may be risk of pulmonary aspiration.
	Self-protection of the first aider	Avoid direct contact with the chemical; use appropriate protective equipment described in Section 8.
4.2.	Most important symptoms and effects, both acute and delayed	
	Following inhalation:	Airways irritation and possible lung damage due to high levels of vapor concentration. Absorption may cause toxic effects.
	Following skin contact:	Minimum level of irritation, defatting; prolonged exposure may cause absorption and greater possibility of delayed systemic effects.
	Following eye contact:	Mild to moderate irritation due to vapor, conjunctivitis, later chemosis, lesser possibility of cornea damage. Visual impairments may occur later, after the absorption.
	Following ingestion:	Stomach and bowel irritation, feeling unwell, vomiting, strong abdominal pain. Absorption may cause toxic effects.
4.3.	Indication of any immediate medical attention and special treatment needed	
	-	

SECTION 5. Firefighting measures	
5.1.	Extinguishing media
	Suitable extinguishing media: water spray, foam, dry powder, CO ₂
	Unsuitable extinguishing media: No information available
5.2.	Special hazards arising from the substance or mixture
	Hazardous byproducts of fire: No information available
5.3.	Advice for firefighters
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing. Cool closed containers exposed to fire with water spray, in order to prevent explosion.
5.4.	Additional information
	Remove sources of heat and ignition. Do not contaminate the environment with extinguishing media.

SECTION 6. Accidental release measures	
6.1.	Personal precautions, protective equipment and emergency procedures
6.1.1.	For non-emergency personnel
	Protective equipment: Use personal protective equipment (see Section 8).

Trade name:	BIOFIX				
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version:	5

	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment. Do not breathe in vapor, ensure adequate ventilation and avoid contact with skin and eyes. Remove all sources of sparks and ignition. Do not smoke.
	Emergency procedures:	Mark the area using proper signs.
6.1.2.	For emergency responders:	
		Use protective equipment; in case of inadequate ventilation use adequate airways protective equipment (see Section 8).
6.2.	Environmental precautions:	
		Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.
6.3.	Methods and materials for containment and cleaning up	
6.3.1.	Bunding, covering of drains; capping procedures:	Sand or clay barriers.
6.3.2.	For cleaning:	Where possible, the substance can be absorbed by using inflammable material (sand, diatomaceous earth, vermiculite). Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and involved materials with water.
6.3.3.	Other information:	Do not use tools that may cause sparks.
6.4.	Reference to other sections	
		See Section 7 for information about secure handling. See Section 8 for information about personal protective equipment. See Section 13 for information about containment.

SECTION 7. Handling and storage		
7.1.	Precautions for safe handling	
7.1.1.	Protection measures	
	Measures for fire prevention:	Use in well ventilated storage rooms. Keep away from sources of heat and ignition. Carry out measures for preventing static electricity.
	Measures for preventing spray and dust formation:	Secure proper ventilation.
	Environmental precautions:	Prevent spilling into the sewage system and waterways.
	Other measures:	-
7.1.2.	Advice on general occupational hygiene:	

Trade name:	BIOFIX				
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version:	5

	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.	
7.2.	Conditions for safe storage, including any incompatibilities	
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well-ventilated storage rooms, and away from sources of heat, sunlight, and other incompatible substances.
	Packaging materials:	Manufacturer's original packaging.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).
7.3.	Specific end use(s)	
	Recommendations:	-
	Industrial sector specific solutions:	-

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Substance	CAS No	Occupational exposure limit values/short term values		Biological limit values
		ppm	mg/m ³	
Methanol	67-56-1	200/-	260/-	-
Formaldehyde	50-00-0	0.3/0.6	0.37/0.74	-
Acetic acid	64-19-7	10/20	25/50	-

* For all results pertaining creatinine levels, creatinine concentration < 0.5 g/l and > 3.0 g/l may not be taken into consideration

Substance: -

EC No: - CAS No: -

DNEL

Industrial

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-

Trade name:	BIOFIX				
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version:	5

Inhalation	0.75 mg/m ³ (formaldehyde) 260 mg/m ³ (methanol)	260 mg/m ³ (methanol)	0.375 mg/m ³ (formaldehyde) 260 mg/m ³ (methanol)	9 mg/m ³ (formaldehyde) 260 mg/m ³ (methanol)
Dermal	-	40 mg/kg (methanol)	0.037 mg/cm ² (formaldehyde)	240 mg/kg (formaldehyde) 40 mg/kg (methanol)

Critical physical parameters: solubility, flammability, corrosivity: -

Consumer

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	8 mg/kg (methanol)	-	4.1 mg/kg (formaldehyde) 8 mg/kg (methanol)
Inhalation	50 mg/m ³ (methanol)	50 mg/m ³ (methanol)	0.1 mg/m ³ (formaldehyde) 50 mg/m ³ (methanol)	3.2 mg/m ³ (formaldehyde) 50 mg/m ³ (methanol)
Dermal	-	8 mg/kg (methanol)	0.012 mg/cm ² (formaldehyde)	102 mg/kg (formaldehyde) 8 mg/kg (methanol)

PNEC

Environmental protection target	PNEC
Fresh water	0.44 mg/l (formaldehyde) 154 mg/l (methanol)
Freshwater sediments	2.3 mg/kg (formaldehyde) 570.4 mg/kg (methanol)
Marine water	0.44 mg/l (formaldehyde) 15.4 mg/l (methanol)
Marine sediments	2.3 mg/kg (formaldehyde)
Food chain	No information available
Microorganisms in sewage treatment	0.19 mg/l (formaldehyde) 100 mg/l (methanol)
Soil (agricultural)	0.2 mg/kg (formaldehyde) 23.5 mg/kg (methanol)
Air	No information available

8.2. Exposure controls

Trade name:	BIOFIX				
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version:	5

8.2.1.	Appropriate engineering measures	
	Substance/mixture related measures to prevent exposure during identified uses:	Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.
	Structural measures to prevent exposure:	No information available
	Organisational measures to prevent exposure:	Organization of work in order to reduce other worker's influence during work process.
	Technical measures to prevent exposure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels.
8.2.2.	Personal protection equipment	
8.2.2.1.	Eye and face protection:	Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU).
8.2.2.2.	Skin protection:	
	Hand protection:	The protective gloves have to satisfy the specification of Regulation (EU) 2016/425 and the related standard EN374. Full contact: Glove material: nitrile rubber Glove thickness: 0.40 mm Time until perforation: > 480 min Splash contact: Gloves material: polychloroprene Glove thickness: 0.65 mm Time until perforation: >240 min
	Other skin protection:	Complete suit protecting against chemicals (EN 340) The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace and shoes that cover the entire foot.
8.2.2.3.	Respiratory protection:	Use mask that covers the entire face (EN 136). Recommended filter type: ABEK (EN 143). Use respirators and components tested according to and approved by the standard (EU).
8.2.2.4.	Thermal hazards:	No information available
8.2.3.	Environmental exposure controls	
	Substance/mixture related measures to prevent exposure:	See Section 6
	Structural measures to prevent exposure:	Use modern equipment.

Trade name:	BIOFIX				
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version:	5

Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
Technical measures to prevent exposure:	See Section 6

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

	Value	Method
Physical state:	liquid	No information available
Colour:	colorless	No information available
Odour/odour threshold:	methanol/no information available	No information available
Melting point / freezing point:	No information available	No information available
Boiling point or initial boiling point and boiling range:	No information available	No information available
Flammability:	No information available	No information available
Lower and upper explosion limit:	lower: 6 % (V) methanol upper: 36.5 % (V) methanol	No information available
Flash point:	12 °C	No information available
Auto-ignition temperature:	No information available	No information available
Decomposition temperature:	No information available	No information available
pH:	No information available	No information available
Kinematic viscosity:	No information available	No information available
Solubility:	No information available	No information available
Partition coefficient n-octanol/water (log value):	No information available	No information available
Vapour pressure:	No information available	No information available
Density and/or relative density	No information available	No information available
Relative vapour density:	No information available	No information available
Particle characteristics:	No information available	No information available

9.2. Other information

-

SECTION 10.: Stability and reactivity

10.1. Reactivity:	See subsections 10.3 through 10.5.
10.2. Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).

Trade name:	BIOFIX				
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version:	5

10.3.	Possibility of hazardous reactions:	With halogen elements, oxidizing substances, reducing agents, acids.
10.4.	Conditions to avoid:	Sources of heat, sparks, and ignition.
10.5.	Incompatible materials:	Halogen elements, oxidizing substances, reducing agents, acids.
10.6.	Hazardous decomposition products:	Irritating vapors and gases.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity:

Route of exposure:	Method	Species	Effective Dose LD ₅₀ /LC ₅₀ or ATE _{mixture}	Exposure time	Results
Oral:	No information available	rat	LD ₅₀	-	125.13 mg/kg (methanol)
Dermal:	No information available	rabbit	LD ₅₀	-	375.13 mg/kg (methanol)
Inhalation:	No information available	rat	LC ₅₀	4 h	3.88 mg/l (methanol)

Specific target organ toxicity - single exposure (STOT-SE):

	Specific effects	Target organ	Note
Oral:	No information available	No information available	-
Dermal:	No information available	No information available	-
Inhalation:	No information available	No information available	-

Aspiration hazard: No information available

Irritation and corrosion

	Exposure time	Species	Evaluation	Method	Note
Skin corrosion/irritation	-	-	-	-	-
Serious eye damage/irritation	-	-	-	-	-

Sensitization

Trade name:	BIOFIX				
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version:	5

Skin sensitization:	Does not cause sensitization.
Respiratory sensitization:	No information available

Symptoms related to the physical, chemical and toxicological characteristics:

Oral exposure:	Stomach and bowel irritation, feeling unwell, vomiting, strong abdominal pain. Absorption may cause toxic effects.
Dermal exposure:	Minimum level of irritation, defatting; prolonged exposure may cause absorption and greater possibility of delayed systemic effects.
Inhalation exposure:	Airways irritation and possible lung damage due to high levels of vapor concentration. Absorption may cause toxic effects.
Eye exposure:	Mild to moderate irritation due to vapor, conjunctivitis, later chemosis, lesser possibility of cornea damage. Visual impairments may occur later, after the absorption.

Repeated dose toxicity (subacute, subchronic, chronic)

	Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-

Trade name:	BIOFIX				
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version:	5

Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-
--------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	---

--	--	--	--	--	--	--

Specific target organ toxicity - repeated exposure (STOT-RE):						
---	--	--	--	--	--	--

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-
Chronic inhalation	No information available	No information available	-

--	--	--	--	--	--	--

CMR effects (carcinogenicity, mutagenicity, reproductive toxicity)						
--	--	--	--	--	--	--

Carcinogenicity:	Possible carcinogen.				
Mutagenicity <i>in-vitro</i> :	Current <i>in vitro</i> tests did not indicate mutagenic effects.				
Genotoxicity:	No information available				
Mutagenicity <i>in-vivo</i> :	Evidence of genetic defects.				
Germ cell mutagenicity:	No information available				
Reproductive toxicity:	No toxicity on reproductive organs was determined in low concentrations.				

Summary of evaluation of the CMR properties:	Current studies indicate that low methanol concentrations do not cause CMR effects but formaldehyde has local carcinogenic activity in experimental animals; there is evidence for a threshold effect for tumors involving cytotoxicity and regenerative cell proliferation as the mode of action. Further detailed tests are required.				
--	---	--	--	--	--

--	--	--	--	--	--	--

11.2.	Information on other hazards:					
-------	-------------------------------	--	--	--	--	--

11.2.1.	Endocrine disrupting properties:					
---------	----------------------------------	--	--	--	--	--

	No known endocrine disrupting properties that affect human health.					
--	--	--	--	--	--	--

11.2.2.	Other informations:					
---------	---------------------	--	--	--	--	--

Trade name:	BIOFIX				
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version:	5

	-
--	---

SECTION 12. Ecological information

12.1. Toxicity

Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	<i>Lepomis macrochirus</i> (Bluegill sunfish)	No information available	No information available	15.400 mg/l (methanol)
Crustacea:	EC ₅₀	48 hours	<i>Daphnia magna</i>	No information available	No information available	> 18.260 mg/l (methanol)
Algae/aquatic plants:	IC ₅₀	8 days	<i>Pseudokirchneriella subcapitata</i> (green algae)	No information available	No information available	22.000 mg/l (methanol)
Other organisms	-	-	-	-	-	-
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants:	IC ₅₀	72 hours	No information available	No information available	No information available	-
Other organisms	-	-	-	-	-	-

12.2. Persistence and degradability

Abiotic degradation				
	Degradation half-lives	Method	Evaluation	Note
Marine water	No information available	No information available	No information available	-
Fresh water	No information available	No information available	No information available	-
Air	No information available	No information available	No information available	-

Trade name:	BIOFIX				
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version:	5

Soil	No information available	No information available	No information available	-
------	--------------------------	--------------------------	--------------------------	---

Biodegradation

% Degradation	Time (days)	Method	Evaluation	Note
-	-	No information available	No information available	-

12.3. Bioaccumulative potential

Octanol-water partition coefficient (log Kow)

Value	Concentration	pH	°C	Method	Evaluation	Note
-	No information available	-	-	-	No information available	-

Bioconcentration Factor (BCF)

Value	Species	Method	Evaluation	Note
No information available	No information available	No information available	No information available	No information available

Chronic ecotoxicity

Value	Dose	Exposure time	Species	Method	Evaluation	Note
Chronic toxicity on fish	LC ₅₀	No information available	No information available	No information available	No information available	-
Chronic toxicity on crustacea (Daphnia)	EC ₅₀	No information available	No information available	No information available	No information available	-

Trade name:	BIOFIX				
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version:	5

12.4. Mobility in soil						
Known or predicted distribution in environmental compartments:						
No information available						
Surface tension:						
	Value	°C	Concentration	Method	Note	
	No information available	No information available	No information available	No information available	-	
Adsorption / desorption						
Transport	A/D coefficient Henry's constant		log Kow	Evaporation rate	Method	Note
Soil-Water	No information available	No information available	No information available	No information available	No information available	-
Water-Air	No information available	No information available	No information available	No information available	No information available	-
Soil-Air	No information available	No information available	No information available	No information available	No information available	-
12.5. Results of PBT and vPvB assessment						
Substance(s) in the mixture do(es) not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex III or a PBT/vPvB assessment was not conducted.						
12.6. Endocrine disrupting properties						
The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.						
12.7. Other adverse effects						
No information available						
SECTION 13. Disposal considerations						
13.1. Waste treatment methods						

Trade name:	BIOFIX				
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version:	5

13.1.1.	Product/Packaging disposal:
	Waste material must be disposed of according to the national and local rules and regulations. Do not mix with other sorts of waste. Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.
13.1.2.	Waste codes/waste designations according to Law:
	No information available
13.1.3.	Waste codes/waste designations according to Low:
	15 01 10*: packaging that contains residual hazardous substances or is contaminated with hazardous substances
13.1.4.	Sewage disposal – relevant information:
	Waste must not be disposed of into the sewage system.
13.1.5.	Other disposal recommendations:
	Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge. Do not dispose of in places where ignition may occur.
13.1.6.	Relevant Community provisions:
	-

SECTION 14. Transport information

Transporting/shipment by road (ADR)	
UN number:	1992
UN proper shipping name:	Flammable liquid, toxic, n.o.s. (methanol solution)
Transport hazard class(es):	3 (6.1)
Packing group:	II
Environmental hazards:	-
Special precautions for user:	-
Transporting/shipment by rail (RID)	
UN number:	1992
UN proper shipping name:	Flammable liquid, toxic, n.o.s. (methanol solution)
Transport hazard class(es):	3 (6.1)
Packing group:	II

Trade name:	BIOFIX				
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version:	5

Environmental hazards:	-
Special precautions for user:	-
Transporting/shipment by inland waterways (ADN)	
UN number:	1992
UN proper shipping name:	Flammable liquid, toxic, n.o.s. (methanol solution)
Transport hazard class(es):	3 (6.1)
Packing group:	II
Environmental hazards:	-
Special precautions for user:	-
Transporting/shipment by sea (IMDG)	
UN number:	1992
UN proper shipping name:	Flammable liquid, toxic, n.o.s. (methanol solution)
Transport hazard class(es):	3 (6.1)
Packing group:	II
Environmental hazards:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL73/78 and the IBC code:	-
Transporting/shipment by air (ICAO-TI/IATA-DGR)	
UN number:	1992
UN proper shipping name:	Flammable liquid, toxic, n.o.s. (methanol solution)
Transport hazard class(es):	3 (6.1)
Packing group:	II
Environmental hazards:	-
Special precautions for user:	-
Further information:	-

SECTION 15. Regulatory information	
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
	EU regulations
	Authorisations and/or restrictions on use
	Authorisations: -
	Restrictions: -

Trade name:	BIOFIX				
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version:	5

Other EU regulations:	<p>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC;</p> <p>Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC;</p> <p>Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work;</p> <p>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006;</p> <p>REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);</p>
Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline)	
National legislation:	<p>Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act</p>
15.2. Chemical safety assessment	
	None

SECTION 16. Other information	
16.1. Indication of changes:	-
16.2. Abbreviations and acronyms:	<p>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)</p> <p>IMDG: International Maritime Code for Dangerous Goods</p> <p>IATA: International Air Transport Association</p> <p>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</p> <p>EINECS: European Inventory of Existing Commercial Chemical Substances</p> <p>CAS: Chemical Abstracts Service (division of the American Chemical Society)</p> <p>DNEL: Derived No-Effect Level (UK REACH)</p> <p>LC50: Lethal concentration, 50 percent</p> <p>LD50: Lethal dose, 50 percent</p> <p>PBT: Persistent, Bioaccumulative and Toxic</p> <p>vPvB: very Persistent and very Bioaccumulative</p>
16.3. Key literature references and source of data:	-

Trade name:	BIOFIX				
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version:	5

16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)	
	Classification	Classification procedure
	-	-
16.5.	Relevant H statements (number and full text)	
	H:	
	225	Highly flammable liquid and vapor.
	226	Flammable liquid and vapor.
	301+311+331	Toxic if swallowed, in contact with skin or if inhaled.
	314	Causes severe skin burns and eye damage.
	317	May cause an allergic skin reaction.
	341	Suspected of causing genetic defects.
	350	May cause cancer.
	370	Causes damage to organs if inhaled, if it comes into contact with skin, and if swallowed.
16.6.	Training advice:	-
16.7.	Further information:	** "X" in the product code marks different volumes (different packaging of the product) We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.

ANNEX: Exposure scenario resulting to Chemical safety assessment	
-	