

Page 1 of 19

Trade name:			BIOFIX		
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version:	5

SECTI	ON 1: Identification of the substance/mixture and of the company/undertaking				
1.1.	Product identifier				
	Trade name:	BIOFIX			
	Chemical name:	-			
	Catalogue number:	BF-X**			
1.2.	Relevant identified uses of the	substance or mixtu	re and uses advised against		
	Uses:	Methyl alcohol-l	based fixative for cryostat sections.		
	Uses advised against:	Only the identifi	Only the identified uses are advised.		
	Reason why uses advised against: The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.				
1.3.	Details of the supplier of the safety data sheet				
	Supplier:	BioGnost Ltd.			
	Address:	Medjugorska 59	, Zagreb		
	Telephone number:	+385 1 2409997	,		
	Telefax:	+385 1 2404039			
	e-mail of competent person:	msds@biognost	<u>hr</u>		
	National contact:				
1.4.	Emergency telephone numbers				
	National Protection and Rescue	e Directorate:	112		
	Medical information:		+385 1 2348 342		
	Other information:		-		

SECTIO	DN 2. Hazards identification				
2.1.	Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 (CLP)				
2.1.1.					
	Hazard class and category code:	Hazard statement*:			
	Flam. liq. 2	H225			
	Acute Tox. 3	H301			
	Acute Tox. 3	H311			
	Skin Irr. 2	H315			
	Eye Irr. 2	H319			
	Acute Tox. 3	H331			
	Muta 2	H341			
	STOT SE 1	H370			
2.1.2.	Additional information				



Page 2 of 19

					Page	2 of 19	
Trade r	name:			BIOFIX			
Produc	t code:	BF-X**	Date of compilation:	te of compilation: 22 Dec 2022 Version:			
	No know <b>Results o</b>		Properties: isrupting properties vB assessment: According to	the results of its assess	ment, this substa	ince is	
For fu	ll text of Ha	azard- and EU	Hazard-statements: see SECT	ON 16			
2.2.	Label eler	ments					
	Product id	dentification:	BIOFIX				
	Identifica	tion number:	-				
	Authorisa	tion number:	-				
	Hazard pi	ictograms:	GHS02 GHS05	GHS06 GHS08			
	Signal wo	ord:	Danger				
	Hazard st	atements:	H301+H311+H331 T inhaled. H314 Causes sever H317 May cause ar H341 Suspected of H350 May cause ca	hable liquid and vapor. oxic if swallowed, in cor e skin burns and eye da a allergic skin reaction. causing genetic defects ncer. uge to organs (eyes).	mage.	if	
	Precautio	nary statemer	not smoke. P301+P310 IF SWALL CENTER/doctor. P302+P352 IF ON SK P304+P340 IF INHAL a position comfortab P305+P351+P338 IF minutes. Remove cor rinsing.	om heat/sparks/open fl .OWED: Immediately ca IN: Wash with plenty of ED: Remove victim to fr le for breathing. IN EYES: Rinse cautious ntact lenses, if present a ed or concerned: Call a F	ll a POISON soap and water. esh air and keep ly with water for nd easy to do. Co	at rest in several ontinue	



					Page 3 of 19
Trade	name:			BIOFIX	
Produ	ict code:	BF-X**	Date of compilation:	22 Dec 2022	Version: 5
	Supplem informat	etal hazard ion (EU):	-		
2.3.	Other ha	zards			
	-				

	mposition/inform			
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)
67-56-1/ 200-659-6/ 603-001-00-X	-	80 – 85 %	methanol	Flam. liq. 2, H225 Acute tox. 3, H331 Acute tox. 3, H311 Acute tox. 3, H301 STOT-SE 1, H370
50-00-0/ 200-001-8/ 605-001-00-5	-	9 – 10 %	formaldehyde, 37%	Acute tox. 3; H301 Acute tox. 3; H311 Skin corr. 1B; H314 Skin sens. 1; H317 Acute tox. 3; H331 Muta. 2; H341 Carc. 1B; H350
64-19-7/ 200-580-7/ 607-002-00-6	-	4 – 5 %	acetic acid, 99%	Flam. Liq. 3; H226 Skin corr. 1A; H314

SECTI	ON 4. First aid measures	
4.1.	Description of first aid n	neasures
	General notes:	-
	Following inhalation:	Carry the afflicted person out for fresh air, place them in half lying position and calm them down. If breathing stops, immediately apply artificial respiration. Rush the afflicted person to the hospital while keeping them in lateral recumbent position in order to keep the airways clear.
	Following skin contact:	Remove contaminated clothing. Wash with plenty of water and soap for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.



Page 4 of 19

Trade name:			BIOFIX		
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version:	5

	-				
4.3.	Indication of any immed	Indication of any immediate medical attention and special treatment needed			
	Following ingestion:	Stomach and bowel irritation, feeling unwell, vomiting, strong abdominal pain. Absorption may cause toxic effects.			
	Following eye contact:	Mild to moderate irritation due to vapor, conjunctivitis, later chemosis, lesser possibility of cornea damage. Visual impairments may occur later, after the absorbtion.			
	Following skin contact:	Minimum level of irritation, defatting; prolonged exposure may cause absorption and greater possibility of delayed systemic effects.			
	Following inhalation:	Airways irritation and possible lung damage due to high levels of vapor concentration. Absorption may cause toxic effects.			
4.2.	Most important symptoms and effects, both acute and delayed				
	Self-protection of the first aider	Avoid direct contact with the chemical; use appropriate protective equipment described in Section 8.			
	Following ingestion:	Rinse with water and expectorate. Make the afflicted person drink 1 - 2 glasses of water (200 - 400 ml). The afflicted person should drink one glass (100 ml) of 40% ethanol (adult dose). Place the afflicted person in the half lying position and rush them to hospital while constantly calming them down. If the afflicted person is vomiting, there may be risk of pulmonary aspiration.			

SECTI	ON 5. Firefighting measures	
5.1.	Extinguishing media	
	Suitable extinguishing media:	water spray, foam, dry powder, CO <sub>2</sub>
	Unsuitable extinguishing media:	No information available
5.2.	Special hazards arising from the sub	ostance or mixture
	Hazardous byproducts of fire:	No information available
5.3.	Advice for firefighters	
	Use a self-contained open-circuit co	ompressed air breathing apparatus and fireproof clothing.
	Cool closed containers exposed to f	ire with water spray, in order to prevent explosion.
5.4.	Additional information	
	Remove sources of heat and ignitio	n.
	Do not contaminate the environme	nt with extinguishing media.

SECTIO	ON 6. Accidental release measures	
6.1.	Personal precautions, protective equip	oment and emergency procedures
6.1.1.	For non-emergency personnel	
	Protective equipment:	Use personal protective equipment (see Section 8).



Page 5 of 19

Trade	name:		BIOFIX					
Produ	ct code:	BF-X**	Date of com	Date of compilation: 22 Dec 2022		Version:	5	
	-	prevention m	r vethods: v a s	nembers wi vapor, ensure and eyes. Re moke.	mbers of all non-esser thout protective equip e adequate ventilation a move all sources of sp	ment. Do not b nd avoid contact	oreathe in with skin	
	Emergenc	y procedures	s: N	Mark the are	a using proper signs.			
6.1.2.	2. For emergency responders:							
	Use protective equipment; in case of inadequate ventilation use adequate airways protective equipment (see Section 8).							
6.2.	Environmental precautions:							
	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.							
6.3.	Methods	and materials	s for containment	and cleaning	g up			
6.3.1.	Bunding, drains; cap procedure		ping Sand or clay barriers.					
6.3.2.	For cleani	For cleaning: Where possible, the substance can be absorbed by using inflammable material (sand, diatomaceous earth, vermiculite). Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and and involved materials with water.						
6.3.3.	Other info	ormation:	Do not use tool	s that may c	ause sparks.			
6.4.	Reference to other sections							
	See Sectio	See Section 7 for information about secure handling.						
	See Sectio	on 8 for infor	mation about pers	sonal protec	tive equipment.			
	See Section 13 for information about containment.							

SECTIO	N 7. Handling and storage	
7.1.	Precautions for safe handling	
7.1.1.	Protection measures	
	Measures for fire prevention:	Use in well ventilated storage rooms. Keep away from sources of heat and ignition. Carry out measures for preventing static electricity.
	Measures for preventing spray and dust formation:	Secure proper ventilation.
	Environmental precautions:	Prevent spilling into the sewage system and waterways.
	Other measures:	-
7.1.2.	Advice on general occupational hygiene:	



Page 6 of 19

Trade name:			BIOFIX	
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version: 5

	Do not eat, drink or smoke in the workspace. Th	oroughly wash hands after work and before eating.
7.2.	Conditions for safe storage, including any incom	npatibilities
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well-ventilated storage rooms, and away from sources of heat, sunlight, and other incompatible substances.
	Packaging materials:	Manufacturer's original packaging.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).
7.3.	Specific end use(s)	
	Recommendations:	-
	Industrial sector specific solutions:	-

SECTION 8. Expo	sure contr	ols/persona	I protection						
8.1. Control p	trol parameters								
Substanc	e	CAS No	Occupational exp values/short ter		Biolo	ogical limit values			
			ppm	mg/m³					
Methanol		67-56-1	200/-	260/-	-				
Formaldehyde		50-00-0	0.3/0.6	0.37/0.74	-				
Acetic acid	c acid 64-19-7 10/20 25/50 -								
* For all results pe into consideration	0	eatinine leve	ls, creatinine concentrati	on < 0.5 g/l an	d > 3.0 g/	l may not be taken			
Substance: -									
EC No: -		CAS No:	-						
DNEL									
			Industrial						
Route of		Acute	Acute	Chror	nic	Chronic			
exposure:	eff	ect local	effect systemic	effect lo	ocal	effect systemic			
Oral	-		-	-		-			



Page 7 of 19

Trade name:				В	IOFIX		
Product code:	BF-X**	Date	of compilatio	on:	22 Dec 2022	Version: 5	
Inhalation	halation 0.75 mg/m <sup>3</sup> (formaldehyde) 260 mg/m <sup>3</sup> (methanol) 260 mg/m <sup>3</sup>			0.375 mg/m <sup>3</sup> (formaldehyde) 260 mg/m <sup>3</sup> (methanol)	9 mg/m <sup>3</sup> (formaldehyde) 260 mg/m <sup>3</sup> (methanol)		
Dermal			40 mg/kg (m	ethanol)	0.037 mg/cm <sup>2</sup> (formaldehyde)	240 mg/kg (formaldehyde) 40 mg/kg (methanol)	
Critical physical par	rameters: sol	ubility, fl	ammability, cor	rosivity:	-		
			Cons	sumer	<u>.</u>		
Route of exposure:	Act effect		Acute effect sys		Chronic effect local	Chronic effect systemic	
Oral	_		8 mg/kg (me	thanol)	-	4.1 mg/kg (formaldehyde) 8 mg/kg (methanol)	
Inhalation	50 mg/m <sup>3</sup> 50 mg/m <sup>3</sup> (methanol) (methanol)		-		0.1 mg/m <sup>3</sup> (formaldehyde) 50 mg/m <sup>3</sup> (methanol)	3.2 mg/m <sup>3</sup> (formaldehyde) 50 mg/m <sup>3</sup> (methanol)	
Dermal	-		8 mg/kg (me	thanol)	0.012 mg/cm <sup>2</sup> (formaldehyde)	102 mg/kg (formaldehyde) 8 mg/kg (methanol)	
PNEC							
Environmental prot	tection targe	t		PNEC			
Fresh water				0.44 mg/l (formaldehyde) 154 mg/l (methanol)			
Freshwater sedime	nts			2.3 mg/kg (formaldehyde) 570.4 mg/kg (methanol)			
Marine water				0.44 mg/l (formaldehyde) 15.4 mg/l (methanol)			
Marine sediments				2.3 mg/kg (formaldehyde)			
Food chain				No information available			
Microorganisms in sewage treatment				0.19 mg/l (formaldehyde) 100 mg/l (methanol)			
Soil (agricultural)			0.2 mg/kg (formaldehyde)				
Air				23.5 mg/kg (methanol) No information available			
Air				NO INION	mation available		



Page 8 of 19

Trade name:			BIOFIX		
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version: 5	

8.2.1.	Appropriate engineering measures				
	Substance/mixture related measures to prevent exposure during identified uses:	Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.			
	Structural measures to prevent exposure:	No information available			
	Organisational measures to prevent exposure:	Organization of work in order to reduce other worker's influence during work process.			
	Technical measures to prevent exposure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels.			
8.2.2.	Personal protection equipme	nt			
8.2.2.1.	Eye and face protection:	Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU).			
8.2.2.2.	Skin protection:	1			
	Hand protection:	The protective gloves have to satisfy the specification of Regulation (EU) 2016/425 and the related standard EN374. Full contact: Glove material: nitrile rubber Glove thickness: 0.40 mm Time until perforation: > 480 min Splash contact: Gloves material: polychloroprene Glove thickness: 0.65 mm Time until perforation: >240 min			
	Other skin protection:	Complete suit protecting against chemicals (EN 340) The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace and shoes that cover the entire foot.			
8.2.2.3.	Respiratory protection:	Use mask that covers the entire face (EN 136). Recommended filter type: ABEK (EN 143). Use respirators and components tested according to and approved by the standard (EU).			
8.2.2.4.	Thermal hazards:	No information available			
8.2.3.	Environmental exposure cont	rols			
	Substance/mixture related measures to prevent exposure:	See Section 6			
	Structural measures to prevent exposure:	Use modern equipment.			



Page 9 of 19

Trade name:Product code:BF-X**D				BIOFIX			
		BF-X**	Date	of compilation:	22 Dec 2022	Version:	5
		isational meas at exposure:	ures to	Adapt the work pr workplace.	ocess to the required w	orking conditions	of the
	Technical measures to		See Section 6				

Technical measures to	See Section 6
prevent exposure:	See Section 0

9.1.	Information on basic physical and	chemical properties		
		Value	Method	
	Physical state:	liquid	No information available	
	Colour:	colorless	No information available	
	Odour/odour threshold:	methanol/no information available	No information available	
	Melting point / freezing point:	No information available	No information available	
	Boiling point or initial boiling point and boiling range:	No information available	No information available	
	Flammability:	No information available	No information available	
	Lover and upper explosion limit:	lower: 6 % (V) methanol upper: 36.5 % (V) methanol	No information available	
	Flash point:	12 °C	No information available	
	Auto-ignition temperature:	No information available	No information available	
	Decomposition temperature:	No information available	No information available	
	pH:	No information available	No information available	
	Kinematic viscosity:	No information available	No information available	
	Solubility:	No information available	No information available	
	Partition coefficient n- octanol/water (log value):	No information available	No information available	
	Vapour pressure:	No information available	No information available	
	Density and/or relative density	No information available	No information available	
	Relative vapour density:	No information available	No information available	
	Particle characteristics:	No information available	No information available	

SECTION	ON 10.: Stability and reactivity	
10.1.	Reactivity:	See subsections 10.3 through 10.5.
10.2.	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).



Page 10 of 19

Trade	Trade name:			BIOFIX				
Product code: BF-X** Date of co		Date of comp	oilation:	22 Dec 2022	Version:	5		
10.3.	Possibility	of hazardou	s reactions:	With hald agents, a	gen elements, oxidizing cids.	g substances, redu	ucing	
10.4.	Condition	onditions to avoid:			Sources of heat, sparks, and ignition.			
10.5.	Incompatible materials:		Halogen acids.	Halogen elements, oxidizing substances, reducing age acids.		agents,		
10.6.	Hazardou	s decomposi	Hazardous decomposition products: Irritating vapors and gases.					

11.1. Inform	nation on toxicological effects					
Acute	toxicity:					
Route of exposure:	Method	Species	Effective Dose LD <sub>50</sub> /LC <sub>50</sub> or ATE <sub>mixture</sub>	Exposure time	Results	
Oral:	No information available	rat	LD <sub>50</sub>	-	125.13 mg/kg (methanol)	
Dermal:	No information available	rabbit	rabbit LD <sub>50</sub> -		375.13 mg/kg (methanol)	
Inhalation:	No information available	rat	LC <sub>50</sub>	4 h	3.88 mg/l (methanol)	
Specif	ic target organ toxicity - single Specific effects	•		jet organ	Note	
Oral:	No information available	)	No informat	-		
Dermal:	No information available		No informat	_		
Inhalation:	No information available		No information available -			
Aspira	ation hazard:	No inform	nation available	e		
Irritati	on and corrosion					
	Exposure time	Species	Evaluatio n	Method	Note	
Skin corrosion/irrita	tion	-	-			
Serious eye damage/irritat	on -	-	-			



					Page 1	1 of 19				
Trade name:			BIOFI	K						
Product code:	BF-X**	Date of compilati	on: 22 D	ec 2022	Version:	5				
Skin sensitization	: Does not ca	use sensitization.								
Respiratory sensitization:	No informa	tion available								
Sympton	ms related to the p	hysical, chemical a	nd toxicological	characteristics:						
Oral exposure:	-	wel irritation, feelin			ninal pain. Abso	orption				
Dermal exposure:		Minimum level of irritation, defatting; prolonged exposure may cause absorption and greater possibility of delayed systemic effects.								
Inhalation exposure:	Airways irritation and possible lung damage due to high levels of vapor concentration. Absorption may cause toxic effects.									
Eye exposure:		e irritation due to v Visual impairments			•	ility of				
Repeate	d dose toxicity (su	bacute, subchronic,	, chronic)							
	Dose	Exposure time	Species	Method	Evaluation	Note				
Subacute oral	No information available	No information available	No information available	No information available	No information available	-				
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-				
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-				
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-				
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-				
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-				
Chronic oral	No information available	No information available	No information available	No information available	No information available	-				
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-				



Page 12 of 19

Trade name	:		Page 12 of 19 BIOFIX							
Product cod		BF-X**	D	ate of compilation	on:		ec 2022	Version:		5
-				•	<b>.</b>					
Chronic No information available		No informati available	on	No information available	No informa availab		No information available	No information available		-
Spec	cific t	arget organ to	xicity	y - repeated expos	-	DT-RE):				
				Specific effe			Target orga			Note
Subacute ora				o information ava			nformation avail		-	
Subacute der				o information ava			nformation avail		-	
Subacute inh		on		o information ava			nformation avai		-	
Subchronic oral			N	o information ava	ilable	No i	nformation avail	lable	-	
Subchronic dermal			N	o information ava	ilable	No i	nformation avail	lable	-	
Subchronic ir	hala	tion	N	o information ava	ilable	No i	nformation avail	lable	-	
Chronic oral I		N	o information ava	ilable	No i	No information available		-		
Chronic dermal			N	o information ava	ilable	No i	nformation avai	lable	-	
Chronic inhal	atior	1	N	o information ava	ilable	No i	nformation avai	lable	-	
Carc	inog	enicity: icity <i>in-vitro</i> :	nicity	/, mutagenicity, re	Possible	carcino	-	icate mutage	enic	effects.
Gen	otoxi	city:			No information available					
Mut	agen	icity <i>in-vivo</i> :			Evidence of genetic defects.					
Gerr	n cel	l mutagenicity:			No information available					
Repr	rodu	ctive toxicity:			No toxicity on reproductive organs was determined in low concentrations.					
	Summary of evaluation of the CMR properties:					R Current studies indicate that low methanol concentrations do not cause CMR effects but formaldehyde has local carcinogenic activity in experimental animals; there is evidence for a threshold effect for tumors involving cytotoxicity and regenerative cell proliferation as the mode of action. Further detailed tests are required.				
					i		· · · · · · · · · · · · · · · · · · ·			
11.2. Info	rmati	on on other ha	azaro	ls:						
11.2.1. Endo	ocrin	e disrupting pr	opei	rties:						
		vn endocrine o ct human healt		pting properties						
11.2.2. Othe	er inf	ormations:								



-

# SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 13 of 19

Trade name:		BIOFIX						
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version:	5			

SECTION 12.	Ecologio	al informa	tion					
12.1. Toxici	ty							
Acute (short-te toxicity	erm)	Dose	Exposure time	Species	Met	hod	Evaluation	Note
Fish I		LC <sub>50</sub>	96 hours	Lepomis No macrochirus information (Bluegill available		nation	No information available	15.400 mg/l (methanol)
Crustacea: EC <sub>50</sub>		EC <sub>50</sub>	48 hours	Daphnia magna	N inform avail	nation	No information available	>18.260 mg/l (methanol)
Algae/aquatic plants:		IC <sub>50</sub>	8 days	Pseudokirchn eriella subcapitata (green algae)	No information available		No information available	22.000 mg/l (methanol)
Other organisr	ns	-	-	-	-		-	-
Chronic (long- toxicity	term)	Dose	Exposure time	Species	Met	hod	Evaluation	Note
Fish		LC <sub>50</sub>	96 hours	No information available	No informa availab		No information available	-
Crustacea:		EC <sub>50</sub>	48 hours	No information available	No informa availab		No information available	-
Algae/aquatic plants:		IC <sub>50</sub>	72 hours	No information available	No information available		No information available	-
Other organisr	ns	-	-	-	-		-	-
12.2. Persis	tence ar	nd degradat	oility					
Abiot	ic degra					1		
	Deg	radation ha	lf-lives	Method			Evaluation	Note
Marine water	No info	ormation av	ailable	No information a	vailable	No in availa	formation ble	-
Fresh water	No info	ormation av	ailable	No information a	vailable	No information available		-
Air	No info	ormation av	ailable	No information a	vailable	No in availa	formation ble	-



Page 14 of 19

Trade name:			BIOFIX							
Product code	e:	BF-X**	Date of	<sup>-</sup> compila	ation: 22	De	c 2022		Versio	n: 5
Soil	No	information av	vailable	No int	formation availab	ble No information available		ation		-
Biode	egrad	ation								
% Degradati	-	Time (da	iys)		Method		Evaluatio	n		Note
		No inforr	nation available		No informatior available	on -				
		ş					;			
		ulative potenti								
-		ater partition					· · ·			
Value	Coi No	ncentration information	рН	°C	Method		Evaluation No information			Note
-	availa		-	-	-		available		-	
Bioco	oncen	tration Factor	(BCF)							
Value		Spec	ies		Method		Evaluatio	on		Note
No informatic available	'n	No informati available	on	No inf	ormation availab	le	No information available		No information available	
Chro	nic ec	otoxicity								
Valu	le	Dos	e i	posure time	Species		Method	Eval	uation	Note
Chronic toxicity on fish		fish LC <sub>50</sub>	No infor avail	mation able	No information available		o formation /ailable	ormation infor		-
Chronic toxici crustacea (Da	-	) EC <sub>50</sub>	No infor avail	mation able	No information available	1	o formation ⁄ailable	No informati on available		-
						_				



Page 15 of 19

Trade name:		BIOFIX						
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version:	5			

12.4.	Mol	bility in soil							
	Kno	wn or predicte	d distributi	on in environmen	tal comp	artmen	ts:		
	No	information av	ailable						
	Surf	ace tension:							
		Value	°C	Concentrati	on		Method		Note
	No information available		No informatio available	on No informati available	on N	No information available			-
	Ads	orption / deso	rption						
Transp	ort	A/D coefficient Henry's constant		log Kow		oration Ite	Method	٦	lote
Soil-W	Soil-Water No availal		formation	No information available	No information available		No information available	-	
Water-Air No avai		No in <sup>.</sup> available	formation	No information available	No information available		No information available	-	
Soil-Aiı	r	No in <sup>.</sup> available	formation	No information available	No information available		No information available	-	
12.5.	Sub		e mixture d				or vPvB according to aducted.	Regulatic	on (EC)
12.6.	End	ocrine disrupti	ng properti	es					
	pro	perties accordii	ng to REAC	•	Commiss	sion Del	ed to have endocrine e egated regulation (EU er.		-
12.7.	Oth	er adverse effe	cts						
	No	information av	ailable						
SECTIO	ON 13	. Disposal con	sideration	s					



					Page 16 of 19				
Trade n	ame:			BIOFIX					
Produc	t code:	BF-X**	Date of compilation:	22 Dec 2022	Version: 5				
13.1.1.		t/Packaging o	•						
	not mi>	with other s	be disposed of according to t orts of waste. Submit for dispo d Nature Protection.						
13.1.2.	Waste	codes/waste	designations according to Law	:					
	No info	ormation avai	lable						
13.1.3.	Waste	codes/waste	designations according to Low						
		0*: packaging ous substance	g that contains residual hazard es	ous substances or is co	ntaminated with				
13.1.4.	Sewage	e disposal – re	elevant information:						
	Waste	must not be c	lisposed of into the sewage sy	stem.					
13.1.5.	Other o	disposal recor	nmendations:						
	collecto system	ors authorized . Submit the p	he product's remains into the s d by the ministry in charge. Do backaging to the collectors aut Inition may occur.	not dispose of the pack	kaging into the sewage				
13.1.6.	Relevar	nt Community	/ provisions:						
	Directiv	/e 2009/98/E0	C on waste and repealing certa	in directives.					
SECTIO	N 14. Trai	nsport inforr	nation						
	Transpor	ting/shipmen	t by road (ADR)						
UN num	ber:		1992						
UN prop	per shippir	ng name:	Flammable liquid,	toxic, n.o.s. (methanol s	olution)				
Transpo	rt hazard	class(es):	3 (6.1)						
Packing	group:		11						
Environ	nental haz	zards:	-						
Special	precautior	ns for user:	-						
	Transpor	ting/shipmen	t by rail (RID)						
UN num	ber:		1992	1992					
	per shippir	-	•	Flammable liquid, toxic, n.o.s. (methanol solution)					
•	rt hazard	class(es):	3 (6.1)						
Packing	group:		II						



Page 17 of 19

Trade name:		BIOFIX								
Product code:	BF-X**	Date o	f compilation:	22 Dec 2022	Version:	5				
Environmental haza	ards:		-							
Special precautions	for user:		-							
Transporti	ng/shipment b	y inland	waterways (ADN)							
UN number:			1992							
UN proper shipping name:			Flammable liquid, t	oxic, n.o.s. (methanol so	lution)					
Transport hazard class(es):			3 (6.1)							
Packing group:			II							
Environmental haza	ards:		-							
Special precautions	for user:		-							
Transporti	ng/shipment b	y sea (IN	1DG)							
UN number:			1992							
UN proper shipping	g name:		Flammable liquid, t	oxic, n.o.s. (methanol so	lution)					
Transport hazard cl	ass(es):		3 (6.1)							
Packing group:			II							
Environmental haza	ards:		-							
Special precautions	for user:		-							
Transport in bulk a of MARPOL73/78 a	-		-							
Transporti	ng/shipment b	y air (ICA	O-TI/IATA-DGR)							
UN number:			1992							
UN proper shipping	g name:		Flammable liquid, t	oxic, n.o.s. (methanol so	lution)					
Transport hazard cl	ass(es):		3 (6.1)							
Packing group:			II							
Environmental haza	ards:		-							
Special precautions	for user:		_							
Further informatior	n: -									

SECTIO	SECTION 15. Regulatory information									
15.1.	Safety, health and environme	Safety, health and environmental regulations/legislation specific for the substance or mixture								
	EU regulations									
	Authorisations and/or restric	ctions on use								
	Authorisations:	-								
	Restrictions:	-								



Page 18 of 19

Trade name:		BIOFIX							
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version:	5				

Other EU regulations:	<ul> <li>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC;</li> <li>Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC;</li> <li>Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work;</li> <li>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006;</li> <li>REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);</li> </ul>		
Information according guideline)	1999/13/EC about limitation of emissions of volatile organic compounds (VOC-		
National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act		
15.2. Chemical safety assess	Chemical safety assessment		
None	None		

SECTIC	SECTION 16. Other information				
16.1.	Indication of changes:	-			
16.2.	Abbreviations and acronyms:	<ul> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>DNEL: Derived No-Effect Level (UK REACH)</li> <li>LC50: Lethal concentration, 50 percent</li> <li>LD50: Lethal dose, 50 percent</li> <li>PBT: Persistent, Bioaccumulative and Toxic</li> <li>vPvB: very Persistent and very Bioaccumulative</li> </ul>			
16.3.	Key literature references and source of data:	-			



Page 19 of 19

Trade name:	BIOFIX				
Product code:	BF-X**	Date of compilation:	22 Dec 2022	Version:	5

16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)				
Classification		ı	Classification procedure		
-	-		-		
16.5.	Relevant H statements (num		ber and full text)		
	H:	225	Highly flammable liquid and vapor.		
		226	Flammable liquid and vapor.		
		301+311+331	Toxic if swallowed, in contact with skin or if inhaled.		
		314	Causes severe skin burns and eye damage.		
		317	May cause an allergic skin reaction.		
		341	Suspected of causing genetic defects.		
		350	May cause cancer.		
		370	Causes damage to organs if inhaled, if it comes into contact with skin, and if swallowed.		
16.6.	Training advice:		-		
			** "X" in the product code marks different volumes (different packaging of the product)		
16.7. Further information:		ther information:	We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.		

# ANNEX: Exposure scenario resulting to Chemical safety assessment