




Trading name:	<b>SACCOMANNO FIXATIVE</b>				
Product code:	SF-OT-X**	Revision date:	22 Dec 2022	Version:	3

<b>SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING</b>		
1.1.	Product identifier	
	Trading name:	SACCOMANNO FIXATIVE
	Chemical name:	-
	Catalogue number:	SF-OT-X**
1.2.	Relevant identified uses of the substance or mixture and uses advised against	
	Uses:	Solution for fixation and transport of cytology samples.
	Uses advised against:	Only the identified uses are advised.
	Reason why uses advised against:	The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.
1.3.	Details of the supplier of the safety data sheet	
	Supplier:	BioGnost Ltd.
	Address:	Medjugorska 59, Zagreb
	Telephone number:	+385 1 2409997
	Fax no.:	+385 1 2404039
	e-mail of competent person:	<a href="mailto:msds@biognost.hr">msds@biognost.hr</a>
	National contact:	-
1.4.	Emergency telephone number	
	National Protection and Rescue Directorate:	112
	Medical information:	+385 1 2348 342
	Other information:	-

<b>SECTION 2 HAZARDS INFORMATION</b>		
2.1.	Classification of the substance or mixture	
2.1.1.	Classification according to (EC) Regulation No. 1272/2008 (CLP)	
	Hazard class and category code:	Hazard statements*:
	Flam. Liq. 2	H225
	Acute Tox. 4	H302
	Acute Tox. 4	H312
	Acute Tox. 4	H332
	STOT SE 3	H336
	STOT SE 2	H371
2.1.2.	Additional information	
	-	
*For full text of Hazard- and EU Hazard-statements: see Section 16		
2.2.	Label elements	

Trading name:	<b>SACCOMANNO FIXATIVE</b>				
Product code:	SF-OT-X**	Revision date:	22 Dec 2022	Version:	3

Product identification:	SACCOMANNO FIXATIVE
Identification number:	-
Authorization no.:	-
Hazard pictograms:	<div style="text-align: center;">                       GHS02                        GHS07                        GHS08                 </div>
Signal word:	Danger
Hazard statements:	H225 Highly flammable liquid and vapor H302 Harmful if swallowed. H312 Harmful in contact with skin. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. H371 May cause damage to organs.
Precautionary statements:	P210 Keep away from heat/sparks/open flames/hot surfaces. Do not smoke. P233 Keep container tightly closed. P280 Wear protective gloves/protective clothing/eye/protection/face protection. P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell. P330 Rinse mouth. P302+P352 IF ON SKIN: Wash with plenty of water. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Further information:	-
2.3.	Other hazards

Trading name:	<b>SACCOMANNO FIXATIVE</b>				
Product code:	SF-OT-X**	Revision date:	22 Dec 2022	Version:	3

<p><b>Endocrine Disrupting Properties:</b>          No known endocrine disrupting properties</p> <p><b>Results of PBT and vPvB assessment:</b> According to the results of its assessment, this substance is not a PBT or a vPvB.</p>
---

**SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS**

CAS/ EC/ Index no.	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)
64-17-5/ 200-578-6/ 603-002-00-5	01-2119457610- 43-0147	40 – 60 %	ethanol	Flam. Liq. 2; H225
67-56-1/ 200-659-6/ 603-001-00-X	01-2119433307- 44-xxxx	2-3 %	methanol	Flam. Liq. 2; H225 Acute Tox. 3; H301 Acute Tox. 3; H311 Acute Tox. 3; H331 STOT SE 1; H370
67-63-0/ 200-661-7/ 603-117-00-0	-	1– 2 %	propan-2-ol	Flam. Liq. 2; H225 Eye Irr. 2; H319 STOT SE 3; H336

**SECTION 4 FIRST AID MEASURES**

4.1.	Description of first aid measures	
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.
	Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.
	Following skin contact:	Remove contaminated clothing. Thoroughly wash with water for 15 minutes.
	Following eye contact:	Rinse the eyes using mild jet of clean water for at least 15 minutes with the eyelids held wide open. If the afflicted person wears contact lenses that are easy to remove, remove the lenses and continue rinsing.
	Following ingestion:	Rinse the mouth thoroughly with water. If the afflicted person is conscious, provide them with 1-2 glasses of water. DO NOT induce vomiting. Consult a physician.
	Self-protection of the first aider:	-
4.2.	Most important symptoms and effects, both acute and delayed	

Trading name:	<b>SACCOMANNO FIXATIVE</b>				
Product code:	SF-OT-X**	Revision date:	22 Dec 2022	Version:	3

Following inhalation:	May cause eye irritation and upper respiratory system (stinging sensation, irritation). Bronchoconstriction is possible. Possible symptoms include CNS symptoms such as headache, vertigo, intoxication and loss of consciousness after exposure to higher levels of concentration.
Following skin contact:	Defatting, dry skin.
Following eye contact:	Splatter may cause discomfort, stinging sensation, conjunctival redness, and corneal surface lesions.
Following ingestion:	It may lead to occurrence of strong sensation of stinging, headache, vertigo, intoxication and loss of consciousness after exposure to higher levels of concentration. If denaturants are present, dyspepsia may occur (such as vomiting).
4.3.	Indication of any immediate medical attention and special treatment needed
	-

<b>SECTION 5 Firefighting measures</b>	
5.1.	Extinguishing media
	Suitable extinguishing media: Water spray, dry powder, alcohol-resistant foam, CO <sub>2</sub>
	Unsuitable extinguishing media: -
5.2.	Special hazards arising from the substance or mixture
	Hazardous combustion products: -
5.3.	Advice for firefighters
	Stay in danger area only with self-contained open-circuit compressed air breathing apparatus and a set for protecting the body from heat dissipation (fireproof clothing).
5.4.	Additional information
	-

<b>SECTION 6 ACCIDENTAL RELEASE MEASURES</b>	
6.1.	Personal precautions, protective equipment and emergency procedures
6.1.1.	For non-emergency personnel
	Protective equipment: When disposing of small quantities use protective clothing. When disposing of large quantities use self-contained open-circuit compressed air breathing apparatus or self-contained closed-circuit air breathing apparatus.
	Accident prevention methods: Secure a safety zone, remove all ignition sources, and in case of an accident inform the Emergency service (112) and the manufacturer or sender. Position a prohibition sign with symbols of flame and devices that cause sparks.

Trading name:	<b>SACCOMANNO FIXATIVE</b>				
Product code:	SF-OT-X**	Revision date:	22 Dec 2022	Version:	3

	Emergency procedures:	Remove or neutralize all factors that may exacerbate the condition, use all allowed means of containing the situation and use recommended means of personal protection.
6.1.2.	For emergency responders:	
		Self-contained open-circuit compressed air breathing apparatus, a set for protecting the body from heat dissipation (fireproof clothing).
6.2.	Environmental precautions:	
		Use sand protective barrier to prevent further spillage of chemicals. Prevent environmental pollution by not allowing the chemicals to enter the sewage system, surface water or groundwater.
6.3.	Methods and material for containment and cleaning up	
6.3.1.	Bundling, covering of drains; capping procedures:	Sand protective barrier or barriers made of similar materials
6.3.2.	Cleaning up:	Sawdust, sand, mineral adsorbents
6.3.3.	Other information:	Secure proper ventilation. Contact the responsible person; in case of larger spills and possible environmental pollution contact National Protection and Rescue (112).
6.4.	Reference to other sections	
		-

<b>SECTION 7 HANDLING AN STORAGE</b>		
7.1.	Precautions for safe handling	
7.1.1.	Protection measures	
	Measures to prevent fire:	Keep away from sources of ignition and heat. Do not use tools that cause sparks.
	Measures to prevent aerosol and dust generation:	Secure proper ventilation. Do not inhale vapors or mist.
	Environmental precautions:	Prevent spilling into the sewage system and waterways.
	Other measures:	-
7.1.2.	Advice on general occupational hygiene:	
		Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.
7.2.	Conditions for safe storage, including any incompatibilities	
	Technical measures and storage conditions:	Keep in a well-ventilated place. Keep away from heat and direct solar radiation.
	Packaging materials:	Manufacturer's original packaging.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.

Trading name:	<b>SACCOMANNO FIXATIVE</b>				
Product code:	SF-OT-X**	Revision date:	22 Dec 2022	Version:	3

Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
Further information on storage conditions:	-
<b>7.3. Specific end use(s)</b>	
Recommendations:	-
Industrial sector specific solutions:	-

**SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

Substance	CAS No	Occupational exposure limit values/short term values		Biological limit values
		ppm	mg/m <sup>3</sup>	
Ethanol	64-17-5	1000/-	1900/-	No information available
Methanol	67-56-1	200/-	260/-	24.7 mmol/mol of creatinine* (7.0 mg/g of creatinine*), end-of-shift urinary excretion
2-propanol	67-63-0	400/500	999/1250	No information available

\* For all results pertaining creatinine levels, creatinine concentration < 0.5 g/l and > 3.0 g/l may not be taken into consideration

Substance name:	-
-----------------	---

EC No:	-	CAS No:	-
--------	---	---------	---

**DNEL**

**Industrial**

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	1900 mg/m <sup>3</sup> (ethanol) 260 mg/m <sup>3</sup> (methanol)	260 mg/m <sup>3</sup> (methanol)	260 mg/m <sup>3</sup> (methanol)	380 mg/m <sup>3</sup> (ethanol) 260 mg/m <sup>3</sup> (methanol)
Dermal	-	40 mg/kg (methanol)		343 mg/kg (ethanol) 40 mg/kg (methanol)

Critical physical parameters: solubility, flammability, corrosivity: -

**Consumer**

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
--------------------	--------------------	-----------------------	----------------------	-------------------------

Trading name:	<b>SACCOMANNO FIXATIVE</b>				
Product code:	SF-OT-X**	Revision date:	22 Dec 2022	Version:	3

Oral	-	8 mg/kg (methanol)	-	87 mg/kg bw/day (ethanol) 8 mg/kg (methanol)
Inhalation	950 mg/m <sup>3</sup> (ethanol) 50 mg/m <sup>3</sup> (methanol)	50 mg/m <sup>3</sup> (methanol)	50 mg/m <sup>3</sup> (methanol)	114 mg/ m <sup>3</sup> (ethanol) 50 mg/m <sup>3</sup> (methanol)
Dermal	-	8 mg/kg (methanol)		206 mg/kg (ethanol) 8 mg/kg (methanol)

<b>PNEC</b>	
Environmental protection target	<b>PNEC</b>
Fresh water	0.96 mg/l (ethanol) 154 mg/l (methanol)
Freshwater sediments	3.6 mg/kg (ethanol) 540 mg/kg (methanol)
Marine water	0.79 mg/l (ethanol) 15.4 mg/l (methanol)
Marine sediments	2.9 mg/kg (ethanol)
Food chain	380-720 mg/kg (ethanol)
Microorganisms in sewage treatment	580 mg/l (ethanol) 100 mg/l (methanol)
Soil (agricultural)	0.63 mg/kg (ethanol) 23.5 mg/kg (methanol)
Air	no information available

8.2.	<b>Exposure controls</b>	
8.2.1.	<b>Appropriate engineering controls</b>	
	Substance/mixture related measures to prevent exposure during identified uses:	Do not eat, drink or smoke in the workspace. Use personal protective equipment.
	Structural measures to prevent exposure:	No information available
	Organisational measures to prevent exposure:	Organization of work in order to reduce other worker's influence during work process.
	Technical measures to prevent exposure:	See Section 7.2
8.2.2.	<b>Personal protection equipment</b>	

Trading name:	<b>SACCOMANNO FIXATIVE</b>				
Product code:	SF-OT-X**	Revision date:	22 Dec 2022	Version:	3

8.2.2.1.	Eye and face protection:	Safety glasses (gas proof) that stick to face (EN 166) or visor in case of lower levels of concentration in air; protective gas mask that covers the entire face in case of higher levels of concentration in air.
8.2.2.2.	Skin protection	
	Hand protection:	In case of coming into thorough contact, use butyl rubber gloves (0.4 mm thick). In case of contact with drops, use polychlorene gloves (0.1 mm thick) (EN 374).
	Other skin protection:	During everyday work use cotton clothing and suitable footwear, such as rubber boots or shoes that cover the entire foot. In case of spilling hazard, use clothing made of impermeable material suitable for protection from liquid chemicals (Viton, PVC, himex – EN 465) and footwear made from the same material.
8.2.2.3.	Respiratory protection:	If the concentration level exceeds the GVI values (in the case of inadequate ventilation), use full gas mask (EN 136) equipped with brown and green filter AK.
8.2.2.4.	Thermal hazards:	
8.2.3.	Environmental exposure controls	
	Substance/mixture related measures to prevent exposure:	See Section 6
	Structural measures to prevent exposure:	Use modern equipment.
	Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
	Technical measures to prevent exposure:	See Section 6

<b>SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES</b>			
9.1.	Information on basic physical and chemical properties		
		Value	Method
	Physical state:	liquid	No information available
	Colour:	colourless	No information available
	Odour/odour threshold:	ethanol like/no information available	No information available
	Melting point / freezing point:	No information available	No information available
	Boiling point or initial boiling point and boiling range:	No information available	No information available
	Flammability:	No information available	No information available
	Lower and upper explosion limit:	No information available	No information available



Trading name:	<b>SACCOMANNO FIXATIVE</b>				
Product code:	SF-OT-X**	Revision date:	22 Dec 2022	Version:	3

Flash point:	26°C	No information available
Auto-ignition temperature:	No information available	No information available
Decomposition temperature:	No information available	No information available
pH:	No information available	No information available
Kinematic viscosity:	No information available	No information available
Solubility:	No information available	No information available
Partition coefficient n-octanol/water (log value):	No information available	No information available
Vapour pressure:	No information available	No information available
Density and/or relative density	No information available	No information available
Relative vapour density:	No information available	No information available
Particle characteristics:	No information available	No information available
9.2.	Other information	
	-	

<b>SECTION 10 STABILITY AND REACTIVITY</b>		
10.1.	Reactivity:	See subsections 10.3 through 10.5.
10.2.	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).
10.3.	Possibility of hazardous reactions:	No information available
10.4.	Conditions to avoid:	No information available
10.5.	Incompatible materials:	No information available
10.6.	Hazardous decomposition products:	No information available

<b>SECTION 11 TOXICOLOGICAL INFORMATION</b>					
11.1. Information on toxicological effects					
Acute toxicity:					
Route of exposure:	Method	Species	Effective dose LD <sub>50</sub> /LC <sub>50</sub> or ATE <sub>mixture</sub>	Exposure time	Results
Oral exposure:	No information available	rat	LD <sub>50</sub>	No information available	7.060 mg/kg (ethanol) 125.13 mg/kg (methanol)
Dermal exposure:	No information available	rabbit	LD <sub>50</sub>	24 h	>20.000 mg/kg (ethanol) 375.13 mg/kg (methanol)

Trading name:	<b>SACCOMANNO FIXATIVE</b>				
Product code:	SF-OT-X**	Revision date:	22 Dec 2022	Version:	3

Inhalation exposure:	No information available	rat	LC <sub>50</sub>	4h	>8.000 mg/l (ethanol) 3.88 mg/l (methanol)
----------------------	--------------------------	-----	------------------	----	---

--	--	--	--	--	--

Specific target organ toxicity – single exposure (STOT SE):					
---	--	--	--	--	--

	Specific effects	Target organ	Note
Oral exposure:	No information available	No information available	-
Dermal exposure:	No information available	No information available	-
Inhalation exposure:	No information available	No information available	-

--	--	--	--	--	--

Aspiration hazard:	May cause respiratory irritation.				
--------------------	-----------------------------------	--	--	--	--

--	--	--	--	--	--

Irritation and corrosion					
--------------------------	--	--	--	--	--

	Exposure time	Species	Evaluation	Method	Note
Skin corrosion/irritation:	No information available	No information available	No information available	No information available	-
Serious eye damage/irritation	No information available	No information available	No information available	No information available	-

--	--	--	--	--	--

Sensitization					
---------------	--	--	--	--	--

Dermal exposure:	No information available				
------------------	--------------------------	--	--	--	--

Inhalation exposure:	No information available				
----------------------	--------------------------	--	--	--	--

--	--	--	--	--	--

Symptoms related to the physical, chemical and toxicological characteristics					
--	--	--	--	--	--

Oral exposure:	It may lead to occurrence of strong sensation of stinging, headache, vertigo, intoxication and loss of consciousness after exposure to higher levels of concentration. If denaturants are present, dyspepsia may occur (such as vomiting).				
----------------	--	--	--	--	--

Dermal exposure:	Defatting, dry skin.				
------------------	----------------------	--	--	--	--

Inhalation exposure:	May cause eye irritation and upper respiratory system (stinging sensation, irritation). Bronchoconstriction is possible. Possible symptoms include CNS symptoms such as headache, vertigo, intoxication and loss of consciousness after exposure to higher levels of concentration.				
----------------------	---	--	--	--	--

Eye exposure:	Splatter may cause discomfort, stinging sensation, conjunctival redness, corneal surface lesions.				
---------------	---	--	--	--	--

--	--	--	--	--	--

Repeated dose toxicity (subacute, subchronic, chronic)					
--	--	--	--	--	--

Trading name:	<b>SACCOMANNO FIXATIVE</b>				
Product code:	SF-OT-X**	Revision date:	22 Dec 2022	Version:	3

	Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

Specific target organ toxicity – repeated exposure (STOT RE):

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-

Trading name:	<b>SACCOMANNO FIXATIVE</b>				
Product code:	SF-OT-X**	Revision date:	22 Dec 2022	Version:	3

Chronic inhalation	No information available	No information available	-
CMR effects (carcinogenicity; mutagenicity; reproductive toxicity)			
Carcinogenicity:	No information available		
Mutagenicity <i>in-vitro</i> :	No information available		
Genotoxicity:	No information available		
Mutagenicity <i>in-vivo</i> :	No information available		
Germ cell mutagenicity:	No information available		
Reproductive toxicity:	No information available		
Summary of evaluation of the CMR properties:	No information available		
<b>11.2. Information on other hazards:</b>			
<b>11.2.1. Endocrine disrupting properties:</b>			
Based on available data, does not contain endocrine disruptors.			
<b>11.2.2. Other informations:</b>			
-			

<b>SECTION 12 ECOLOGICAL INFORMATION:</b>						
<b>12.1. Toxicity</b>						
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	Lepomis macrochirus (Bluegill sunfish)	No information available	8.140 mg/l /48 h (ethanol) 15.400 mg/l (methanol)	-
Crustacea:	EC <sub>50</sub>	48 hours	Daphnia magna	No information available	7.800 mg/l (ethanol) > 18.260 mg/l (methanol)	-
Algae/aquatic plants	IC <sub>50</sub>	72 hours	Pseudokirchneriella subcapitata (green algae)	No information available	5.000 mg/l / 7d (ethanol) 22.000 mg/l (methanol)	-

Trading name:	<b>SACCOMANNO FIXATIVE</b>					
Product code:	SF-OT-X**	Revision date:	22 Dec 2022	Version:	3	

Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Other organisms	-	-	-	-	-	-
Fish	LC <sub>50</sub>	96 hours	No information available	No information available	No information available	-
Crustacea:	EC <sub>50</sub>	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants	IC <sub>50</sub>	72 hours	No information available	No information available	No information available	-
Other organisms	-	-	-	-	-	-

**12.2. Persistence and degradability**

Abiotic degradation					
	Degradation half-lives	Method	Evaluation	Note	
Marine water	No information available	No information available	No information available	-	
Fresh water	No information available	No information available	No information available	-	
Air	No information available	No information available	No information available	-	
Soil	No information available	No information available	No information available	-	

**Biodegradation**

% Degradation	Time (days)	Method	Evaluation	Note
-	-	-	-	-

**12.3. Bioaccumulative potential**

**Partition coefficient: n-octanol/water (log Kow):**

Value	Concentration	pH	°C	Method	Evaluation	Note
-	-	-	-	-	-	-

**Bioconcentration factor (BCF)**

Trading name:	<b>SACCOMANNO FIXATIVE</b>				
Product code:	SF-OT-X**	Revision date:	22 Dec 2022	Version:	3

Value	Species	Method	Evaluation	Note
No information available	No information available	No information available	No information available	-

Chronic ecotoxicity

Value	Dose	Exposure time	Species	Method	Evaluation	Note
Chronic toxicity on fish	LC <sub>50</sub>	No information available	No information available	No information available	No information available	-
Chronic toxicity on crustacea ( <i>Daphnia</i> )	EC <sub>50</sub>	No information available	No information available	No information available	No information available	-

**12.4. Mobility in soil**

Known or predicted distribution in environmental compartments:

No information available

Surface tension:

Value	°C	Concentration	Method	Note
No information available	No information available	No information available	No information available	-

Adsorption / desorption

Transport	A/D coefficient Henry's constant	log Kow	Evaporation rate	Method	Note
Soil-water	No information available	No information available	No information available	No information available	-
Water-air	No information available	No information available	No information available	No information available	-
Soil-air	No information available	No information available	No information available	No information available	-

**12.5. Results of PBT and vPvB assessment**

Trading name:	<b>SACCOMANNO FIXATIVE</b>				
Product code:	SF-OT-X**	Revision date:	22 Dec 2022	Version:	3

	Based on available data, the product does not contain any PBT or vPvB substances.
--	---

12.6.	Endocrine disrupting properties
-------	---------------------------------

	Based on available data, does not contain endocrine disruptors.
--	---

12.7.	Other adverse effects
-------	-----------------------

	No information available
--	--------------------------

<b>SECTION 13 DISPOSAL CONSIDERATIONS</b>	
---	--

13.1.	Waste treatment methods
-------	-------------------------

13.1.1.	Product/Packaging disposal:
---------	-----------------------------

	Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.
--	--

13.1.2.	Waste codes/waste designations according to Law:
---------	--

	15 01 10*: packaging that contains residual hazardous substances or is contaminated with hazardous substances
--	---

13.1.3.	Waste treatment – relevant information:
---------	---

	No information available
--	--------------------------

13.1.4.	Sewage disposal – relevant information:
---------	---

	Waste must not be disposed of into the sewage system.
--	---

13.1.5.	Other disposal recommendations:
---------	---------------------------------

	Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge.
--	---

13.1.6.	Relevant Community provisions:
---------	--------------------------------

	-
--	---

<b>SECTION 14 TRANSPORT INFORMATION</b>	
---	--

	Transporting/shipment by road (ADR)
--	-------------------------------------

UN number:	1170
------------	------

UN proper shipping name:	Ethanol solution
--------------------------	------------------

Trading name:	<b>SACCOMANNO FIXATIVE</b>				
Product code:	SF-OT-X**	Revision date:	22 Dec 2022	Version:	3

Transport hazard class(es):	3
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by rail (RID)	
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-
Inland waterway transport (ADN)	
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by sea (IMDG)	
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (ICAO-TI/IATA-DGR)	
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-
Further information:	-



Trading name:	<b>SACCOMANNO FIXATIVE</b>				
Product code:	SF-OT-X**	Revision date:	22 Dec 2022	Version:	3

<b>SECTION 15 REGULATORY INFORMATION</b>	
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
EU regulations	
Authorization and/or restrictions of use	
Authorizations:	-
Restrictions:	-
Other EU regulations:	<p>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC;</p> <p>Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC;</p> <p>Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work;</p> <p>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006;</p> <p>COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).</p> <p>REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);</p>
Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline)	
National legislation:	<p>Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act</p>
15.2.	Chemical safety assessment
	None

<b>SECTION 16 Other information</b>	
16.1.	Indication of changes: -

Trading name:	<b>SACCOMANNO FIXATIVE</b>				
Product code:	SF-OT-X**	Revision date:	22 Dec 2022	Version:	3

16.2.	Abbreviations and acronyms:	<p>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)</p> <p>IMDG: International Maritime Code for Dangerous Goods</p> <p>IATA: International Air Transport Association</p> <p>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</p> <p>EINECS: European Inventory of Existing Commercial Chemical Substances</p> <p>CAS: Chemical Abstracts Service (division of the American Chemical Society)</p> <p>DNEL: Derived No-Effect Level (UK REACH)</p> <p>LC50: Lethal concentration, 50 percent</p> <p>LD50: Lethal dose, 50 percent</p> <p>PBT: Persistent, Bioaccumulative and Toxic</p> <p>vPvB: very Persistent and very Bioaccumulative</p>
16.3.	Key literature references and source of data:	-
16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)	
	Classification	Classification procedure
	-	-
16.5.	Relevant H statements (number and full text)	
	<p>225</p> <p>301+311+331</p> <p>H: 302+312+332</p> <p>319</p> <p>336</p> <p>370</p> <p>371</p>	<p>Highly flammable liquid and vapor.</p> <p>Toxic if swallowed, in contact with skin or if inhaled.</p> <p>Harmful if swallowed, in contact with skin or if inhaled.</p> <p>Causes serious eye irritation.</p> <p>May cause drowsiness or dizziness.</p> <p>Causes damage to organs.</p> <p>May cause damage to organs.</p>
16.6.	Training advice:	-
16.7.	Further information:	<p>** "X" in the product code marks different volumes (different packagings of the product)</p> <p>We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.</p>

<b>ANNEX:</b>
<b>EXPOSURE SCENARIO RESULTING TO CHEMICAL SAFETY ASSESSMENT</b>
-