

Page 1 of 16

Trading name:	LUGOL'S SOLUTION, M.I.F.					
Product code:	LUGM-OT-X**	Date of compilation:	21 Dec 2022	Version:	4	

SECTION	ON 1: Identification of t	:he substance	e/mixture	and of the company/undertaking		
1.1	Product identifier					
	Trading name:	LUGOL'S SC	LUGOL'S SOLUTION, M.I.F.			
	Chemical name:	-				
	Catalogue number:	LUGM-OT-	X **			
1.2	Relevant identified use	es of the subst	tance or n	nixture and uses advised against		
	Uses:		For use	with M.I.F. kit.		
	Uses advised against:		Only the	e identified uses are advised.		
	Reason why uses advised against:		The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.			
1.3	Details of the supplier	tails of the supplier of the safety data sheet				
	Supplier:		BioGnost Ltd.			
	Address:		Medjugorska 59, Zagreb			
	Telephone number:		+385 1 2409997			
	Telefax.:		+385 1 2404039			
	e-mail of competent person:		msds@biognost.hr			
	National contact:		-			
1.4	Emergency telephone	Emergency telephone number				
	National Protection ar	d Rescue Dire	ectorate:	e: 112		
	Medical information:			+385 1 2348 342		
	Other information:			-		

SECTIO	SECTION 2. Hazards identification					
2.1	Classification of the substance or mixture					
2.1.1	Classification according to R	Classification according to Regulation (EC) No 1272/2008 (CLP)				
	Hazard class and category code: Hazard statements*:					
	Not identified as hazardous substance.					
2.1.2.	Additional information					
	-					
*For fu	ll text of Hazard- and EU Haza	rd-statements: see S	SECTION 16			
2.2	Label elements					
	Product identification:	LUGOL'S SOLU	ΓΙΟΝ, M.I.F.			
	Identification number:	-				
	Authorization number:	-				
	Hazard pictograms:	-				



Page 2 of 16

Trading name:		LUGOL'S SOLUTION, M.I.F.					
Product code:	LUGM-OT-X**	Date of compilation:	21 Dec 2022	Version:	4		

	Signal word:	-			
	Hazard statements:	-			
	Precautionary statements:	-			
	Supplemetal hazard information (EU):	-			
2.3	Other hazards				
	Endocrine Disrupting Proper	ties:			
	No known endocrine disrupting properties				
	Results of PBT and vPvB assessment : According to the results of its assessment, this substance is no PBT or a vPvB.				

SECTION 3. Composition/information on ingredients					
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)	
-	-	-	Contains no hazardous substances	-	

SECTI	ION 4. First aid measures	
4.1	Description of first aid measures	
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.
	Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.
	Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.
	Following ingestion:	Rinse the mouth thoroughly with 1-2 glasses of water. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.
	Self-protection of the first aider:	-
4.2	Most important symptoms and ef	fects, both acute and delayed
	Following inhalation:	According to our findings, chemical, physical and toxicological properties of the substance have not been entirely tested.



Page 3 of 16

Trading name:	LUGOL'S SOLUTION, M.I.F.					
Product code:	LUGM-OT-X**	Date of compilation:	21 Dec 2022	Version:	4	

	Following skin contact:	According to our findings, chemical, physical and toxicological properties of the substance have not been entirely tested.		
	Following eye contact:	According to our findings, chemical, physical and toxicological properties of the substance have not been entirely tested.		
	Following ingestion:	According to our findings, chemical, physical and toxicological properties of the substance have not been entirely tested.		
4.3	Indication of any immediate medical attention and special treatment needed			
	-			

SECTI	SECTION 5. Firefighting measures				
5.1	Extinguishing media				
	Suitable extinguishing media:	water spray, dry powder, CO ₂ or alcohol resistant foam			
	Unsuitable extinguishing media:	Water with full jet			
5.2	Special hazards arising from the substance or mixture				
	Hazardous combustion products:	no information available			
5.3	Advice for firefighters				
	Use a self-contained open-circuit o	compressed air breathing apparatus and fireproof clothing.			
5.4	Additional information	Additional information			
	Cool endangered receptacles with contaminate the environment with	water spray. Collect contaminated fire fighting water separately. Do not extinguishing media.			

SECTIO	SECTION 6. Accidental release measures				
6.1	Personal precautions, protective equipment and emergency procedures				
6.1.1.	For non-emergency personnel				
	Protective equipment: Use personal protective equipment (see Section 8).				
	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment. Avoid breathing vapors and avoid contact with skin and eyes. Do not smoke. Keep away from ignition sources.			
	Emergency procedures:	Mark the area using proper signs.			
6.1.2.	For emergency responders:				
	Use protective equipment; in case of inadequate ventilation use adequate airways protective equipment (see Section 8).				
6.2	Environmental precautions:				
	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.				
6.3	Methods and material for containment and cleaning up				
6.3.1.	Bunding, covering of drains; capping procedures:	Sand protective barrier or barriers made of similar materials.			



Page 4 of 16

Trading name:	LUGOL'S SOLUTION, M.I.F.					
Product code:	LUGM-OT-X**	Date of compilation:	21 Dec 2022	Version:	4	

6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using absorbing material. Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and and involved materials with water.				
6.3.3.	Other information:	Secure proper ventilation. Do not use incompatible materials (see Section 10).				
6.4	Reference to other sections					
	See Section 7 for information on safe handling.					
	See Section 8 for information on personal protection equipment.					
	See Section 13 for disposal in	formation.				

SECTIO	ON 7. Handling and storage				
7.1	Precautions for safe handling				
7.1.1.	Protection measures				
	Measures to prevent fire:		Use in well ventilated storage rooms. Keep away from sources of ignition and heat. Do not use tools that cause sparks. Do not smoke.		
	Measures to prevent aerosol and dust generation	asures to prevent aerosol and dust generation:			
	Measures to protect the environment:		Prevent spilling into the sewage system and waterways.		
	Other measures:		Protect against electrostatic charges.		
7.1.2.	Advice on general occupational hygiene:				
	Do not eat, drink or smoke in the workspace. Th	oroughly was	sh hands after work and before eating.		
7.2	Conditions for safe storage, including any incon	npatibilities			
	Technical measures and storage conditions:	well ventil	htly closed and upright set containers in a ated storage rooms at temperatures ranging 25 °C. Protect from heat and direct sunlight.		
	Packaging materials:	Manufactu	urer's original packaging.		
	Requirements for storage rooms and vessels:	ep away from food and drink. Keep the containers ntly closed.			
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.			



Page 5 of 16

Trading name:	LUGOL'S SOLUTION, M.I.F.						
Product code:	LUGM-OT-X**	Date of compilation:	21 Dec 2022	Version:	4		

	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).
7.3	Specific end use(s)	
	Recommendations:	-
	Industrial sector specific solutions:	-

SECTION 8. Expos	ure contr	ols/perso	nal p	rotec	tion				
8.1 Control pa	arameters								
Substance CA					cupational exposure limit alues/short term values		Biological limit values		
					ŗ	opm	mg/m³		
-			-			-	-	-	
Substance name:	-								
EC No:	-	CAS No	:	-					
DNEL									
					Ind	lustrial			
Route of	Acı	ute		Acut	:e		Chronic		Chronic
exposure:	effect	t local effect systemic		stemic	effect local			effect systemic	
Oral				-		-			
Inhalation	-		-			-			-
Dermal	-		-		-			-	
Critical physical pa	rameters: s	solubility,	flamm	nabilit	y, corr	rosivity:	-		
					Cor	nsumer			
Route of	A	cute		Acut	te	Chronic			Chronic
exposure:	effec	ct local	effe	ct sys	stemic		effect local		effect systemic
Oral	-		-			-			-
Inhalation	-		-			-			-
Dermal	-		-			-		-	
PNEC									
Environmental pro	tection tar	get				PNEC			
Fresh water						no inform	nation available		
Freshwater sediments					no information available				
Marine water						no information available			
Marine sediments				no information available					



Food chain

SAFETY DATA SHEET BIOGNOST® According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 6 of 16

Trading name:		LUGOL'S SOLUTION, M.I.F.						
Product code:	LUGM-OT-X**	Date of compilation:	21 Dec 2022	Version:	4			

no information available

i ood ciidi	ood chain		no information available		
Microorga	anisms in sewage treatment		no information available		
Soil (agric	cultural)		no information available		
Air			no information available		
8.2	Exposure controls				
8.2.1.	Appropriate engineering controls				
	Substance/mixture related measu prevent exposure during identifie		Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.		
	Structural measures to prevent exposure:		In accordance with Section 7.		
	Organisational measures to prevent exposure: Technical measures to prevent exposure:		Organization of work in order to reduce other worker's influence during work process.		
			Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels. Secure stations for rinsing eyes and showering.		
8.2.2.	Personal protection equipment				
8.2.2.1.	Eye and face protection:	Safety glasses that stick to face (EN 166) or visor in case of lower levels of concentration in air; protective gas mask that covers the entire face in case of higher levels of concentration in air.			
8.2.2.2.	Skin protection	<u>i</u>			
	· ·		otective gloves have to satisfy the specification of tion (EU) 2016/425 and the related standard EN 374. Glove material: nitrile rubber Glove thickness: 0.40 mm Time until perforation: > 480 min		
	Other skin protection:	footwe entire imperr	everyday work use cotton clothing (EN 340) and suitable ear, such as rubber boots (EN 20345) or shoes that cover the foot. In case of spilling hazard, use clothing made of neable material suitable for protection from liquid chemicals PVC, himex) and footwear made from the same material.		
8.2.2.3.	Respiratory protection:	Protective full face mask (EN 136) or half mask (EN 140) equipped with a filter for organic vapors, type "A" (boiling point >65°C) acording to EN 14387) used when concentration levels exceed GN			
8.2.2.4.	Thermal hazards:	No info	ormation available		
8.2.3.	Environmental exposure controls				
	Substance/mixture related measures to prevent exposure:	See Se	ction 6		



Page 7 of 16

Trading name:	LUGOL'S SOLUTION, M.I.F.						
Product code:	LUGM-OT-X**	Date of compilation:	21 Dec 2022	Version:	4		

Structural measures to prevent exposure:	Use modern equipment.
Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
Technical measures to prevent exposure:	See Section 6

Information on basic phy	rsical and chemical properties	
	Value	Method
Physical state:	liquid	No information available
Colour:	dark brown	No information available
Odour/odour threshold:	characteristic/no information available	No information available
Melting point / freezing	point: No information avail	able No information available
Boiling point or initial bo point and boiling range:	iling No information avail	able No information available
Flammability:	No information avail	able No information available
Lover and upper explosion	on limit: No information avail	able No information available
Flash point:	No information avail	able No information available
Auto-ignition temperatu	re: No information avail	able No information available
Decomposition temperat	cure: No information avail	able No information available
pH:	No information avail	able No information available
Kinematic viscosity:	No information avail	able No information available
Solubility:	No information avail	able No information available
Partition coefficient noctanol/water (log value)	No information avail	able No information available
Vapour pressure:	No information avail	able No information available
Density and/or relative d	ensity: No information avail	able No information available
Relative vapour density:	No information avail	able No information available
Particle characteristics:	No information avail	able No information available
Other information		

SECTION 10. Stability and reactivity	
10.1 Reactivity:	See subsections 10.3 through 10.5.



Page 8 of 16

Trading name:	LUGOL'S SOLUTION, M.I.F.						
Product code:	LUGM-OT-X**	Date of compilation:	21 Dec 2022	Version:	4		

10.2	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).
10.3	Possibility of hazardous reactions:	No information available
10.4	Conditions to avoid:	No information available
10.5	Incompatible materials:	No information available
10.6	Hazardous decomposition products:	No information available

	xicological informati					
11.1 Informa	tion on hazard classes	as defined in	n Regulatio	n (EC) No 1272/2	2008	
Acute to	oxicity:	:				1
Route of exposure:	Method	Species		D ₅₀ /LC ₅₀ or ATE _{mix}	Exposure ti	me Results
Oral:	No information available	_	No infor		-	-
Dermal:	No information available	_	No infor		_	-
Inhalation:	No information available	_	No infor		_	-
Specific	target organ toxicity -	- single expo	sure (STOT	SE):		
	Specific	effects		Target orga	an	Note
Oral:	No information available			No information available -		
Dermal:	No information a	vailable	No information available -			-
Inhalation:	No information a	vailable	No	information ava	ilable	-
Acniroti	an hazardı	NIa	informati	on available.		
Aspirau	on hazard:	INC	mormatio	on available.		
Irritation	n and corrosion					
:	Exposure 1	time	Species	Evaluation	Method	Note
Skin corrosion/irritation	on:	-		-	-	-
Serious eye damage/irritation	n -	_		-	-	-
Sensitiz	ation					
Skin sensitization	1	mation availa	ıble.			
Respiratory sensi		mation availa				



Page 9 of 16

Trading name:		LUGOL'S SOLUTIO	N, M.I.F.		
Product code:	LUGM-OT-X**	Date of compilation:	21 Dec 2022	Version:	4

J, mp to	ms rela	ted to the ph	ysical, chemica	al and toxicolog	gical characterist	ics				
Oral exposure:		No information available.								
Dermal exposure	e: l	No informati	lo information available.							
Inhalation expos	ure:	No informati	on available.							
Eye exposure:	I	No informati	on available.							
Repeate	ed dose	toxicity (sub	acute, subchro	onic, chronic)						
		Dose	Exposure time	Species	Method	Evaluation	Note			
Subacute oral	No i availa	nformation ble	No information available	No information available	No information available	No information available	-			
Subacute dermal	No i availa	nformation ble	No information available	No information available	No information available	No information available	-			
Subacute inhalation	No i availa	nformation ble	No information available	No information available	No information available	No information available	-			
Subchronic oral	No i availa	nformation ble	No information available	No information available	No information available	No information available	-			
Subchronic dermal	No i availa	information ble	No information available	No information available	No information available	No information available	-			
Subchronic inhalation	No i availa	information ble	No information available	No information available	No information available	No information available	-			
Chronic oral	No i availa	nformation ble	No information available	No information available	No information available	No information available	-			
Chronic dermal	No i availa	nformation ble	No information available	No information available	No information available	No information available	-			
Chronic inhalation	No i availa	nformation ble	No information available	No information available	No information available	No information available	-			



Page 10 of 16

Trading name:					
Product code:	LUGM-OT-X**	Date of compilation:	21 Dec 2022	Version:	4

Subacu	te oral	No information available			No information available	-		
Subacu	te dermal	No information available			No information available	-		
Subacu	te inhalation	No information available			No information available	-		
Subchro	onic oral	No information available			No information available	-		
Subchro	onic dermal	No information available			No information available	-		
Subchro	onic inhalation	No information available			No information available	-		
Chronic	oral	No information available			No information available	-		
Chronic	dermal	No information available			No information available	-		
Chronic	inhalation	No information available			No information available	-		
	CMR effects (c	arcinogenicity; mutagenicit	y; re	productive	toxicity)			
	Carcinogenicit	y:	Bas	sed on avail	able data, the classification	criteria are not met.		
	Mutagenicity in vitro:			sed on avail	able data, the classification	criteria are not met.		
	Genotoxicity: Mutagenicity <i>in vivo</i> : Germ cell mutagenicity:			Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.				
	Reproductive t	oxicity:	Based on available data, the classification criteria are not met.					
	Summary of properties:	evaluation of the CN	ИR	Based on met.	available data, the classific	cation criteria are no		
11.2	Information or	n other hazards:						
11.2.1.	Endocrine disr	upting properties:						
	The substance/mixture does not continuous components considered to have endocridisrupting properties according to REA Article 57(f) or Commission Delegal regulation (EU) 2017/2100 or Commiss Regulation (EU) 2018/605 at levels of 0.1% higher.							
11.2.2.	Other informa	tions:						
	_							

SECTION 12. Ecological information									
12.1 Toxicity									
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note			



Page 11 of 16

Trading name:		LUGOL'S SOLUTIO	N, M.I.F.		
Product code:	LUGM-OT-X**	Date of compilation:	21 Dec 2022	Version:	4

Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants	IC ₅₀	4 days	No information available	No information available	No information available	-
Other organisms	-	-	-	-	-	-
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants	IC ₅₀	72 hours	No information available	No information available	No information available	-
Other organisms	_	_	_	_	_	_

12.2 Persistence and degradability

Abiotic degradation

	Degradation half-lives	Method	Evaluation	Note
Marine water	No information available	No information available	No information available	-
Fresh water	No information available	No information available	No information available	-
Air	No information available	No information available	No information available	-
Soil	No information available	No information available	No information available	-

	ea		

Bioacgiaaa						
% Degradation	% Degradation Time (days)		regradation Time (days) Method		Evaluation	Note
No information available	No information available	No information available	No information available	No information available		



Page 12 of 16

Trading name:		LUGOL'S SOLUTION, M.I.F.											
Produ	ct code:		LUGN	1-OT-X**		Date	of co	mpilati	on: 21 D	ec 2022	١	/ersion:	4
12.3	Bioacc	umu	lative n	otential									
12.3			<u> </u>	tition coe	fficient	(log Kow	·)						
Valu			centrat	9	рН	°C		ethod	Evalı	uation		Note	
-	-			-		-	-		-		-		
		cent	ration	factor (BC	=)					•		NI /	
	Value ormation		No	Species	mation		Method		Evaluat			Note	
availab			availab		nation	ation No info availab		וונ	No information available		-		
	Chroni	ic ec	otoxicit	у						-			
	Value	9		Dose		oosure time	Spe	ecies	Method	Evalua	ition	Note	
					No		No		No	No			
Chroni	c toxicity	on f	fish	LC ₅₀		rmation		mation	information	informa		-	
					avail No	iabie	availa No	abie	available No	available No	е		
	c toxicity cea (<i>Dapł</i>			EC ₅₀		information		mation	information	informa	tion	-	
Crustat	.еа (Бирі	iiiu)			avail	lable	availa	able	available	available	е		
12.4	Mobilit			1 11 4 11									
			oredicte ation av	ed distribu	tion in	environm	nental d	compart	ments:				
	Surface			aliable									
	Val		131011.	°C		Concentra	ation		Method			Note	
	No		No					N					
	inform availab			ormation ailable		informa ailable	ition	No int availat	ormation ole	-			



Page 13 of 16

Trading name:	LUGOL'S SOLUTION, M.I.F.				
Product code:	LUGM-OT-X**	Date of compilation:	21 Dec 2022	Version:	4

	Adsorption / desorption				
Transport	t A/D coefficient Henry's constant	log Kow	Evaporation rate	Method	Note
Soil-wate	No information available	No information available	No information available	No information available	-
Water-air	No information available	No information available	No information available	No information available	-
Soil-air	No information available	No information available	No information available	No information available	-
	Results of PBT and vPvB asses The substance/mixture does		onents considered t	o have endocrine d	icrunting properties
	according to REACH Article 5 Regulation (EU) 2018/605 at I	7(f) or Commission	n Delegated regulat		
12.6. I	Endocrine disrupting propert	ies			
	The substance/mixture does i according to REACH Article 5 Regulation (EU) 2018/605 at I	7(f) or Commission	n Delegated regulat		
12.7	Other adverse effects				
	No further relevant information	on available.			
SECTION	I 13. Disposal consideration	S			
13.1	Waste treatment methods				
13.1.1.	Product/Packaging disposa	l:			
	Submit for disposal to the I Protection.	egal person autho	rized by the Ministr	y of Environmental	and Nature
13.1.2.	Waste codes/waste designa	ations according to	Law:		
	15 01 10*: Packaging that c substances	ontains residual h	azardous substance	s or is contaminated	d with hazardous
13.1.3.	Waste treatment – relevant	information:			
	No information available				
13.1.4.	Sewage disposal – relevant	information:			
	Televant	omiadon,			



Page 14 of 16

Trading name:	LUGOL'S SOLUTION, M.I.F.					
Product code:	LUGM-OT-X**	Date of compilation:	21 Dec 2022	Version:	4	

	Waste must not be dispos	ed of into the sewage system.		
13.1.5.	Other disposal recommend	dations:		
	Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge.			
13.1.6.	Relevant Community provisions:			
	Disposal must be made ac	cording to official regulations.		
SECTIO	N 14. Transport information	n		
	Transporting/shipment by ro			
UN num	nber:	Not subject to transport regulations		
UN prop	per shipping name:			
Transpo	rt hazard class(es):	-		
Packing	group:	-		
Environ	mentally hazardous:	-		
Special _I	precautions for user:	-		
	Transporting/shipment by ra	ail (RID)		
UN number:		Not subject to transport regulations		
UN proper shipping name:		-		
Transpo	rt hazard class(es):	-		
Packing	group:	-		
Environr	mentally hazardous:	-		
Special _I	precautions for user:	-		
	Inland waterway transport (A	ADN)		
UN num	nber:	Not subject to transport regulations		
UN prop	per shipping name:	-		
Transpo	rt hazard class(es):	-		
Packing	group:	-		
Environ	mentally hazardous:	-		
Special	precautions for user:	-		
	Transporting/shipment by se	ea (IMDG)		
UN num	nber:	Not subject to transport regulations		
UN prop	per shipping name:	-		
Transpo	rt hazard class(es):	-		
Packing	group:	-		



Page 15 of 16

Trading name:	LUGOL'S SOLUTION, M.I.F.				
Product code:	LUGM-OT-X**	Date of compilation:	21 Dec 2022	Version:	4

Environmentally hazardous:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (ICA	AO-TI/IATA-DGR)
UN number:	Not subject to transport regulations
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Further information: -	

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture				
	EU regulations				
	Authorization and/or rest	rictions of use			
	Authorizations:	-			
	Restrictions:	-			
	Other EU regulations:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC; Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC; Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work; Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006; REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);			



Page 16 of 16

Trading name:	LUGOL'S SOLUTION, M.I.F.				
Product code:	LUGM-OT-X**	Date of compilation:	21 Dec 2022	Version:	4

	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
15.2	Chemical safety assessment	
	None	

SECTIO	ON 16. Other information	
16.1	Indication of changes:	-
16.2	Abbreviations and acronyms:	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
16.3.	Key literature references and source of data:	-
16.4.	Classification and procedure u 1272/2008 (CLP)	sed to derive the classification for mixture according to Regulation (EC)
Classifi	cation	Classification procedure
-		-
16.5.	Relevant H statements (numb	er and full text)
	H: -	-
16.6.	Training advice:	-
16.7.	Further information:	** "X" in the product code marks different volumes (different packagings of the product) We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.

ANNEX: Exposure scenario resulting to chemical safety assessment	
-	