

Page 1 of 16

Trading name:	LUXOL FAST BLUE MBSN, C.I. 74180						
Product code:	LFB-P-X**	Revision date:	21 Dec 2022	Version:	3		

1.1.	Product identifier					
	Substance name:	LUXC	DL FAST BLU	E MBSN, C.I. 74180		
	EC No:	215-	523-1			
	Synonyms:	Luxo	l Fast Blue, S	olvent Blue 38		
	Product code:	LFB-F	P-X**			
	REACH registration number:	-				
	CAS No:	1328	-51-4			
	Index no.:	-				
1.2.	Relevant identified uses of the substance or mixture and uses advised against					
	Uses: For use in			histology.		
	Uses advised against:		Only the id	dentified uses are advised.		
	Reason why uses advised aga	nst:	medical de Agency for	ct is intended for use only as an <i>in vitro</i> diagnostic vice listed in the Registry of medical devices at the Medicinal Products and Medical Devices and there is no use it for other purposes		
1.3.	Details of the supplier of the s	afety	data sheet			
	Supplier:	Bi	oGnost Ltd.			
	Address:	М	edjugorska 5	59, Zagreb		
	Telephone number:	+3	385 1 240999	97		
	Fax no.:	+3	385 1 240403	39		
	e-mail of competent person:	<u>m</u>	sds@biogno	o <mark>st.hr</mark>		
	National contact person:	-				
1.4.	Emergency telephone numbe	r				
	National Protection and Rescu	ıe Dire	ectorate:	112		
	Medical information:			+385 1 2348 342		
	Other information:			-		

SECTIO	SECTION 2. Hazards identification						
2.1.	Classification of the substance or mixture	Classification of the substance or mixture					
2.1.1.	Classification according to Regulation (EC) No 1272/2008 (CLP)						
	Hazard class and category code: Hazard statements*:						
	Not identified as hazardous substances -						
2.1.2.	Additional information						
	-						
*For fu	ll text of Hazard- and EU Hazard-statements: see	Section 16					



Page 2 of 16

Trading name:	LUXOL FAST BLUE MBSN, C.I. 74180						
Product code:	LFB-P-X**	Revision date:	21 Dec 2022	Version:	3		

2.2.	Label elements			
	Product identification:	LUXOL FAST BLUE MBSN, C.I. 74180		
	Identification number:	-		
	Authorisation number:	-		
	Hazard pictograms:			
	Signal word:	-		
	Hazard statements:	-		
	Precautionary statements:	-		
	Further information:	-		
2.3.	Other hazards			
	Endocrine Disrupting Propert	ies:		
	No known endocrine disrupting properties			
	Results of PBT and vPvB assessment : According to the results of its assessment, this substance is not a PBT or a vPvB.			

SECTION 3. Composition/information on ingredients							
CAS No	EC No:	Index no.	Identification name	Weight % content (or range)			
1328-51-4	1328-51-4 215-523-1 - Disulfo copper phthalocyanine amine salt 90-100 %						

SECTI	ON 4. First aid measures			
4.1.	Description of first aid measures			
	General notes:	-		
	Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. If breathing becomes erratic or it stops, immediately apply artificial respiration (other than mouth-to-mouth) and contact a physician.		
	Following skin contact:	Remove contaminated clothing. Immediately begin rinsing with copious amounts of water for at least 15 min. Seek medical assistance if the symptoms of irritation remain.		
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open using clean fingers. If the symptoms remain, immediately call a physician.		
	Following ingestion:	DO NOT induce vomiting. If the afflicted person is unconscious, do not provide them with anything orally. Drink at most two glasses of water. Seek medical assistance.		
	Self-protection of the first aider	-		
4.2.	Most important symptoms and effects, both acute and delayed			
	Following inhalation:	Harmful if inhaled.		
	After skin contact:	Harmful in contact with skin.		



Page 3 of 16

Trading name:	LUXOL FAST BLUE MBSN, C.I. 74180					
Product code:	LFB-P-X**	Revision date:	21 Dec 2022	Version:	3	

	Following eye contact:	Risk of serious damage to eyes.
	Following ingestion:	Harmful if swallowed.
4.3.	Indication of any immediate m	nedical attention and special treatment needed
	-	

SECTIO	SECTION 5. Firefighting measures					
5.1.	Extinguishing media					
	Suitable extinguishing media:	Water, foam, dry powder, CO ₂				
	Unsuitable extinguishing media: -	-				
5.2.	Special hazards arising from the substance or mixture					
	Hazardous combustion products: r	no information available				
5.3.	Advice for firefighters					
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing.					
	Cool closed containers exposed to fire with water spray or vapor.					
5.4.	Additional information					
	Make sure the water used for extinguaters system.	uishing fire does not contaminate water surface or underground				

SECTIO	ECTION 6. Accidental release measures						
6.1.	Personal precautions,	protective e	quipment and emergency procedures				
6.1.1.	For non-emergency p	ersonnel					
	Protective equipment:		Use personal protective equipment (see Section 8).				
	Accident prevention methods:		Avoid breathing in dust. Avoid touching the substance. Secure proper ventilation.				
	Emergency procedure	s:	Leave the hazardous area, take notice of the emergency procedures.				
6.1.2.	For emergency respor						
	-						
6.2.	Environmental precautions:						
	Do not allow the product enter drainage.						
6.3.	Methods and material	for prevent	ing spreading and cleaning				
6.3.1.	For creating barriers, cover the drains. Collect, bind and pump out all the spilled material. Take notice of the possible material restriction (see Sections 7 and 10). Collect in dry form. Avoid generation of dust.						
6.3.2.	Cleaning up:	substance the legal p Protection	Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and and involved materials with water.				



Page 4 of 16

Trading name:	LUXOL FAST BLUE MBSN, C.I. 74180						
Product code:	LFB-P-X**	Revision date:	21 Dec 2022	Version:	3		

6.3.3.	Other information: -
6.4.	Reference to other sections
	Indications about waste treatment, see Section 13.

SECTIO	ON 7. Handling and storage					
7.1.	Precautions for safe handling					
7.1.1.	Protection measures					
	Measures to prevent fire:	Keep away from sources of ignition and heat. Do not use sparkling tools.				
	Measures to prevent aerosol and dust generation	on: Secure proper ventilation.				
	Environmental precautions:	Prevent spilling into the sewage system and waterways.				
	Other measures:	-				
7.1.2.	Advice on general occupational hygiene:					
	Do not eat, drink or smoke in the workspace. The	noroughly wash hands after work and before eating.				
7.2.	Conditions for safe storage, including any incompatibilities					
	Technical measures and storage conditions:	Minimize dust formation. Avoid breathing in dust. Avoid contact with skin, eyes, and clothes. Keep in tightly closed containers.				
	Containers materials:	Manufacturer's original packaging.				
	Requirements for storage rooms and vessels:	Keep in a tightly closed container. Keep in cool, dry and well ventilated space away from non-compatible substances.				
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.				
	Further information on storage conditions:	No information available.				
7.3.	Specific end use(s)					
	Recommendations:	-				
	Industrial sector specific solutions:	-				

SECTION 8. Exposure controls/personal protection						
8.1. Control parameter	ers					
Substance	Occupational e limit values/sho Substance CAS No values		/short term	Biological limit values		
		ppm	mg/m³			
-	-	-	-	-		



						Page 5 of 16		
Trading	ı name:		LUXOL FAS	ST BL	UE MBSN, C.I. 7418	0		
Product	t code:	LFB-P-X**	Revision o	date:	21 Dec 2022	Version: 3		
Door no	t contain c	ubstances regulated h	y the professional	ovnos	uro limit valuos			
		ubstances regulated b	by the professional	expos	ure iiiiit values.			
Substan name:	ce -							
EC No:	_	CAS No	; -					
DNEL		·						
			Indust	trial				
Route o	f	Acute	Acute		Chronic	Chronic		
exposui	re:	effect local	effect syster	mic	effect local	effect systemic		
Oral		-	-		-	-		
Inhalatio	on	-	-		-	-		
Dermal		-	-		-	-		
Critical p	ohysical pa	rameters: solubility, fla	ammability, corrosi	ivity:				
			Consu	mer				
Route of Acute			Acute		Chronic	Chronic		
exposui	exposure: effect local			mic	effect local	effect systemic		
Oral		-	-		-	-		
Inhalatio	on	-	-		-	-		
Dermal		-	-		-	-		
PNEC								
Environr	mental pro	tection target	P	PNEC				
Fresh wa	ater		N	No info	rmation available			
Freshwa	ter sedime	nts	N	No info	rmation available			
Marine v	water		N	No info	rmation available			
Marine s	sediments		N	No information available				
Food ch	ain		N	No information available				
Microor	ganisms in	sewage treatment	N	No information available				
Soil (agr	icultural)		N	No info	rmation available			
Air			N	No info	rmation available			
			·					
8.2.	Exposui	e controls						
8.2.1.	Approp	riate engineering cont	rols					
		nce/mixture related me re during identified us	•		personal protective eq noke in the workspace	uipment. Do not eat, dri		
	Structui	ral measures to prever	nt exposure:	No i	nformation available			
	Organis	ational measures to p	revent exposure:		anization of work in ord			

worker's influence during work process.



Page 6 of 16

Trading name:		LUXOL FAST BLU	JE MBSN, C.I. 74180	_	
Product code:	LFB-P-X**	Revision date:	21 Dec 2022	Version:	3

	Technical measures for preventi	ng exposure	Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.
8.2.2.	Personal protection equipment		
8.2.2.1.	Eye and face protection:	Safety glas 166).	ses that stick to face (preventing splashing) or visor (EN
8.2.2.2.	Skin protection		
	Hand protection:	•	Gloves material: Nitrile rubber Glove thickness: 0.11 mm Break through time:> 480 min
	Other skin protection:	such as rul spillage ris protection	circumstances use cotton clothes and adequate footwear, ober boots or shoes that cover the entire foot. In case of k use clothes made of impermeable material suitable for against liquid chemicals (Viton, PVC himex - HRN EN 465) ear made of the same material.
8.2.2.3.	Respiratory protection:		when dust are generated. Recommended filter type: Filter P DIN 3181) for solid and liquid particles of toxic and very vances.
8.2.2.4.	Thermal hazards:	-	
8.2.3.	Environmental exposure control	S	
	Substance/mixture related meas prevent exposure:	sures to	See Section 6
	Structural measures to prevent	exposure:	Use modern equipment.
	Organisational measures to prevexposure:	vent	Adapt the work process to the required working conditions of the workplace.
	Technical measures for preventi exposure:	ng	See Section 6

SECTION 9. Physical and chemical properties					
9.1. Information on basic physical and chemical properties					
		Value	Method		
	Physical state:	powder	No information available		
	Colour:	dark blue	No information available		



Page 7 of 16

Trading name:		LUXOL FAST BLU	JE MBSN, C.I. 74180		
Product code:	LFB-P-X**	Revision date:	21 Dec 2022	Version:	3

	Odour/odour threshold:	odourless/no information available	No information available
	Melting point / freezing point:	No information available	No information available
	Boiling point or initial boiling point and boiling range:	No information available	No information available
	Flammability:	No information available	No information available
	Lover and upper explosion limit:	No information available	No information available
	Flash point:	No information available	No information available
	Auto-ignition temperature:	No information available	No information available
	Decomposition temperature:	No information available	No information available
	рН:	No information available	No information available
	Kinematic viscosity:	No information available	No information available
	Solubility:	No information available	No information available
	Partition coefficient n-octanol/water (log value):	No information available	No information available
	Vapour pressure:	No information available	No information available
	Density and/or relative density:	No information available	No information available
	Relative vapour density:	No information available	No information available
	Particle characteristics:	No information available	No information available
.2.	Other information		

SECTION 10. Stability and reactivity				
10.1.	Reactivity:	No information available		
10.2.	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).		
10.3.	Possibility of hazardous reactions:	Strong oxidizing agents		
10.4.	Conditions to avoid:	No information available		
10.5.	Incompatible materials:	No information available		
10.6.	Hazardous decomposition products:	No information available		

SECTION	SECTION 11. Toxicological information									
11.1.	Information on toxicological effects									
	Acute toxicity:									
Route of exposure			Method		Species	Dose LI	O ₅₀ /LC ₅₀	Ехро	sure period	Result
Oral exposure:		No	information	No	information	No info	ormation	No	information	-



Subacute

No information No

BIOGNOST SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 8 of 16

Trading name:	!	LUXOL FAST BLU	JE MBSN, C.I. 74180		
Product code: L	LFB-P-X**	Revision date:	21 Dec 2022	Version:	3

	ava	ilable	availa	ble		avail	able	availab	е	
Skin contact:	No ava	information ilable	n No availa	inform able	ation	No avail	information able	No availab	inform e	ation -
Inhaling: No		information ilable		No informatio available		No avail	information able	No availab	inform e	ation -
								<u>!</u>		i
Specifi	c targe	t organ toxicity	/ – single	exposu	ıre (ST	OT SE):			
		Specific e	effects		Target organ					Note
Oral exposure:	No	No information available			No in	forma	ition available)	-	
Skin contact:	contact: No information available				No in	forma	ntion available)	-	
Inhaling:	: No information available				No in	forma	ition available	<u>)</u>	-	
Aspirat	ion ha	zard:		No in	format	ion av	vailable			
1										
Irritatio	n and	corrosion								
		Exposure t			ecies		Evaluation	Method		Note
		No infor	mation	nation No informa available		ion	-	No information available		No information available
Serious eye damage/irritation	on	No infor	mation	ation No informat		ion	-	No info	rmation e	No information available
Sensitiz	zation									
Skin contact:	-	o information a	availahla							
Inhaling:		o information a								
minamig.			avanabie							
Sympto	oms rel	ated to the ph	vsical, ch	emical	and to	xicolo	gical characte	ristics		
Oral exposure:		o information a					<u> </u>			
Skin contact:	N	o information a	available							
Inhaling:	N	o information a	available							
Eye contact: No information availa			available							
	i									
Repeat	ed dos	e toxicity (suba	acute, su	bchroni	c, chro	nic)				
		Dose	Exposure time	9	Specie	:S	Method	Ev	aluation	Note
Subacute oral	No availa	intormation	No informat available	ion	No inform availat		No informati available		ormation ailable	-

No

No

No



Page 9 of 16

Trading name:	LUXOL FAST BLUE MBSN, C.I. 74180					
Product code:	LFB-P-X**	Revision date:	21 Dec 2022	Version:	3	

dermal	available	information available	information available	information available	information available	
Subacute inhaling toxicity	No information available	No information available	No information available	No information available	No information available	-
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal toxicity	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	_
Chronic oral	No information available	No information available	No information available	No information available	No information available	_
Chronic dermal toxicity	No information available	No information available	No information available	No information available	No information available	_
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

Specific effects Targe	Specific target organ	toxicity – repeated exposure	(STOT RE):
		Specific effects	Targe

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhaling toxicity	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal toxicity	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal toxicity	No information available	No information available	-
Chronic inhalation	No information available	No information available	-

CMR effects (carcinoge	nicity, mutagenicity, reproductive toxicity)
Carcinogenicity:	No information available
Mutagenicity in-vitro:	No information available
Genotoxicity:	No information available



Page 10 of 16

Trading name:		LUXOL FAST BLU	JE MBSN, C.I. 74180	_	
Product code:	LFB-P-X**	Revision date:	21 Dec 2022	Version:	3

Mutage	enicity <i>in-vivo</i> : No ir	nformation available				
Germ ce	ell mutagenicity: No ir	No information available				
Reprod	uctive toxicity: No ir	formation available				
	Summary of evaluation of the CMI properties:	No information available				
11.2.	Information on other hazards:					
11.2.1.	Endocrine disrupting properties:					
	The substance/mixture does not components considered to have endisrupting properties according to Article 57(f) or Commission Del regulation (EU) 2017/2100 or Commission (EU) 2018/605 at levels of (higher.	docrine REACH egated mission				
11.2.2.	Other informations:					
	-					

SECTION 12. Ecologi	cal informa	tion				
12.1. Toxicity						
Acute (short-term) toxicity	Dose	Exposure period	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants	IC ₅₀	72 hours	No information available	No information available	No information available	-
Microorganisms	-	-	-	-	-	-
Chronic (long-term) toxicity	Dose	Exposure period	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-



Trading nan					VOL FACT DI	LIE MAD	CN C	74100		90 .	1 of 16
Product code: LFB-P-X**					XOL FAST BL evision date:		ec 202		Va	rsion:	3
Product cod	ie.	LFD-P-X""		K	evision date.	210	ec 202		vei	rsion.	3
Algae/aquatic plants		IC ₅₀	72 hours		No information available	inform	No information available		ation ble	–	
Microorganis	ms	-	-	_		-		-		-	
		and degrada radation	bility								
	De	gradation ha	lf-lives		Method			Evaluat	ion		Note
Marine water	No ir	nformation av	vailable vailable	No in	formation ava	lable	No inf	ormation	availab	ole	-
Fresh water			No in	formation ava	lable	No inf	ormation	availab	ole	-	
Air	No ir	No information available			formation ava	lable	No inf	ormation	availab	le	-
Soil	No ir	nformation av	vailable	No in	formation ava	lable	No inf	ormation	availab	le	-
÷											
Biod	legrada	tion				Ī		ī			
% Degradation Time (days)			Method	E	Evaluation			Note			
No information available			No information available		No information available		n				
available	N N	o information	n available						_		
available 12.3. Bioa	ccumul	ative potentia	al	ava	ilable						
available 12.3. Bioa Parti	ccumul	ative potentia	al ctanol/wat	ava	lable Kow):	availab	ole		_		lote
available 12.3. Bioa	ccumul ition co	ative potentia efficient: n-od ncentration ormation	al ctanol/wate	ava	ilable	availab	ole	uation	Noi	N inform lable	lote aation
12.3. Bioa Parti Value No informatio	ccumul ition co Co	ative potentia efficient: n-od ncentration ormation	al ctanol/wate	er (log	Kow): Method No informat	availab	Evalu	uation	Noi	inform	
12.3. Bioa Parti Value No informatio n available	ccumul ition co Co No info	ative potentia efficient: n-od ncentration ormation	al ctanol/wate pH -	er (log	Kow): Method No informat	availab	Evalu	uation	Noi	inform	
12.3. Bioa Parti Value No informatio n available	ccumul ition co Co No info	ative potential efficient: n-od ncentration ormation ble	al ctanol/wate pH -	er (log	Kow): Method No informat	availab	Evalu	uation mation	Noi	inform	



Page 12 of 16

Trading name:	LUXOL FAST BLUE MBSN, C.I. 74180					
Product code:	LFB-P-X**	Revision date:	21 Dec 2022	Version:	3	

	Va	lue	Dose	Exposure period	Spe	ecies M	1ethod	Evaluation	Note
Chroni	c toxic	ity on fish	LC ₅₀	No informati on available	No inform availab	nation on	ormati	No information available	-
Chronic toxicity on crustacea (Daphnia)			No informati on available	informati on informati on informati on available				-	
12.4.	Mok	oility in so	il						
	Kno	wn or pre	dicted distribut	ion in environ	mental	compartmen	ts:		
	No i	nformatic	n available						
	Surf	ace tensic	n:						
	\	/alue	°C	Concenti	ation	Meth	od		Note
		No No information available available		No information available		No information available		-	
	Ads	· ·	desorption						
Transp	ort		coefficient v's constant	log Kow E		Evaporation rate		Method	Note
Soil-wa	ater	No available	information	intormation		No information available		information ilable	-
Water-air No info		information	No information available		No information available		information ilable	-	
Soil-air No information available		No information available		o informati vailable		information ilable	-		
	Poci	ılts of PRT	and vPvB asse	ssment					
12 5				J.Herre					
12.5.		information	n avallanie						
12.5.		nformatio	n available						
12.5. 12.6.	No i		rupting propert	ies					



Page 13 of 16

Trading name:	LUXOL FAST BLUE MBSN, C.I. 74180				
Product code:	LFB-P-X**	Revision date:	21 Dec 2022	Version:	3

	according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7.	Other adverse effects
	No information available

SECTION	N 13. Disposal considerations
13.1.	Waste treatment methods
13.1.1.	Product/Packaging disposal:
	Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.
42.4.0	
13.1.2.	Waste codes/waste designations according to Law:
	No information available
13.1.3.	Waste treatment – relevant information:
	No information available
13.1.4.	Sewage disposal – relevant information:
	Waste must not be disposed of into the sewage system.
13.1.5.	Other disposal recommendations:
	Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge. Do not dispose of in places where ignition may occur.
13.1.6.	Relevant Community provisions:
	-

SECTION 14. Transport information	SECTION 14. Transport information		
Transporting/shipment by	road (ADR)		
UN number:	Not subject to transport regulations.		
UN proper shipping name:	-		
Transport hazard class(es):	-		
Packing group:	-		
Environmental hazard(s):	-		
Special precautions for user:	-		
Transporting/shipment by	rail (RID)		
UN number:	Not subject to transport regulations.		



Page 14 of 16

Trading name:	LUXOL FAST BLUE MBSN, C.I. 74180				
Product code:	LFB-P-X**	Revision date:	21 Dec 2022	Version:	3

UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmental hazard(s):	-
Special precautions for user:	-
Inland waterway transport (ADN)	
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmental hazard(s):	-
Special precautions for user:	-
Transporting/shipment by sea (IN	/IDG)
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmental hazard(s):	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (ICA	AO-TI/IATA-DGR)
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmental hazard(s):	-
Special precautions for user:	-
Further information: -	

SECTIO	SECTION 15. Regulatory information		
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture		
	EU regulations		
	Authorization and/or restrictions of use		
	Authorizations: -		



Page 15 of 16

Trading name:	LUXOL FAST BLUE MBSN, C.I. 74180				
Product code:	LFB-P-X**	Revision date:	21 Dec 2022	Version:	3

	Restrictions:	-
	Other EU regulations:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC; Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC; Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work; Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006; REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);
	Information according 199 guideline)	9/13/EC about limitation of emissions of volatile organic compounds (VOC-
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Transport of Hazardous Substances Act
15.2.	Chemical safety assessmen	ıt
	None	

SECTIO	SECTION 16. Other information		
16.1.	Indication of changes:	-	
16.2.	Abbreviations and acronyms:	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative	
16.3.	Key literature references and source of data:	-	



Page 16 of 16

Trading name:	LUXOL FAST BLUE MBSN, C.I. 74180				
Product code:	LFB-P-X**	Revision date:	21 Dec 2022	Version:	3

16.4.	Relevant H statements (number and full text)		
	H: -	-	
16.5.	Training advice:	-	
		** "X" in the product code marks different volumes (different packagings of the product)	
16.6.	Further information:	We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.	

AN	INEX:
Exp	oosure scenario resulting to Chemical safety assessment
_	