

Page 1 of 17

Trading name:	METANIL YELLOW, SOLUTION				
Product code:	MY-OT-X**	Date of compilation:	21 Dec 2022	Version:	5

SECT	ION 1: Identification of	the substance	e/mixture	and of the company/undertaking		
1.1	Product identifier					
	Trading name:	METANIL Y	METANIL YELLOW, SOLUTION			
	Chemical name:	-				
	Catalogue number:	MY-OT-X**				
1.2	Relevant identified us	es of the subs	tance or n	nixture and uses advised against		
	Uses:		For use	with Mucicarmine kit.		
	Uses advised against:		Only the	e identified uses are advised.		
	Reason why uses advised against:		The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.			
1.3	Details of the supplier	Details of the supplier of the safety data sheet				
	Supplier:	Supplier:		BioGnost Ltd.		
	Address:		Medjugorska 59, Zagreb			
	Telephone number:		+385 1 2409997			
	Telefax.:		+385 1 2404039			
	e-mail of competent	person:	msds@biognost.hr			
	National contact:		-			
1.4	Emergency telephone	number				
	National Protection a	nd Rescue Dire	ectorate:	112		
	Medical information:			+385 1 2348 342		
	Other information:			-		

SECTIO	TION 2. Hazards identification					
2.1	Classification of the substance or mixture					
2.1.1	Classification according to I	Classification according to Regulation (EC) No 1272/2008 (CLP)				
	Hazard class and category code: Hazard statements*:					
	Not identified as hazardous substance.					
2.1.2.	Additional information					
	-					
*For fu	ıll text of Hazard- and EU Haza	ard-statements: see S	ECTION 16			
2.2	Label elements					
	Product identification:	METANIL YELLO)W, SOLUTION			
	Identification number:	-				
	Authorization number:	-				
	Hazard pictograms:	-				



Page 2 of 17

Trading name:		METANIL YELLOW, SOLUTION					
Product code:	MY-OT-X**	Date of compilation:	21 Dec 2022	Version:	5		

	Signal word:	-			
	Hazard statements:	-			
	Precautionary statements:	-			
	Supplemetal hazard information (EU):	-			
2.3	Other hazards				
	Endocrine Disrupting Proper	ties:			
	No known endocrine disruptin	g properties			
	Results of PBT and vPvB assessment : According to the results of its assessment, this substance is PBT or a vPvB.				

SECTION 3. Composition/information on ingredients					
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)	
-	-	-	Contains no hazardous substances	-	

SECTI	ION 4. First aid measures	
4.1	Description of first aid measures	
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.
	Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.
	Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.
	Following ingestion:	Rinse the mouth thoroughly with 1-2 glasses of water. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.
	Self-protection of the first aider:	-
4.2	Most important symptoms and ef	fects, both acute and delayed
	Following inhalation:	According to our findings, chemical, physical and toxicological properties of the substance have not been entirely tested.



Page 3 of 17

Trading name:	METANIL YELLOW, SOLUTION				
Product code:	MY-OT-X**	Date of compilation:	21 Dec 2022	Version:	5

	Following skin contact:	According to our findings, chemical, physical and toxicological properties of the substance have not been entirely tested.
	Following eye contact:	According to our findings, chemical, physical and toxicological properties of the substance have not been entirely tested.
	Following ingestion:	According to our findings, chemical, physical and toxicological properties of the substance have not been entirely tested.
4.3	Indication of any immediate	medical attention and special treatment needed
	-	

SECTION	SECTION 5. Firefighting measures				
5.1	Extinguishing media				
	Suitable extinguishing media: water spray, dry powder, CO ₂ or alcohol resistant foam				
	Unsuitable extinguishing media: Water with full jet				
5.2	Special hazards arising from the substance or mixture				
	Hazardous combustion products: no information available				
5.3	Advice for firefighters				
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing.				
5.4	Additional information				
	Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. Do contaminate the environment with extinguishing media.	o not			

SECTIO	SECTION 6. Accidental release measures					
6.1	Personal precautions, protective	Personal precautions, protective equipment and emergency procedures				
6.1.1.	For non-emergency personnel					
	Protective equipment:	Use personal protective equipment (see Section 8).				
	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment. Avoid breathing vapors and avoid contact with skin and eyes. Do not smoke. Keep away from ignition sources.				
	Emergency procedures:	Mark the area using proper signs.				
6.1.2.	For emergency responders:					
	Use protective equipment; in case of inadequate ventilation use adequate airways protective equipment (see Section 8).					
6.2	Environmental precautions:					
	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.					
6.3	Methods and material for containment and cleaning up					
6.3.1.	Bunding, covering of drains; capping procedures:	Sand protective barrier or barriers made of similar materials.				



Page 4 of 17

Trading name:	METANIL YELLOW, SOLUTION				
Product code:	MY-OT-X**	Date of compilation:	21 Dec 2022	Version:	5

6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using absorbing material. Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and and involved materials with water.					
6.3.3.	Other information:	Secure proper ventilation. Do not use incompatible materials (see Section 10).					
6.4	Reference to other sections						
	See Section 7 for information on safe handling.						
	See Section 8 for information	See Section 8 for information on personal protection equipment.					
	See Section 13 for disposal in	formation.					

SECTIO	ON 7. Handling and storage				
7.1	Precautions for safe handling				
7.1.1.	Protection measures				
	Measures to prevent fire:		Use in well ventilated storage rooms. Keep away from sources of ignition and heat. Do not use tools that cause sparks. Do not smoke.		
	Measures to prevent aerosol and dust generation	n:	Secure proper ventilation.		
	Measures to protect the environment:		Prevent spilling into the sewage system and waterways.		
	Other measures:		Protect against electrostatic charges.		
7.1.2.	Advice on general occupational hygiene:				
	Do not eat, drink or smoke in the workspace. Th	oroughly was	sh hands after work and before eating.		
7.2	Conditions for safe storage, including any incon	npatibilities			
	Technical measures and storage conditions:	well ventil	phtly closed and upright set containers in a ated storage rooms at temperatures ranging 25 °C. Protect from heat and direct sunlight.		
	Packaging materials:	Manufactu	Manufacturer's original packaging.		
	Requirements for storage rooms and vessels:		Keep away from food and drink. Keep the containers tightly closed.		
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.			



Page 5 of 17

Trading name:		METANIL YELLOW,	METANIL YELLOW, SOLUTION			
Product code:	MY-OT-X**	Date of compilation:	21 Dec 2022	Version:	5	

	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).
7.3	Specific end use(s)	
	Recommendations:	-
	Industrial sector specific solutions:	-

SECTION 8. Expos	ure contr	ols/perso	nal p	rotec	tion				
8.1 Control pa	arameters								
Substance		CA				cupational exposure limit alues/short term values		Biological limit values	
					ŗ	opm	mg/m³		
-			-			-	-	-	
Substance name:	-								
EC No:	-	CAS No	:	_					
DNEL									
					Ind	lustrial			
Route of Acute		ute		Acut	te		Chronic		Chronic
exposure:	effect	ffect local effect system		stemic	c effect local		effect systemic		
Oral	-	-			-		-		
Inhalation	-		-			-			-
Dermal	-		-			-			-
Critical physical pa	rameters: s	solubility,	flamm	nabilit	y, corr	rosivity:	-		
					Cor	nsumer			
Route of	A	cute		Acut	te		Chronic		Chronic
exposure:	effec	ct local	effe	ct sys	stemic	c effect local			effect systemic
Oral	-		-			-			-
Inhalation	-		-		-			-	
Dermal	-		-			-			-
PNEC									
Environmental pro	tection tar	get				PNEC			
Fresh water						no information available			
Freshwater sedime	nts					no information available			
Marine water						no information available			
Marine sediments						no information available			



Food chain

SAFETY DATA SHEET BIOGNOST® According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 6 of 17

Trading name:		METANIL YELLOW, SOLUTION					
Product code:	MY-OT-X**	Date of compilation:	21 Dec 2022	Version:	5		

no information available

Microorga	anisms in sewage treatment		no information available		
Soil (agric	:ultural)		no information available		
Air			no information available		
8.2	Exposure controls				
8.2.1.	Appropriate engineering controls				
	Substance/mixture related measure prevent exposure during identified		Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.		
	Structural measures to prevent exposure: Organisational measures to prevent exposure:		In accordance with Section 7.		
			Organization of work in order to reduce other worker's influence during work process.		
	Technical measures to prevent exp	osure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels. Secure stations for rinsing eyes and showering.		
8.2.2.	Personal protection equipment	t			
8.2.2.1.	Eye and face protection:	Safety glasses that stick to face (EN 166) or visor in case of lower levels of concentration in air; protective gas mask that covers the entire face in case of higher levels of concentration in air.			
8.2.2.2.	Skin protection				
	Hand protection:	-	otective gloves have to satisfy the specification of tion (EU) 2016/425 and the related standard EN 374. Glove material: nitrile rubber Glove thickness: 0.40 mm Time until perforation: > 480 min		
	Other skin protection:	footwe entire t impern	everyday work use cotton clothing (EN 340) and suitable ear, such as rubber boots (EN 20345) or shoes that cover the foot. In case of spilling hazard, use clothing made of meable material suitable for protection from liquid chemicals PVC, himex) and footwear made from the same material.		
8.2.2.3.	Respiratory protection:	with a	tive full face mask (EN 136) or half mask (EN 140) equipped filter for organic vapors, type "A" (boiling point >65°C) ng to EN 14387) used when concentration levels exceed GVI.		
8.2.2.4.	Thermal hazards:	No info	ormation available		
8.2.3.	Environmental exposure controls				
	Substance/mixture related measures to prevent exposure:	See Se	ction 6		



Page 7 of 17

Trading name:	METANIL YELLOW, SOLUTION				
Product code:	MY-OT-X**	Date of compilation:	21 Dec 2022	Version:	5

Structural measures to prevent exposure:	Use modern equipment.
Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
Technical measures to prevent exposure:	See Section 6

Information on basic pl	nysical and o	chemical properties	
		Value	Method
Physical state:		liquid	No information available
Colour:		yellow	No information available
Odour/odour threshold	:	mild acetic like/no information available	No information available
Melting point / freezing	g point:	No information available	No information available
Boiling point or initial be point and boiling range	_	No information available	No information available
Flammability:		No information available	No information available
Lover and upper explosion limit:	No information available	No information available	
Flash point:		No information available	No information available
Auto-ignition temperat	ure:	No information available	No information available
Decomposition temper	ature:	No information available	No information available
рН:		No information available	No information available
Kinematic viscosity:		No information available	No information available
Solubility:		No information available	No information available
Partition coefficient noctanol/water (log valu	e):	No information available	No information available
Vapour pressure:		No information available	No information available
Density and/or relative	density:	No information available	No information available
Relative vapour density	•	No information available	No information available
Particle characteristics:		No information available	No information available
Other information			

SECTION 10. Stability and reactivity	
10.1 Reactivity:	See subsections 10.3 through 10.5.



Page 8 of 17

Trading name:	METANIL YELLOW, SOLUTION					
Product code:	MY-OT-X**	Date of compilation:	21 Dec 2022	Version:	5	

10.2	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).
10.3	Possibility of hazardous reactions:	No information available
10.4	Conditions to avoid:	No information available
10.5	Incompatible materials:	No information available
10.6	Hazardous decomposition products:	No information available

	oxicological informati ation on hazard classes		n Regulatio	n (EC) No 1272/20	nn8		
Acute t		us acilitea i	Tr Regulatio	11 (20) 140 1272/20			
Route of exposure:	Method	Species		e Dose LD ₅₀ /LC ₅₀ r ATE _{mixture}	Exposure	time	Results
Oral:	No information available	_	No infor	mation available	_		_
Dermal:	No information available	-	No infor	mation available	_		-
Inhalation:	No information available	-	No infor	mation available	-		-
Specific	c target organ toxicity -	- single expo	sure (STOT	SE):			
	Specific	effects	Target organ		n		Note
Oral:	No information av	/ailable	No information available			-	
Dermal:	No information a	/ailable	No information available -				
Inhalation:	No information av	vailable	No	information avail	able	-	
Aspirat	ion hazard:	N	o informatio	on available.			
Irritatio	n and corrosion						
	Exposure t	ime	Species	Evaluation	Method		Note
Skin corrosion/irritati	ion:	-		-	–	-	
Serious eye - damage/irritation		-		-	_	-	
Sensitiz	zation						
Skin sensitizatio	n: No infor	mation availa	able.				
Respiratory sens	sitization: No infor	mation availa	able.				



Page 9 of 17

Trading name:	METANIL YELLOW, SOLUTION						
Product code:	MY-OT-X**	Date of compilation:	21 Dec 2022	Version:	5		

Oral exposure:	No infor	lo information available.					
Dermal exposure	e: No infori	mation available.					
Inhalation expos	ure: No infori	mation available.					
Eye exposure:	No infor	mation available.					
Repeate	ed dose toxicity	(subacute, subchro	onic, chronic)		,	,	
	Dose	Exposure time	Species	Method	Evaluation	Note	
Subacute oral	No informati available	No information available	No information available	No information available	No information available	-	
Subacute dermal	No informati available	on No information available	No information available	No information available	No information available	-	
Subacute inhalation	No informati available	on No information available	No information available	No information available	No information available	-	
Subchronic oral	No informati available	on No information available	No information available	No information available	No information available	-	
Subchronic dermal	No informati available	on No information available	No information available	No information available	No information available	-	
Subchronic inhalation	No informati available	on No information available	No information available	No information available	No information available	-	
Chronic oral	No informati available	on No information available	No information available	No information available	No information available	-	
Chronic dermal	No informati available	on No information available	No information available	No information available	No information available	-	
Chronic inhalation	No informati available	on No information available	No information available	No information available	No information available	-	



Page 10 of 17

Trading name:	METANIL YELLOW, SOLUTION						
Product code:	MY-OT-X**	Date of compilation:	21 Dec 2022	Version:	5		

Subacute	ute oral No information available				No information available	-	
Subacute	dermal	No information available			No information available	-	
Subacute	ute inhalation No information available				No information available	-	
Subchron	nic oral	No information available			No information available	-	
Subchror	nic dermal	No information available			No information available	-	
Subchror	nic inhalation	No information available			No information available	-	
Chronic c	oral	No information available			No information available	-	
Chronic c	dermal	No information available			No information available	-	
Chronic i	nhalation	No information available			No information available	-	
	CMR effects (c	arcinogenicity; mutagenicit	y; re	productive t	toxicity)		
(Carcinogenicity	y:	Bas	sed on availa	ble data, the classification o	riteria are not met.	
	Mutagenicity in vitro:		Based on available data, the classification criteria are not met.				
	Genotoxicity:		Based on available data, the classification criteria are not met.				
	Mutagenicity in vivo:		Based on available data, the classification criteria are not met.				
	Germ cell muta	agenicity:	Based on available data, the classification criteria are not met.				
	Reproductive t	oxicity:	Bas	sed on availa	able data, the classification o	riteria are not met.	
	Summary of properties:	evaluation of the CI	MR	Based on met.	available data, the classific	ation criteria are not	
11.2	Information or	n other hazards:					
11.2.1.	Endocrine disr	upting properties:					
	components c disrupting pro Article 57(f) regulation (EU	e/mixture does not cont onsidered to have endocr operties according to REA or Commission Delegar 1) 2017/2100 or Commiss 1) 2018/605 at levels of 0.1%	ine CH ted ion				
11.2.2.	Other informat	tions:					
	_						

SECTION 12. Ecological information									
12.1 Toxicity									
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note			



Page 11 of 17

Trading name:	METANIL YELLOW, SOLUTION						
Product code:	MY-OT-X**	Date of compilation:	21 Dec 2022	Version:	5		

Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants	IC ₅₀	4 days	No information available	No information available	No information available	-
Other organisms	-	-	-	_	-	-
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants	IC ₅₀	72 hours	No information available	No information available	No information available	-
Other organisms	_	_	-	-	_	_

12.2 Persistence and degradability

Abiotic degradation

	Degradation half-lives	Method	Evaluation	Note
Marine water	No information available	No information available	No information available	-
Fresh water	No information available	No information available	No information available	-
Air	No information available	No information available	No information available	-
Soil	No information available	No information available	No information available	-

_					
R	$i \cap A$	ea	rad	1	inn
D	IOU	cu	ıau	аи	UI

% Degradation	Time (days)	Method	Evaluation	Note
No information available				



Page 12 of 17

Trading	g name:				MI	EIANI	IL YELL	OW, SOLUTI	ON			
Produc	ct code:	MY-C)T-X**	Date of compilation:			on: 21 De	ec 2022	١	/ersion:	5	
	3											
12.3	Bioaccum	ulative p	otential									
	Octanol-w	ater pai	tition coeff	icient (log Kow)						
Valu	e Co	ncentrat	tion p	Н	°C	M	ethod	Evalu	ation		Note	
-	-		-		-	-		-		-		
	Bioconcen	tration	factor (BCF)	1	1			i				
V	Value Species			N	Method	b	Evaluati	on		Note		
No information No informati		ation	No info		on	No information		-				
availabl	le	availak	oie		availab	ie		available				
	Chronic ed	otovicit	V									
	Cilionic ec	.OtOxicit	<u>y</u>	Evr	osure							
	Value		Dose		ime	Spe	ecies	Method	Evalua	tion	Note	
				No		No		No	No			
Chronic	toxicity on	fish	LC ₅₀		mation		mation	information	informa		-	
				avail	able	availa	able	available	available	e		
	toxicity on		EC ₅₀	No information		No infor	mation	No information	No informa	tion	_	
crustac	ea (<i>Daphnia</i>)	2030	avail		availa		available	available			
12.4	Mobility in	soil										
	Known or	predicte	ed distribut	on in e	environm	ental o	compart	ments:				
	No inform	ation av	vailable									
	Surface te	nsion:										
	Value		°C	С	oncentra	tion		Method			Note	
	No	No		No	informa	tion	No inf	ormation				
	informatio		ormation ailable		ilable		availak		_			
	available	ave										
	I	<u> </u>		<u> </u>			<u> </u>					



Page 13 of 17

Trading name:	METANIL YELLOW, SOLUTION				
Product code:	MY-OT-X**	Date of compilation:	21 Dec 2022	Version:	5

Transpo	A/D coefficient Henry's constant	log Kow	Evaporation rate	Method	Note -				
Soil-wa ⁻	ter No information available	No information available	No information available	No information available					
Water-a	No information available	No information available	No information available	No information available	-				
Soil-air	No information available	No information available	No information available	No information available	-				
12.5	Results of PBT and vPvB asse								
	The substance/mixture does according to REACH Article 5 Regulation (EU) 2018/605 at	7(f) or Commission	n Delegated regulation						
12.6.	Endocrine disrupting propert	ies							
	The substance/mixture does according to REACH Article 5 Regulation (EU) 2018/605 at	7(f) or Commission	n Delegated regulation						
12.7	Other adverse effects								
	No further relevant informati	on available.							
SECTIO	N 12 Dispesal sensideration								
13.1	N 13. Disposal consideration Waste treatment methods	is							
13.1	Waste treatment methods								
13.1.1.	Product/Packaging disposa	ıl:							
	Submit for disposal to the Protection.	egal person autho	rized by the Ministry of	Environmental a	and Nature				
13.1.2.	Waste codes/waste designate	Waste codes/waste designations according to Law:							
	15 01 10*: Packaging that c			is contaminated	l with hazardous				
13.1.3.	Waste treatment – relevant								



Page 14 of 17

Trading name:	METANIL YELLOW, SOLUTION				
Product code:	MY-OT-X**	Date of compilation:	21 Dec 2022	Version:	5

	No information available			
13.1.4.	Sewage disposal – relevan	t information:		
	Waste must not be dispose	ed of into the sewage system.		
13.1.5.	Other disposal recommend	dations:		
	authorized by the ministry	duct's remains into the sewage system. Submit the remains to the collectors in charge. Do not dispose of the packaging into the sewage system. Submit ctors authorized by the ministry in charge.		
13.1.6.	.1.6. Relevant Community provisions:			
	Disposal must be made according to official regulations.			
SECTIO	N 14. Transport information	1		
	Transporting/shipment by ro	oad (ADR)		
UN num	ber:	Not subject to transport regulations		
UN prop	er shipping name:	-		
Transpo	rt hazard class(es):	-		
Packing	group:	-		
Environr	nentally hazardous:	_		
Special	precautions for user:	-		
	Transporting/shipment by ra	ail (RID)		
UN num	ber:	Not subject to transport regulations		
UN prop	er shipping name:	-		
Transpo	rt hazard class(es):	_		
Packing	group:	-		
Environr	mentally hazardous:	-		
Special	precautions for user:	-		
	Inland waterway transport (A	ADN)		
UN num	ber:	Not subject to transport regulations		
UN prop	er shipping name:	-		
Transpo	rt hazard class(es):	-		
Packing	group:	-		
Environr	nentally hazardous:	-		
Special	precautions for user:	-		
	Transporting/shipment by se	ea (IMDG)		
UN num	ber:	Not subject to transport regulations		



Page 15 of 17

Trading name:	METANIL YELLOW, SOLUTION				
Product code:	MY-OT-X**	Date of compilation:	21 Dec 2022	Version:	5

UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (IC.	AO-TI/IATA-DGR)
UN number:	Not subject to transport regulations
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Further information: -	

SECTI	ON 15. Regulatory informa	ation					
15.1	Safety, health and enviror	nmental regulations/legislation specific for the substance or mixture					
	EU regulations	ions					
	Authorization and/or rest	rictions of use					
	Authorizations:	-					
	Restrictions:	-					
	Other EU regulations:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC; Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC; Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work; Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006; REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);					



Page 16 of 17

Trading name:	METANIL YELLOW, SOLUTION				
Product code:	MY-OT-X**	Date of compilation:	21 Dec 2022	Version:	5

	Information according 19 guideline)	Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline)				
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act				
15.2	Chemical safety assessme	ent				
	None					

SECTIO	ON 16. Other information	
16.1	Indication of changes:	-
16.2	Abbreviations and acronyms:	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
16.3.	Key literature references and source of data:	-
16.4.	Classification and procedure u 1272/2008 (CLP)	used to derive the classification for mixture according to Regulation (EC)
Classif	ication	Classification procedure
-		-
16.5.	Relevant H statements (numb	er and full text)
	H: -	-
16.6.	Training advice:	-
16.7.	Further information:	** "X" in the product code marks different volumes (different packagings of the product) We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.

ANNEX: Exposure scenario resulting to chemical safety assessment



SAFETY DATA SHEET

BIOGNOST® According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 17 of 17

Trading name:		METANIL YELLOW,	SOLUTION		
Product code:	MY-OT-X**	Date of compilation:	21 Dec 2022	Version:	5

_			