

Page 1 of 17

Trading name:	POTASSIUM PERMANGANATE				
Product code:	КРН-Х**	Revision date:	21 Dec 2022	Version:	3

1.1.	Product identifier		·	nd of the company/undertaking		
	Substance name:	ΡΟΤΑ	POTASSIUM PERMANGANATE			
	EC No:	231-7	231-760-3			
	Synonyms:	Potas	sium (VII) n	nanganate, Condy's crystals		
	Catalogue number:	KPH-	КРН-Х**			
	REACH registration number:	01-2 ⁻	119480139-	34-XXXX		
	CAS No:	7722	-64-7			
	Index no.:	025-(002-00-9			
1.2.	Relevant identified uses of the	e subst	ance or mix	ture and uses advised against		
	Uses:		For use in microscopy.			
	Uses advised against:	Only the identified uses are advised.				
	Reason why uses advised aga	inst:	medical de	ct is intended for use only as an <i>in vitro</i> diagnostic evice, registered at the Agency for Medicinal Products and evices and there is no reason to use it for other purposes.		
1.3.	Details of the supplier of the s	afety o	data sheet			
	Supplier:	Bi	BioGnost Ltd.			
	Address:	М	Medjugorska 59, Zagreb			
	Telephone number:	+3	+385 1 2409997			
	Fax no.:	+3	+385 1 2404039			
	e-mail of competent person:	<u>m</u>	msds@biognost.hr			
	National contact:	-				
1.4.	Emergency telephone numbe	Emergency telephone number				
	National Protection and Rescu	ue Dire	ectorate:	112		
	Medical information:			+385 1 2348 342		
	Other information:			-		

SECTIO	SECTION 2. Hazards information				
2.1.	Classification of the substance or mixture				
2.1.1.	. Classification according to Regulation (EC) No 1272/2008 (CLP)				
	Hazard class and category code:	Hazard statements*:			
	Ox. Sol. 2	H272			
	Acute Tox. 4 *	H302			
	Aquatic Acute 1	H400			
	Aquatic Chronic 1	H410			
2.1.2.	Additional information				



Page 2 of 17

Trading name:	POTASSIUM PERMANGANATE				
Product code:	KPH-X**	Revision date:	21 Dec 2022	Version:	3

	-					
*For f	ull text of Hazard- and EU Hazard-stat	tements: see Section 16				
2.2.	Label elements					
	Product identification:	Potassium permanganate				
	Identification number:	-				
	Authorization no.:	-				
	Hazard pictograms:	GHS03 GHS07 GHS09				
	Signal word:	Danger				
	Hazard statements:	H272 May intensify fire; oxidizer. H302 Harmful if swallowed. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.				
	Precautionary statements:	 P260 Do not breathe fumes. P264 Wash hands thoroughly after handling. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P314 Get medical advice/attention if you feel unwell. P501 Dispose of contents/container to the designated place. 				
	Supplemetal hazard information (EU):	Strong oxidizer				
2.3.	Other hazards	Other hazards				
	Endocrine Disrupting Properties					
	No known endocrine disrupting pr Results of PBT and vPvB assessn PBT or a vPvB.	roperties nent : According to the results of its assessment, this substance is not a				

SECTION 3. Composition/information on ingredients						
CAS No	EC No:	Index no.	Identification name	Weight % content (or range)		
7722-64-7	231-760-3	025-002-00-9	Potassium permanganate	> 70 %		

SECTION 4. First aid measures			
4.1.	Description of first aid measures		



Page 3 of 17

Trading name:	POTASSIUM PERMANGANATE				
Product code:	KPH-X**	Revision date:	21 Dec 2022	Version:	3

	General notes:	The person who provides first aid must use personal protective equipment. Do not place anything in the mouth of the unconscious person and do not induce vomiting.
	Following inhalation:	If breathing accident occurs: Provide the injured person with fresh air and enable the person to rest. If breathing is erratic or suspended, provide the person with artificial respiration (no directly mouth-to- mouth). Immediately call physician.
	Following skin contact:	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: get medical advice/attention.
	Following eye contact:	Rinse with copious amounts of water for at least 15 minutes with eyelids open (remove contact lens if possible). If eye irritation persists: keep rinsing for a longer period of time and get medical advice/attention.
	Following ingestion:	Do not induce vomiting. Rinse the mouth thoroughly with water. Make the person drink up to 2.5 dcl of water. Call a POISON CENTER/physician if you feel unwell.
	Self-protection of the first aider:	Use personal protective equipment.
4.2.	Most important symptoms and ef	fects, both acute and delayed
	Following inhalation:	Potassium permanganate may cause airways irritation by causing edema of upper airways, chest tightness and cough.
	Following skin contact:	Concentrated solutions may cause serious irritation and burns in contact with skin. Diluted solutions may cause purple-brown skin discoloration and outer skin layer hardening.
	Following eye contact:	Eye exposure may cause discoloration of the conjunctiva, as well as cornea and conjunctiva burns.
	Following ingestion:	Nausea, vomiting. Risk from esophagus and stomach perforation.
4.3.	Indication of any immediate medi	cal attention and special treatment needed
	Treat symptomatically. Airways sy screening.	mptoms may occur belatedly. Secure the patient's vital functions

SECTIO	SECTION 5. Firefighting measures				
5.1.	Extinguishing media				
	Suitable extinguishing media:	Water spray, carbon dioxide, dry powder, alcohol resistant foam.			
	Unsuitable extinguishing media:	Direct water stream.			
5.2.	Special hazards arising from the substance or mixture				
	Hazardous combustion products:	Dangerous flammable gases or fumes may form in conditions of fire.			
5.3.	Advice for firefighters				
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing.				
	Cool closed containers exposed to fire with water spray or vapor.				
5.4.	Additional information				



Page 4 of 17

Trading name:	POTASSIUM PERMANGANATE				
Product code:	KPH-X**	Revision date:	21 Dec 2022	Version:	3

Supports combustion. Keep stored away from flammable materials. Dangerous flammable gases or fumes may form in conditions of fire.

SECTIC	SECTION 6. Accidental release measures					
6.1.	Personal precautions, protective equipment and emergency procedures					
6.1.1.	For non-emergency personnel					
	Protective equipment:		Use protective equipment in accordance with Section 8. Do not get in eyes or on skin. Do not inhale dust. Remove the persons not directly involved in rescuing procedure from the scene of event.			
	Accident prevention m	nethods:	Keep away from heat, flames and sparks. Secure proper ventilation. Prevent dust forming on surfaces.			
	Emergency procedures:		In case of accident secure the location and evacuate the personnel not involved in recovery. Recovery of contaminated area should only be conducted by qualified person that uses stipulated protective equipment.			
6.1.2.	For emergency respon	esponders:				
	Personal protective equipment for firefighters in accordance with Section 5 of this document. Personal protective equipment for other intervening personnel in accordance with Section 8 of this document.					
6.2.	Environmental precaut	tions:				
	prevent the product fr	om reaching wat	environment; in case it enters environment, it is necessary to erways, drainage systems and soil. In the case of considerate ational protection and rescue directorate.			
6.3.	Methods and material	for containment	and cleaning up			
6.3.1.	For creating barriers, covering and sealing:	•	Cap the drains. Collect, bundle and pump out everything that got spilled. Pay attention to the possible material restrictions (see Sections 7 and 10). Collect in			
6.3.2.	Cleaning up:	Collect spilled/scattered. Dispose of as hazardous waste in accordance with local and national regulations.				
6.3.3.	Other information:	-				
6.4.	Reference to other sec	tions				
	See Section 7 for infor	mation about see	cure handling.			
	See Section 8 for information about personal protective equipment. See Section 13 for information about containment.					

SECTIC	SECTION 7. Handling and storage		
7.1.	Precautions for safe handling		
7.1.1.	Protection measures		
	Measures to prevent fire:	Keep stored away from flammable materials. Keep stored away from heat / sparks / open	



Page 5 of 17

Trading name:	POTASSIUM PERMANGANATE				
Product code:	KPH-X**	Revision date:	21 Dec 2022	Version:	3

		flames / hot surfaces - Do not smoke. Keep away from strong reducing agents. (See 10.3).
	Measures to prevent aerosol and dust generat	ion: DO NOT RAISE DUST
	Measures to protect the environment:	Keep the containers firmly closed in vertical position when the product is not used. Prevent the product from entering waterways, sewerage and drainage systems by using barrage and semi-barrage made of sand, as well as covering the drainage by using plastic foil.
	Other measures:	-
7.1.2.	Advice on general occupational hygiene:	
	and after work. Remove the contaminated close	e using the product. Wash hands after using the product hes and protective equipment before entering the eating othes. Act in accordance with Good laboratory practice.
7.2.	Conditions for safe storage, including any inco	mpatibilities
7.2.	Conditions for safe storage, including any inco Technical measures and storage conditions:	mpatibilities Keep in dry, cold and well-ventilated space, protected from moisture, direct sunlight and heat source. The containers must be tightly closed. Maintain adequate ventilation of the rooms where the product is kept and handled.
7.2.		Keep in dry, cold and well-ventilated space, protected from moisture, direct sunlight and heat source. The containers must be tightly closed. Maintain adequate ventilation of the rooms where the product is kept
7.2.	Technical measures and storage conditions:	Keep in dry, cold and well-ventilated space, protected from moisture, direct sunlight and heat source. The containers must be tightly closed. Maintain adequate ventilation of the rooms where the product is kept and handled.
7.2.	Technical measures and storage conditions: Packaging materials:	 Keep in dry, cold and well-ventilated space, protected from moisture, direct sunlight and heat source. The containers must be tightly closed. Maintain adequate ventilation of the rooms where the product is kept and handled. Manufacturer's original packaging.
7.2.	Technical measures and storage conditions: Packaging materials: Requirements for storage rooms and vessels:	 Keep in dry, cold and well-ventilated space, protected from moisture, direct sunlight and heat source. The containers must be tightly closed. Maintain adequate ventilation of the rooms where the product is kept and handled. Manufacturer's original packaging. Different plastic materials. Drainage system in the warehouse must not be placed directly into the sewers. Storage space must be
7.2.	Technical measures and storage conditions: Packaging materials: Requirements for storage rooms and vessels: Advices for storage equipment:	 Keep in dry, cold and well-ventilated space, protected from moisture, direct sunlight and heat source. The containers must be tightly closed. Maintain adequate ventilation of the rooms where the product is kept and handled. Manufacturer's original packaging. Different plastic materials. Drainage system in the warehouse must not be placed directly into the sewers. Storage space must be
	Technical measures and storage conditions: Packaging materials: Requirements for storage rooms and vessels: Advices for storage equipment: Further information on storage conditions:	 Keep in dry, cold and well-ventilated space, protected from moisture, direct sunlight and heat source. The containers must be tightly closed. Maintain adequate ventilation of the rooms where the product is kept and handled. Manufacturer's original packaging. Different plastic materials. Drainage system in the warehouse must not be placed directly into the sewers. Storage space must be

SECTION 8. Exposure controls/personal protection				
8.1. Control parameters				
Substance	CAS No	Occupational exposure limit values/short term values		Biological limit values
		ppm	mg/m ³	
Potassium permanganate	7722-64-7	-/-	5/-	-
		-		
Substance Potassium pern	nanganate			



Page 6 of 17

Trading name:	POTASSIUM PERMANGANATE			
Product code:	KPH-X**	Revision date:	21 Dec 2022	Version: 3

name:								
EC No:	231-7	60-3	CAS No:	7722-64-	7			
DNEL								
				Indu	strial			
Route of exposure			cute ct local	Acute effect syst		Chronic effect local	Chronic effect systemic	
Oral		-		-		-	-	
Inhalatior	ı	-		-		-	-	
Dermal		-		-		-	-	
Critical pl	nysical parar	meters: sc	olubility, flam	mability, corro	osivity:			
				Cons	sumer			
Route of		А	cute	Acute	è	Chronic	Chronic	
exposure	:	effe	ct local	effect syst	emic	effect local	effect systemic	
Oral		-		-		-	-	
Inhalatior	า	-		-		-	-	
Dermal		-		-		-	-	
PNEC								
Environm	ental protec	tion targe	et		PNEC			
Fresh wat					No information available			
Freshwate	er sediment	5			No information available			
Marine w					No information available			
Marine se					No information available			
Food cha						mation available		
-	anisms in se	wage trea	atment		No information available			
Soil (agrio	cultural)				No information available			
Air					No infor	mation available		
	_							
8.2.	Exposure							
8.2.1.	Appropria	te engine	ering contro	ls	A 1			
	Substance/mixture related measures to			Adequate ventilation of the rooms where the product is kept and handled. Prevent dust forming on				
	prevent exposure during identified uses: surfaces. Do not eat, drink or smoke Wash hands well after every pause				y pause in work.			
	Structural	measures	to prevent	exposure:		In accordance with Section 7.		
	Organizat	onal mea	sures to pre	vent exposure:		re stations for rinsing e ty of work area.	eyes and showering in the	
	Technical	measures	to prevent e	exposure:	In ac	cordance with Section	7.	



Page 7 of 17

Trading name:	POTASSIUM PERMANGANATE				
Product code:	KPH-X**	Revision date:	21 Dec 2022	Version:	3

8.2.2.	Personal protection equipm	nent			
8.2.2.1.	Eye and face protection:	Safe	ety glasses that stick to face (preventing splashing) or visor.		
8.2.2.2.	Skin protection				
	Hand protection:	Protective gloves. Gloves material: Nitrile rubber Layer thickness: 0.11 mm Time period until breach: > 480 min			
	Other skin protection:		Protective clothes made of cotton or similar material and footwear that cover the entire foot.		
8.2.2.3.	Respiratory protection:	Filter half-mask for protection from particles or half-mask with a P2 particle filter.			
8.2.2.4.	Thermal hazards:	Sup	oports combustion		
8.2.3.	Environmental exposure co	ntrols	5		
	Substance/mixture related measures to prevent expose	ure:	Do not release to underground waters or in sewers. Avoid penetration to the ground. If the product endangers rivers, lakes or drain ditches, inform competent authorities.		
	Structural measures to prevent exposure:		In accordance with Section 6.		
	Organisational measures to prevent exposure:	I	In accordance with Section 6.		
	Technical measures to preve exposure:	ent	Secure stations for rinsing eyes and showering in the vicinity of work area.		

SECTI	SECTION 9. Physical and chemical properties					
9.1.	Information on basic physical a	Information on basic physical and chemical properties				
		Value	Method			
	Physical state:	powder	No information available			
	Color:	dark violet	No information available			
	Odour/odour threshold:	No odor	No information available			
	Melting point / freezing point:	No information available	No information available			
	Boiling point or initial boiling point and boiling range:	No information available	No information available			
	Flammability:	No information available	No information available			
	Lover and upper explosion limit:	No information available	No information available			
	Flash point:	No information available	No information available			
	Auto-ignition temperature:	No information available	No information available			
	Decomposition temperature:	No information available	No information available			



Page 8 of 17

Trading name:	POTASSIUM PERMANGANATE				
Product code:	KPH-X**	Revision date:	21 Dec 2022	Version:	3

	pH:	No information available	No information available
	Kinematic viscosity:	No information available	No information available
	Solubility:	No information available	No information available
	Partition coefficient n- octanol/water (log value):	No information available	No information available
	Vapour pressure:	No information available	No information available
	Density and/or relative density:	No information available	No information available
	Relative vapour density:	No information available	No information available
	Particle characteristics:	No information available	No information available
9.2.	Other information		
	-		

SECTIO	SECTION 10. Stability and reactivity				
10.1.	Reactivity:	Strong oxidizer			
10.2.	Chemical stability:	The product is stable under standard conditions.			
10.3.	Possibility of hazardous reactions:	Risk of explosion with: powdered aluminium, ammonia, ammonium compounds, arsenic, dimethylformamide, acetic acid, acetic anhydride, formaldehyde, oxidisable substances, nitro compounds, phosphorus, pyridine, strong reducing agents, hydrochloric acid, sulfur, titanium, sugars, ammonium nitrate, sulfuric acid, combustible liquids, organic substances, mineral acids.			
10.4.	Conditions to avoid:	No information available.			
10.5.	Incompatible materials:	No information available.			
10.6.	Hazardous decomposition products:	No information available.			

SECTION 11. Toxicological information							
11.1. Informatio	n on toxicological e	ffects					
Acute toxi	city:						
Route of exposure:	Method	Species	Dose LD50/LC50	Exposure time	Results		
Oral exposure:	No information available	rat	LD ₅₀	No information available	750 mg/kg		
Dermal exposure:	No information available	rat	No information available	No information available	> 2.000 mg/kg		



Page 9 of 17

Trading name:		POTASSIUM PERMANGANATE						
Product code:	KPH-X**	Revision dat	te: 21 Dec 2022		Versio	on: 3		
Inhalation exposure:	No information available	No information available	No informatio available	on No infor available	mation	-		

Specific target organ toxicity – single exposure (STOT SE):							
	Specific effects	Target organ	Note				
Oral exposure:	No information available	No information available	-				
Dermal exposure:	No information available	No information available	-				
Inhalation exposure:	No information available	No information available	-				

Aspiration hazard:

No information available

Irritation and corrosion							
	Exposure time	Species	Evaluation	Method	Note		
Skin corrosion/irritation:	No information available	rabbit	-	No information available	Corrosive after 4 hours or less of exposure		
Serious eye damage/irritation	No information available	No information available	-	No information available	Causes serious eye damage.		

Sensitization	
Dermal exposure:	No information available
Inhalation exposure:	No information available

Symptoms	related to the p	hysical, chemica	al and toxicologic	al characteristic	S		
Oral exposure:	Nausea ar	nd vomiting; dar	iger from esopha	igus and stoma	ch perforation		
Dermal exposure:		Concentrated solution mac cause severe irritations and burns, diluted solutions can cause purple-brown skin discoloration and hardening of the outer layer of skin					
Inhalation exposure:	May cause cough	May cause airways irritation by causing edema of upper airways, chest tightness and cough					
Eye exposure:	Conjuncti	va discoloration	and cornea and	conjunctiva bur	ns.		
Repeated o	ose toxicity (su	bacute, subchro	nic chronic)				
Repeated o	Use toxicity (su						
	Dose	Exposure time	Species	Method	Evaluation	Note	



Page 10 of 17

Trading name:	POTASSIUM PERMANGANATE						
Product code:	КРН-Х**	Revision date:	21 Dec 2022	Version:	3		

	available	information available	information available	No information available	No information available	-
	No information available	No information available	No information available	No information available	No information available	-
	No information available	No information available	No information available	No information available	No information available	-
	No information available	No information available	No information available	No information available	No information available	-
	No information available	No information available	No information available	No information available	No information available	-
	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
	No information available	No information available	No information available	No information available	No information available	-
	No information available	No information available	No information available	No information available	No information available	-

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-
Chronic inhalation	No information available	No information available	-



Page 11 of 17

Trading name:	POTASSIUM PERMANGANATE						
Product code:	КРН-Х**	Revision date:	21 Dec 2022	Version: 3			

	CMR effects (carcinogenicity, mutagenici	ty, reproductive toxicity)			
Carcino	ogenicity: No inf	ormation available			
Mutage	enicity <i>in-vitro</i> : No inf	ormation available			
Genoto	oxicity: No inf	ormation available			
Mutage	enicity <i>in-vivo</i> : No inf	ormation available			
Germ c	ell mutagenicity: No inf	ormation available			
Reprod	luctive toxicity: No inf	ormation available			
11.2.	Information on other hazards:				
		1			
11.2.1.	Endocrine disrupting properties:				
	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or				
	higher.				
11.2.2.	Other informations:				

SECTION 12. Ecologi	SECTION 12. Ecological information							
12.1. Toxicity								
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note		
Fish	LC ₅₀	96 hours	Poecilia reticulata (guppy)	No informati on available	No information available	0.47 mg/l		
Crustacea:	EC ₅₀	48 hours	Daphnia magna (Water flea)	No informati on available	No information available	0.06 mg/l		
Algae/aquatic plants	IC ₅₀	72 hours	Desmodesmus subspicatus (green algae)	No informati on available	No information available	0.8 mg/l		
Other organisms	-	-	-	-	-	-		



Page 12 of 17

Trading name:	POTASSIUM PERMANGANATE				
Product code:	KPH-X**	Revision date:	21 Dec 2022	Version:	3

Chronic (long- toxicity	term)	Dose	Expo: tim		Species		Method	Evaluati	on	Note
Fish		LC ₅₀	96 ho	urs	No informatior available		No informati on available	No informat availab		-
Crustacea:		EC ₅₀	48 ho	urs	No informatior available		No informati on available	No informat availab		-
Algae/aquatic	plants	IC ₅₀	72 ho	urs	No informatior available		No informati on available	No informat availab		-
Other organisr	ns	-	-		-		-	-		-
		nd degrada	bility							
Abiot	ic degra									1
		adation hal			Method			valuation		Note
Marine water		ormation av		No information available		No information available			-	
Fresh water		ormation av		No information available		No information available			-	
Air		ormation av		No information available		No information available			-	
Soil	NO INT	ormation av	ailable	No information available No information avail			lable	-		
Biode	gradati	on								
% Degradatio	-	Time (da	ลงร)		Method Eva		Evaluatio	n		Note
No information available	n	informatior		No information			lo information - vailable			
		tive potentia								
		fficient: n-oo		1	<u> </u>					N1 /
Value	Conc	entration	рН	°C	Method		Evalı	uation		Note
No information available	No inf availat	ormation ple	-	-	No informati available	on	No infor available		No ir availa	oformation able



Page 13 of 17

Trading name:	POTASSIUM PERMANGANATE				
Product code:	KPH-X**	Revision date:	21 Dec 2022	Version:	3

	Bioconce	ntratior	n factor (BCF))							
١	Value		Species		М	lethod	Ev	/aluatic	n		Note
No info availab	information No information available available			No info available		ation No info availabl		on	No in availa	formation ble	
	Chronic e	ecotoxic	city								
	Value		Dose		osure me	Species	Met	hod	Evalua	ation	Note
Chroni	ic toxicity o	n fish	LC ₅₀	No inforr availa	mation able	No information available	No inform availa		No inform availat		-
	ic toxicity o cea (Daphni		EC ₅₀	No inforr availa	mation able	No information available	No inform availa		No inform availat		-
12.4.	Mobility	in soil									
	-		ted distribut	ion in e	nvironm	ental compa	artments:				
	No inforr	•									
			avanabic								
	Surface t										
	Surface to Value	ension:	°C	Со	oncentrat	ion	Method				Note
		ension: N on ir		No	oncentrat informat ilable		nformatio	n	_		Note
	Value No informati	ension: N on ir	°C Io nformation	No	informat	ion No ii	nformatio	n	-		Note
	Value No informati	ension: on ir a	°C lo nformation vailable	No	informat	ion No ii	nformatio	n	-		Note
Transp	Value No informati available Adsorptio	ension: on ir a on / des A/D coe	°C lo nformation vailable	No avai	informat	ion No in avail Evapo	nformatio		- //ethod		Note
Transp Soil-wa	Value No informati available Adsorption port Here	ension: Non ir a on / des A/D coo Henry's	°C No nformation vailable sorption efficient	No avai	informat ilable g Kow	ion No in avail Evapo ra	nformatio able pration ate prmation	Ν	/ethod informat		
	Value No informati available Adsorption port Hater No available	ension: Non ir a Don / des A/D coo Henry's lable	°C Io nformation vailable sorption efficient constant	No avai lo No in availa	informat ilable g Kow iformatic ble	ion No in avail Evapo ra on No info availabl	oration ate ormation e ormation	No availa	Aethod informat ible informat	tion	Note



Page 14 of 17

Trading name:	POTASSIUM PERMANGANATE				
Product code:	KPH-X**	Revision date:	21 Dec 2022	Version:	3

12.5.	Results of PBT and vPvB assessment
	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
12.6.	Endocrine disrupting properties
	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7.	Other adverse effects
	No information available

SECTION	I 13. Disposal considerations
13.1.	Waste treatment methods
13.1.1.	Product/Packaging disposal:
	Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.
10.1.0	
13.1.2.	Waste codes/waste designations according to Law:
	No information available
13.1.3.	Waste treatment – relevant information:
	No information available
13.1.4.	Sewage disposal – relevant information:
	Waste must not be disposed of into the sewage system.
13.1.5.	Other disposal recommendations:
	Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge. Do not dispose of in places where ignition may occur.
13.1.6.	Relevant Community provisions:
	-

SECTION 14 TRANSPORT INFORMATION				
Transporting/shipment by road (ADR)			
UN number:	1490			



Page 15 of 17

Trading name:	POTASSIUM PERMANGANATE						
Product code:	KPH-X**	Revision date:	21 Dec 2022	Version:	3		
UN proper shipping name:		POTASSIUM PERMAN	POTASSIUM PERMANGANATE				
Transport hazard class(es):		5.1	5.1				

Transport hazard class(es):	5.1
Packing group:	11
Environmental hazard(s):	-
Special precautions for user:	-
Transporting/shipment by rail (R	ID)
UN number:	1490
UN proper shipping name:	POTASSIUM PERMANGANATE
Transport hazard class(es):	5.1
Packing group:	Ш
Environmental hazard(s):	-
Special precautions for user:	-
Transporting/shipment by inland	waterways (ADN)
UN number:	1490
UN proper shipping name:	POTASSIUM PERMANGANATE
Transport hazard class(es):	5.1
Packing group:	II
Environmental hazard(s):	-
Special precautions for user:	-
Transporting/shipment by sea (II	MDG)
UN number:	1490
UN proper shipping name:	POTASSIUM PERMANGANATE
Transport hazard class(es):	5.1
Packing group:	II
Environmental hazard(s):	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (IC	AO-TI/IATA-DGR)
UN number:	1490
UN proper shipping name:	POTASSIUM PERMANGANATE
Transport hazard class(es):	5.1
Packing group:	II
Environmental hazard(s):	-
Special precautions for user:	-



-

SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 16 of 17

Trading name:	POTASSIUM PERMANGANATE				
Product code:	KPH-X**	Revision date:	21 Dec 2022	Version: 3	

Further information:

SECTIO	ON 15. Regulatory information					
15.1.	Safety, health and environment	al regulations/legislation specific for the substance or mixture				
	EU regulations					
	Authorization and/or restriction	ns of use				
	Authorizations:	-				
	Restrictions:	-				
	Other EU regulations:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC; Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC; Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work; Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006; REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);				
	Information according 1999/13 guideline)	/EC about limitation of emissions of volatile organic compounds (VOC-				
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Transport of Hazardous Substances Act				
15.2.	Chemical safety assessment					
	None					

SECTION 16. Other information						
16.1.	Indication of changes:	-				
16.2.	Abbreviations and acronyms:	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association				



_

SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 17 of 17

Trading name:								
Product code:			KPH-X**	Revision date:	21 Dec 2022	Version:	3	
TTOULLE COLLE.				Revision date.		version.		
				GHS: Globally Harmonised EINECS: European Inventor CAS: Chemical Abstracts DNEL: Derived No-Effect I LC50: Lethal concentratio LD50: Lethal dose, 50 per PBT: Persistent, Bioaccur vPvB: very Persistent and	y of Existing Commerc Service (division of the Level (UK REACH) on, 50 percent rcent mulative and Toxic	ial Chemical Sub	ostances	
16.3.	Key literature references and source of data:			-				
16.4.	Rele	Relevant H statements (number and full text)						
	272			May intensify fire; oxidiz	er.			
	H:	302		Harmful if swallowed.				
		400		Very toxic to aquatic life.				
		410		Very toxic to aquatic life with long lasting effects.				
16.5.	Trai	Training advice:		-				
16.6.	Furt	Further information:		 ** "X" in the product code marks different volumes (different packaging of the product) We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet. 				

ANNEX: EXPOSURE SCENARIO RESULTING TO CHEMICAL SAFETY ASSESSMENT