

amended by Regulation (EU) No. 2020/878

Page 1 of 17

Trade name:		RHODANINE REAGENT					
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6		

1.1.	Product identifier					
	Trade name:	RHODANINE RE	EAGEN	Т		
	Chemical name:	-	-			
	Catalogue number:	RR-OT-X**				
1.2.	Relevant identified	l uses of the substa	ance or	r mixture ar	d uses advised against	
	Uses:		For use w	th Rhodanine kit.		
	Uses advised against:			Only the i	dentified uses are advised.	
	Reason why uses a	medical device, registered at the Agency			ect is intended for use only as an <i>in vitro</i> diagnostic evice, registered at the Agency for Medicinal and Medical Devices and there is no reason to use r purposes.	
1.3.	Details of the supp	olier of the safety d	ata she	eet		
	Supplier:		BioGnost Ltd.			
	Address:		Medjugorska 59, Zagreb			
	Telephone numbe	r:	+385 1 2409997			
	Telefax:		+385 1 2404039			
	E-mail of compete	nt person:	msds@biognost.hr			
	National contact:		-			
1.4.	Emergency telephone numbers					
	National Protectio	n and Rescue Direc	ctorate	:	112	
	Medical information	on:			+385 1 2348 342	
	Other information:				_	

SECTIO	ECTION 2. Hazards identification					
2.1.	Classification of the substance	Classification of the substance or mixture				
2.1.1.	Classification according to Re	egulation (EC) No	o. 1272/2008 (CLP)			
	Hazard class and categ	Hazard class and category code: Hazard statement*:				
	Flam. Liq. 2 H225					
2.1.2.	Additional information					
	-					
*For fu	ll text of Hazard- and EU Hazard	d-statements: see	e Section 16.			
2.2.	Label elements					
	Product identification:	RHODANINE	REAGENT			
	Identification number:	-				



Page 2 of 17

Trade name:		RHODANINE REAGENT					
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6		

	A			
	Authorisation number:			
	Hazard pictograms:	GHS02		
	Signal word:	Danger		
	Warning statement:	H225 Highly flammable liquid and vapor.		
		P210 Keep away from heat/sparks/open flames/hot surfaces Do not smoke.		
	Precautionary statement:	P233 Keep container tightly closed. P280 Wear protective gloves/protective clothing/eye/protection/face protection.		
	Supplemental hazard information (EU):	-		
2.3.	Other hazards			
	Endocrine Disrupting Properties:			
	No known endocrine disrupti	ng properties		
	Results of PBT and vPvB ass PBT or a vPvB.	sessment : According to the results of its assessment, this substance is not a		

SECTION 3. Co	SECTION 3. Composition/information on ingredients						
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)			
64-17-5/ 200-578-6/ 603-002-00-5	01-2119457610-43- 0147	80 - 100 %	ethanol	Flam. Liq. 2; H225			

SECT	SECTION 4. First aid measures				
4.1.	Description of first aid measures				
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.			
	Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.			
	Following skin contact:	Remove all contaminated clothes/footwear. Thoroughly wash with water for at least 15 minutes.			



amended by Regulation (EU) No. 2020/878

Page 3 of 17

Trade name:		RHODANINE REAGENT					
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6		

	Following eye contact:	Rinse the eyes using mild jet of clean water for at least 20 minutes with the eyelids held wide open.			
	Following swallowing:	Rinse the mouth thoroughly with 1-2 glasses of water. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.			
	Self-protection of the first aider	-			
4.2.	Most important symptoms and effects, both acute and delayed				
	Following inhalation:	Depending on concentration and exposure time, it may lead to mucosa irritation, cough, and dyspnea.			
	Following skin contact:	Depending on concentration and exposure time, it may lead to irritation, rash, skin drying and skin cracking.			
	Following eye contact:	Depending on concentration and exposure time, it may lead to irritation, tearing, redness and pain.			
	Following swallowing:	Depending on concentration and exposure time, it may lead to stinging and digestive mucus damage, abdominal pain, nausea, vomiting.			
4.3.	Indication of any immediate medical attention and special treatment needed				
	No information available				

SECT	CTION 5. Firefighting measures					
5.1.	Extinguishing media	Extinguishing media				
	Suitable extinguishing media:	Small fire - water spray, dry powder, alcohol-resistant foam, CO2 Large fire - water spray or alcohol-resistant foam				
	Unsuitable extinguishing media:	Water with full jet				
5.2.	Special hazards arising from the substance or mixture					
	Hazardous byproducts of fire: Incomplete combustion of the product.					
5.3.	Advice for firefighters					
	Stay in danger area only with self-contained open-circuit compressed air breathing apparatus and a set for protecting the body from heat dissipation (fireproof clothing).					
5.4.	Additional information					
	Cool endangered receptacles we not contaminate the environment	vith water spray. Collect contaminated fire fighting water separately. Do ent with extinguishing media.				

SECTIO	SECTION 6. Accidental release measures		
6.1.	Personal precautions, protective equipment and emergency procedures		
6.1.1.	For non-emergency personnel		
	Protective equipment:	Use personal protective equipment (see Section 8).	



Page 4 of 17

Trade name:		RHODANINE REAG	ENT		
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6

	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment. Avoid breathing vapors and avoid contact with skin and eyes. Do not smoke. Keep away from ignition sources.		
	Emergency procedures:	Mark the area using proper signs.		
6.1.2.	For emergency responders:			
	Self-contained open-circuit con heat dissipation (fireproof cloth	npressed air breathing apparatus, a set for protecting the body from ing).		
6.2.	Environmental precautions:			
	Use sand protective barrier to prevent further spillage of chemicals. Prevent environmental pollution by not allowing the chemicals to enter the sewage system, surface water or groundwater.			
6.3.	Methods and materials for cont	tainment and cleaning up		
6.3.1.	Bunding, covering of drains; capping procedures:	Sand protective barrier or barriers made of similar materials		
6.3.2.	Cleaning up:	Sawdust, sand, mineral adsorbents		
6.3.3.	Other information:	Secure proper ventilation. Contact the responsible person; in case of larger spills and possible environmental pollution contact National Protection and Rescue (112). Do not use incompatible materials (see Section 10).		
6.4.	Reference to other sections			
	See Section 7 for information o	See Section 7 for information on safe handling.		
	See Section 8 for information o	n personal protection equipment.		
	See Section 13 for disposal info	rmation.		

SECTIO	SECTION 7. Handling and storage				
7.1.	Precautions for safe handling				
7.1.1.	Protection measures				
	Measures to prevent fire:	Use in well ventilated storage rooms. Keep away from sources of ignition and heat. Do not use tools that cause sparks. Do not smoke.			
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.			
	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.			
	Other measures: Protect against electrostatic charges.				
7.1.2.	Advice on general occupational hygiene:				
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.				
7.2.	Conditions for safe storage, including any inc	ompatibilities			



Page 5 of 17

Trade name:		RHODANINE REAG	ENT		
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6

	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms at temperatures ranging from 15 to 25 °C. Protect from heat and direct sunlight.
	Packaging materials:	Manufacturer's original packaging.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).
7.3.	Specific end use(s)	
	Recommendations:	-
	Industrial sector specific solutions:	-

SECTION 8. Exposure	SECTION 8. Exposure controls/personal protection					
8.1. Control para	meters					
Substance	CASI	CAS No		Occupational exposure limit values/short term values		Biological limit values
			pp	m	mg/m³	
Ethanol	64-17	'- 5	100	00/-	1900/-	No information available
Substance:	-					
EC No:	-		CA	S No:	-	
DNEL						
			Industr	ial		
Route of exposure:	Acute	ute Acut		Chronic		Chronic
Route of exposure.	effect local	effect sys	stemic	effect local		effect systemic
Oral	-	-		-		-
Inhalation	1900 mg/m³ (ethanol)	-		-		380 mg/m³ (ethanol)
Dermal	-	-		-		343 mg/kg (ethanol)
Critical physical param	Critical physical parameters: solubility, flammability, corrosivity:					
	Consumer					
Route of exposure:	Acute	Acu	te	Chronic		Chronic
Route of exposure:	effect local	effect sys	stemic	е	ffect local	effect systemic
Oral	-	-		-		87 mg/kg bw/day (ethanol)



Hand protection:

SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006

amended by Regulation (EU) No. 2020/878

		:				F	Page 6 of 17
Trade n	ame:			RHO	DANINE REAG	ENT	
Product	code:	RR-OT-X**		Date of	compilation:	14 Nov 2022	Version:
Inhalatio	n	950 mg/m³ (ethanol)	-		-	114 mg/m	³ (ethanol)
Dermal		-	-		-	206 mg/kg	(ethanol)
PNEC							
Environmental protection target			PNEC				
Fresh wa	iter			0.96 mg/l	(ethanol)		
Freshwat	ter sedime	nts		3.6 mg/kg	(ethanol)		
Marine v	vater			0.79 mg/l	(ethanol)		
Marine s	ediments			2.9 mg/kg	(ethanol)		
Food cha	ain			380-720 m	ng/kg (ethanol)		
Microorg	ganisms in	sewage treatment		580 mg/l (580 mg/l (ethanol)		
Soil (agricultural)			0.63 mg/kg (ethanol)				
Air				no information available			
8.2.	Exposur	e controls					
8.2.1.	Appropr	iate engineering co	ontrols				
	measure	ce/mixture related es to prevent expos dentified uses:	ure	Do not eat, protective e		the workspace. Use	e personal
	Structur exposur	al measures to preve:	/ent	No information available			
	Organisational measures to prevent exposure:		Organization of work in order to reduce other worker's influence during work process.				
	Technical measures to prevent exposure:		See Section	7.2			
8.2.2.	Persona	protection equipn	nent				
8.2.2.1.	Eye and	face protection:	of c	oncentration		N 166) or visor in ca gas mask that cover ration in air.	
8.2.2.2.	Skin pro	tection	<u>i</u>				
				tective gloves standard EN		ng to the EU Directi	ve 2016/425/EE

Glove material: nitrile rubber Glove thickness: ≥0.50 mm Break through time: >480 min



Page 7 of 17

Trade name:	RHODANINE REAGENT			_	
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6

	Other skin protection:	footwear, such as ru entire foot. In case impermeable mate	ork use cotton clothing (EN 340) and suitable ubber boots (EN 20345) or shoes that cover the of spilling hazard, use clothing made of rial suitable for protection from liquid chemicals and footwear made from the same material.	
8.2.2.3.	Respiratory protection:	a filter for organic v	mask (EN 136) or half mask (EN 140) equipped with apors, type "A" (boiling point >65°C) acording to en concentration levels exceed GVI.	
8.2.2.4.	Thermal hazards:	No information ava	ailable	
8.2.3.	Environmental exposure cor	ntrols		
	Substance/mixture related nexposure:	neasures to prevent	See Section 6	
	Structural measures to prevent exposure:		Use modern equipment.	
	Organisational measures to prevent exposure:		Adapt the work process to the required working conditions of the workplace.	
	Technical measures to preve	ent exposure:	See Section 6	

1.	Information on basic physical and	l chemical properties	chemical properties		
		Value	Method		
	Physical state:	liquid	no information available		
	Colour:	orange	no information available		
	Odour/odour threshold:	ethanol like/no information available	no information available		
	Melting point / freezing point:	no information available	no information available		
	Boiling point or initial boiling point and boiling range:	no information available	no information available		
	Flammability:	no information available	no information available		
	Lover and upper explosion limit:	no information available	no information available		
	Flash point:	13 °C	no information available		
	Auto-ignition temperature:	no information available	no information available		
	Decomposition temperature:	no information available	no information available		
	рН:	no information available	no information available		
	Kinematic viscosity:	no information available	no information available		
	Solubility:	no information available	no information available		
	Partition coefficient n- octanol/water (log value):	no information available	no information available		
	Vapour pressure:	No information available	no information available		



Page 8 of 17

Trade name:	RHODANINE REAGENT				
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6

	Density and/or relative density:	no information available	no information available
	Relative vapour density:	no information available	no information available
	Particle characteristics:	no information available	no information available
9.2.	Other information		
	-		

SECTIO	SECTION 10.: Stability and reactivity		
10.1.	Reactivity:	The product is stable under normal working and storage conditions.	
10.2.	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using.	
10.3.	Possibility of hazardous reactions:	Risk of explosion after contact with strong acids, alkali metals, alkali metal oxides, nitric acid, oxidizing substances.	
10.4.	Conditions to avoid:	Avoid heat, sparks, open flames and other ignition sources.	
10.5.	Incompatible materials:	Oxidants, acids, alkali metals.	
10.6.	Hazardous decomposition products:	Non-degradable if used in the described manner.	

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008									
Acute toxicity:									
Route of exposure:	Method	Species	Effective Dose LD ₅₀ /LC ₅₀ or ATE _{mixture}	Exposure time	Results				
Oral:	-	rat	LD ₅₀	-	7.060 mg/kg (ethanol)				
Dermal:	-	rabbit	LD ₅₀	-	>20.000 mg/kg (ethanol)				
Inhalation:	-	rat	LC ₅₀	4 h (ethanol)	>8.000 mg/l (ethanol)				

	Specific effects	Target organ	Note
Oral:	No information available	No information available	-
Dermal:	No information available	No information available	-
Inhalation:	No information available	No information available	-

Aspiration hazard:	No information available



Page 9 of 17

Trade	name:		RHODANINE REAGEN	Т		
Produc	ct code: F	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6

Product code.		RR-O1-X		Date	or con	ірпац	lion.	14 NOV	/ 2022	version	1.
Irritation ar	nd co										
		Exposur	e time	Species	5	Evaluation		n	Method		Not
Skin corrosion/irritat	tion	No informat available		No informa available			No information available		No information available		-
Serious eye damage/irritation		No informat available		No infor	mation	availahla		No informa available		_	
Sensitization											
Skin sensitizatio	n:	No infor	mation a	available							
Respiratory sensitization:		No infor									
Symptoms re	elated	I to the phy	sical, che	emical and toxi	icologica	al cha	racteristics				
Oral exposure: Swallowing may cause irritation of mucosa, sensation; higher levels of concentration may ln case of vomiting, aspiration causes cough concentration may cause suffocation.					may	cause nause	ea, abdor	minal pain	and vor		
Dermal exposur	re:	-		ter short expos cracking and t		-			ely. Long-	term exp	osure
Inhalation exposure:			_	of large amounts of vapors in inadequately ventilated perimeter may cause sneezing, headache and nausea.							
Eye exposure:		Direct eye sensation.		may cause slig	ght to m	odera	ate irritation	, lacrima	tion and b	ourning	
B		• • • •			• \						
Repeated do	se to			chronic, chron		:	Mathad	г.	valvation	Na	
Subacute oral	info	No information available		osure time information lle	No inform on availab	ati	No informatio available	n ir	valuation lo nformatior vailable	No 1 -	<u>le</u>
Subacute dermal	Intormation		No availab	information informable on availal					lo nformatior vailable	٦ -	
Subacute		ormation	No availab	information le	No informati on available		No informatio available	n ir	lo nformatior vailable	۱ -	



Page 10 of 17

Trade name:		RHODANINE REAGEN	Т		
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6

Subchronic oral	No information available	No information available	No informati on available	No information available	No information available	n -
Subchronic dermal	No information available	No information available	No informati on available	No information available	No information available	n -
Subchronic inhalation	No information available	No information available	No informati on available	No information available	No information available	n -
No Chronic oral information available		No information available	No informati on available	No information available	No information available	n -
Chronic dermal	No information available	No information available	No informati on available	No information available	No information available	n -
Chronic inhalation available		No information available No available		No information available	No information available	n -
Specific targ	et organ toxicity	/ - repeated exposure (S				
		Specific effect		Target o		Note
Subacute oral		No information availab		No information a		_
Subacute derm		No information availab		No information available		_
Subacute inhala		No information availab		No information a	_	
Subchronic ora		No information availab		No information a	_	
Subchronic der		No information availab		No information a		-
Subchronic inha	alation	No information availab		No information a		_
Chronic oral		No information availab		No information a		_
Chronic dermal		No information availab		No information a		_
Chronic inhalat	ion	No information availab	ole	No information a	vailable	-
CAAD (C.	/ <u>-</u>		-41 4	\		
CMR effects Carcinogenic		, mutagenicity, reproduc		rmation available		



Page 11 of 17

Trade name:		RHODANINE REAGEN	Т		
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6

Geno	otoxicity:	No information available		
Muta	genicity <i>in-vivo</i> :	No information available		
Germ	n cell mutagenicity:	No information available		
Repro	oductive toxicity:	No information available		
Sumr	mary of evaluation of the CMR properties:	No information available		
11.2.	Information on other hazards:			
11.2.1.	Endocrine disrupting properties:			
	No known endocrine disrupting properties that affect human health.			
11.2.2.	Other informations:			
	-			

SECTION 12. E							
12.1. Toxici	ty						
Acute (short- term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note	
Fish	LC ₅₀	96 hours	Fish	No information available	8.140 mg/l (ethanol)	-	
Crustacea:	EC ₅₀	48 hours	Daphnia magna	No information available	7.800 mg/l (ethanol)	-	
Algae/aquatic plants:	IC ₅₀	72 hours	algae	No information available	5.000 mg/l (ethanol)	-	
Other organisms	-	-	-	-	-	-	
Chronic (long-term) toxicity	Doza	Exposure time	Species	Method	Evaluation	Note	
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	–	
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-	
Algae/aquatic plants	IC ₅₀	72 hours	No information available	No information available	No information available	-	



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 12 of 17

Trade name	ne: RHODANINE REAGENT								
Product cod	de:	RR-OT-X**		Date	of compilation	on:	14 Nov 2022	Version:	6
Other organisms	-	-		-	-		-	-	
12.2. Per	sistend	e and degrad	ability						
		gradation							
:	С	egradation ha	alf-lives	N	1ethod	Evalu	uation	Note	
Marine water	No ir	nformation ava	ailable	No infor available		No inforr available	mation -		
Fresh water	No ir	No information availa		No infor available		No inforr available	mation -		
Air	No ir	nformation ava	ailable	No infor available		No inforr available	mation -		
Soil	No ir	nformation ava	ailable	No infor available		No information - available			
Biodegrac									
% Degradat	ion	Time (da	ys)	Me	ethod	Evalı	uation	Note	
-	-			-		-	-		
		umulative pot							
		ol-water partit					F 1	N	
Value		oncentration	p⊦		Method		Evaluation	Note	
-	_		-	-	-				
Dia a a a		tion Factor (P	CE)						
Value	icentra	tion Factor (B			Method		Evaluation	Note	
No		Specie	:5		Method		Evaluation	INOLE	
information available	N	o information	available	No infor	mation availab	ΙΔ :	nformation lable	-	
Chronic e	cotoxio	itv							
Value		Dose	Ехроз	sure time	Species	Metho	d Evaluatio	on Note	
Chronic toxic	city	LC ₅₀	No info		No	No	No	-	
L	· · · · · · · · · · · · · · · · · · ·					.i	<u>i</u>		



amended by Regulation (EU) No. 2020/878

Page 13 of 17

									Pa	nge 13 of 17
Trade na	ame:				Rŀ	HODANINE	REAGE	NT		
Product	code:	RR-OT	-X**		Date (of compilation	on:	14 I	Nov 2022	Version: 6
on fish			avai	able		information available	informa availab		information available	1
Chronic to on crusta (Daphnia	acea	EC ₅₀	1	o information vailable		No information available	No informa availab		No information available	1 -
12.4.	Mobility	in soil								
	Known c			ion in enviro	nmer	ital compartm	ents:			
	Surface 1		allable							
		Value °C		°C	Сс	ncentration	Met	thod		Note
	No information N		No available	information		information lable	No inform availa		-	
Adsor	ption / de	esorption								
Transpor	†	A/D coeffi Henry's cor		log Kov	log Kow Evaporation		n rate	n rate Method		Note
Soil-Wat	er No avail		ormation	No informa	No information available		No information available		formation able	-
Water-Ai	r No avail	inf able	ormation	No informa	ation	No information available		No information available		-
Soil-Air	No avail		ormation	No informa	ation	No informa available	tion	No in availa	formation able	-
12.5.		of PBT and			s not	contain any P	BT or vP	vB sub	stances.	
12.6	.	1								
12.6.		ne disruptir n available			endo	ocrine disrupt	ors.			
12.7.	Other ac	dverse effe	cts							
		rse effects		ted.						
SECTION	l 13 Dic	posal cons	ideration	5						
13.1.		eatment m								



Page 14 of 17

Trade name:	RHODANINE REAGENT				
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6

13.1.1.	Product/Packaging disposal:		
15.1.1.	Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.		
13.1.2.	Waste codes/waste designations according to Low:		
	Packaging that contains residu	al hazardous substances or is contaminated with hazardous substances	
13.1.3.	Waste treatment – relevant info	ormation:	
	No information available		
13.1.4.	Sewage disposal – relevant info		
	Waste must not be disposed or	f into the sewage system.	
12.1.5	Oth di d-ti-		
13.1.5.	Other disposal recommendation	's remains into the sewage system. Submit the remains to the collectors	
	· ·	narge. Do not dispose of the packaging into the sewage system. Submit	
	the packaging to the collectors authorized by the ministry in charge.		
13.1.6.	I.6. Relevant Community provisions:		
Disposal must be made accord		ing to official regulations.	
	N 14. Transport information		
i	sporting/shipment by road (ADR		
UN num		1170	
	er shipping name:	Ethanol solution	
•••••••••••••••••••••••••••••••••••••••	rt hazard class(es):	3	
Packing	-		
	nental hazards:	No information available	
 	precautions for user:	-	
Transporting/shipment by rail (RID) UN number:		1170	
,	er shipping name:	Ethanol solution	
•	rt hazard class(es):	3	
Packing			
·····	nental hazards:	No information available	
	precautions for user:	-	



Page 15 of 17

Trade name:	RHODANINE REAGENT				
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6

Transporting/shipment by inland was	terways (ADN)
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	II
Environmental hazards:	No information available
Special precautions for user:	-
Transporting/shipment by sea (IMDG	5)
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	П
Environmental hazards:	No information available
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL73/78 and the IBC code:	-
Transporting/shipment by air (ICAO-	TI/IATA-DGR)
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	II
Environmental hazards:	No information available
Special precautions for user:	-
Further	

SECTIO	N 15. Regulatory information	
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture	
	EU regulations	
	Authorisation and/or restrictions on use	
	Authorisations: -	
	Restrictions: -	



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 16 of 17

Trade name:	RHODANINE REAGENT				
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6

	Other EU regulations:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC; Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC; Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work; Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006; REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);	
	Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline)		
	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and obiological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act		
15.2.	Chemical safety assess	sment	
	None		

SECTIO	SECTION 16. Other information	
16.1.	Indication of changes:	-



amended by Regulation (EU) No. 2020/878

Page 17 of 17

Trade name:	RHODANINE REAGENT				
Product code:	RR-OT-X**	Date of compilation:	14 Nov 2022	Version:	6

			DR: Accord relatif au transport international des		
			narchandises dangereuses par route (European Agreement		
			Concerning the International Carriage of Dangerous Goods by		
			load)		
			IMDG: International Maritime Code for Dangerous Goods		
			IATA: International Air Transport Association		
			GHS: Globally Harmonised System of Classification and Labelling of Chemicals		
16.2	Alalama, ilatiama anal a a		INECS: European Inventory of Existing Commercial Chemical		
16.2.	Abbreviations and ac		Substances		
			CAS: Chemical Abstracts Service (division of the American		
			Chemical Society)		
			DNEL: Derived No-Effect Level (UK REACH)		
			C50: Lethal concentration, 50 percent		
			D50: Lethal dose, 50 percent		
			BT: Persistent, Bioaccumulative and Toxic		
		vl	PvB: very Persistent and very Bioaccumulative		
16.3.	Key literature referen	ces and source of data: -			
16.4. Classification and procedure 1272/2008 (CLP)		cedure used to derive the c	classification for mixture according to Regulation (EC)		
Classific	cation	Classification procedure			
_		_			
16.5.	Relevant H statemen	s (number and full text)			
	H: 225	Highly flammable li	iquid and vapor.		
16.6.			'		
10.0.	Training davies.				
		·	de marks different volumes (different packaging of the		
		product)			
16.7.	Further information:	We are not responsible	for consequences in case of failure to comply with		
		instructions for use or improper use of the product described in this material			
		safety data sheet.			

ANNEX: Exposure scenario resulting to Chemical safety assessment
-