

Trading name:	<b>4% FORMALDEHYDE, ALCOHOLIC SOLUTION</b>		
Product code:	F4A-OT-X**	Revision date:	26 June 2019
		Version:	3




**SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

<b>1.1</b>	<b>Product identifier</b>	
	Trading name:	4% FORMALDEHYDE, ALCOHOLIC SOLUTION
	Chemical name:	-
	Catalogue number:	F4A-OT-X**
<b>1.2</b>	<b>Relevant identified uses of the substance or mixture and uses advised against</b>	
	Uses:	For use with Reticulin and Reticulin Contrast staining kits.
	Uses advised against:	Only the identified uses are advised.
	Reason why uses advised against:	The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.
<b>1.3</b>	<b>Details of the supplier of the safety data sheet</b>	
	Supplier:	BioGnost Ltd.
	Address:	Medjugorska 59, Zagreb
	Telephone number:	+385 1 2409997
	Fax no.:	+385 1 2404039
	e-mail of competent person:	<a href="mailto:msds@biognost.hr">msds@biognost.hr</a>
	National contact:	-
<b>1.4</b>	<b>Emergency telephone number</b>	
	National Protection and Rescue Directorate:	112
	Medical information:	+385 1 2348 342
	Other information:	-

**SECTION 2 HAZARDS INFORMATION**

<b>2.1</b>	<b>Classification of the substance or mixture</b>	
<b>2.1.1</b>	<b>Classification according to (EC) Regulation No. elements</b>	
	<b>Hazard class and category code:</b>	<b>Hazard statements*:</b>
	Flam. Liq. 2	H225
	Skin. Sens. 1	H317
	Resp. Sens. 1	H334
<b>2.1.2.</b>	<b>Additional information</b>	
	-	
*For full text of Hazard- and EU Hazard-statements: see Section 16		
<b>2.2</b>	<b>Label elements</b>	
	Product identification:	4% FORMALDEHYDE, ALCOHOLIC SOLUTION
	Identification number:	-
	Authorization no.:	-

Trading name:	<b>4% FORMALDEHYDE, ALCOHOLIC SOLUTION</b>				
Product code:	F4A-OT-X**	Revision date:	26 June 2019	Version:	3

Hazard pictograms:		GHS02
		GHS07
		GHS08
Signal word:	Danger	
Hazard statements:	H225 Highly flammable liquid and vapor. H317 May cause an allergic skin reaction. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
Precautionary statements:	P210 Keep away from heat/sparks/open flames/hot surfaces. - Do not smoke. P261 Avoid breathing dust/fume/gas/mist/vapours. P280 Wear protective gloves/protective clothing/eye/protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P308+P311 IF exposed or concerned: Call a POISON CENTER or doctor.	
Further information:	-	
2.3	Other hazards	
	-	

**SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS**

CAS/ EC/ Index no.	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)
64-17-5/ 200-578-6/ 603-002-00-5	-	≥ 50 %	ethanol	Flam. Liq. 2; H225

Trading name:	<b>4% FORMALDEHYDE, ALCOHOLIC SOLUTION</b>				
Product code:	F4A-OT-X**	Revision date:	26 June 2019	Version:	3

30525-89-4/ 608-494-5/ -	< 4 %	paraformaldehyde	Acute Tox. 4; H302 Skin Irr. 2; H315 Skin. Sens. 1; H317 Eye Dam. 1; H318 Acute Tox. 4; H332 Resp. Sens. 1; H334
--------------------------------	-------	------------------	---

**SECTION 4 FIRST AID MEASURES**

**4.1 Description of first aid measures**

General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.
Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.
Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.
Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.
Following ingestion:	Rinse the oral cavity, drink 1-2 glasses of water. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.
Self-protection of the first aider:	-

**4.2 Most important symptoms and effects, both acute and delayed**

Following inhalation:	Depending on concentration and exposure time, it may lead to mucosa irritation, cough, and dyspnea.
Following skin contact:	Depending on concentration and exposure time, it may lead to irritation, rash, skin drying and skin cracking.
Following eye contact:	Depending on concentration and exposure time, it may lead to irritation, tearing, redness and pain.
Following ingestion:	Depending on concentration and exposure time, it may lead to stinging and digestive mucus damage, abdominal pain, nausea, vomiting.

**4.3 Indication of any immediate medical attention and special treatment needed**

-
---

**SECTION 5 FIREFIGHTING MEASURES**

**5.1 Extinguishing media**

Suitable extinguishing media:	Small fire - water spray, dry powder, CO <sub>2</sub> Large fire - water spray or alcohol-resistant foam
-------------------------------	---

Trading name:	<b>4% FORMALDEHYDE, ALCOHOLIC SOLUTION</b>		
Product code:	F4A-OT-X**	Revision date:	26 June 2019
		Version:	3

	Unsuitable extinguishing media:	No information available
5.2	Special hazards arising from the substance or mixture	
	Hazardous combustion products:	Not flammable. Surrounding fire may cause hazardous fumes to be released.
5.3	Advice for firefighters	
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing.	
5.4	Additional information	
	Do not contaminate the environment with extinguishing media.	

<b>SECTION 6 ACCIDENTAL RELEASE MEASURES</b>		
6.1	Personal precautions, protective equipment and emergency procedures	
6.1.1.	For non-emergency personnel	
	Protective equipment:	Use personal protective equipment (see Section 8).
	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment. Avoid breathing vapors and avoid contact with skin and eyes. Do not smoke.
	Emergency procedures:	Mark the area using proper signs.
6.1.2.	For emergency responders:	
	Use protective equipment; in case of inadequate ventilation use adequate airways protective equipment (see Section 8).	
6.2	Environmental precautions:	
	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.	
6.3	Methods and material for containment and cleaning up	
6.3.1.	Bundling, covering of drains; capping procedures:	Sand or clay barriers.
6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using absorbing material. Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and involved materials with water.
6.3.3.	Other information:	Do not use incompatible materials (see Section 10).
6.4	Reference to other sections	
	-	

<b>SECTION 7 HANDLING AN STORAGE</b>		
7.1	Precautions for safe handling	
7.1.1.	Protection measures	

Trading name:	<b>4% FORMALDEHYDE, ALCOHOLIC SOLUTION</b>				
Product code:	F4A-OT-X**	Revision date:	26 June 2019	Version:	3

	Measures to prevent fire:	Use in well ventilated storage rooms.
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.
	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.
	Other measures:	-
7.1.2.	Advice on general occupational hygiene:	
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.	
7.2	Conditions for safe storage, including any incompatibilities	
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms at temperatures ranging from 15 to 25 °C.
	Packaging materials:	Manufacturer's original packaging. Avoid metal containers.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).
7.3	Specific end use(s)	
	Recommendations:	-
	Industrial sector specific solutions:	-

<b>SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION</b>				
8.1	Control parameters			
Substance	CAS No	Occupational exposure limit values/short term values		Biological limit values
		ppm	mg/m <sup>3</sup>	
Ethanol	64-17-5	1000/-	1900/-	-
Substance name: -				
EC No: - CAS No: -				
<b>DNEL</b>				
<b>Industrial</b>				

Trading name:	<b>4% FORMALDEHYDE, ALCOHOLIC SOLUTION</b>				
Product code:	F4A-OT-X**	Revision date:	26 June 2019	Version:	3

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	950 mg/m <sup>3</sup> (ethanol)
Dermal	-	-	-	343 mg/kg (ethanol)

Critical physical parameters: solubility, flammability, corrosivity: -

**Consumer**

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	114 mg/m <sup>3</sup> (ethanol)
Dermal	-	-	-	206 mg/kg (ethanol)

**PNEC**

Environmental protection target	PNEC
Fresh water	0.96 mg/l (ethanol)
Freshwater sediments	3.6 mg/kg (ethanol)
Marine water	0.79 mg/l (ethanol)
Marine sediments	no information available
Food chain	no information available
Microorganisms in sewage treatment	no information available
Soil (agricultural)	0.63 mg/kg (ethanol)
Air	no information available

**8.2 Exposure controls**

**8.2.1. Engineering measures**

Substance/mixture related measures to prevent exposure during identified uses:	Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.
Structural measures to prevent exposure:	In accordance with Section 7.
Organisational measures to prevent exposure:	Organization of work in order to reduce other worker's influence during work process.
Technical measures to prevent exposure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels. Secure stations for rinsing eyes and showering.

**8.2.2. Personal protection equipment**

Trading name:	<b>4% FORMALDEHYDE, ALCOHOLIC SOLUTION</b>		
Product code:	F4A-OT-X**	Revision date:	26 June 2019
		Version:	3

8.2.2.1.	Eye and face protection:	Safety glasses that stick to face (EN 166) or visor in case of lower levels of concentration in air; protective gas mask that covers the entire face in case of higher levels of concentration in air.
8.2.2.2.	Skin protection	
	Hand protection:	Protective nitrile gloves, 0.11 mm thick (EN 374).
	Other skin protection:	Wear antistatic clothing made of natural fibers (such as cotton) with long sleeves (EN 340) and shoes that cover the entire foot.
8.2.2.3.	Respiratory protection:	Suitable mask (EN 136) or half mask (EN 140) equipped with a combined "A1 + Form" filter (EN 143) used when concentration levels exceed GVI.
8.2.2.4.	Thermal hazards:	No information available
8.2.3.	<b>Environmental exposure controls</b>	
	Substance/mixture related measures to prevent exposure:	See Section 6
	Structural measures to prevent exposure:	Use modern equipment.
	Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
	Technical measures to prevent exposure:	See Section 6

<b>SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES</b>			
9.1 Information on basic physical and chemical properties			
		Value	Method
	Physical state:	liquid	No information available
	Colour:	colourless	No information available
	Odour:	sharp	No information available
	Odor threshold:	No information available	No information available
	pH:	No information available	No information available
	Melting point / freezing point:	No information available	No information available
	Initial boiling point and boiling range:	No information available	No information available
	Flash point:	21 °C	No information available
	Evaporation rate:	No information available	No information available
	Flammability (solid, gas):	No information available	No information available
	Upper/lower flammability or explosive limits:	No information available	No information available
	Vapour pressure:	No information available	No information available
	Vapour density:	No information available	No information available

Trading name:	<b>4% FORMALDEHYDE, ALCOHOLIC SOLUTION</b>				
Product code:	F4A-OT-X**	Revision date:	26 June 2019	Version:	3

Relative density:	No information available	No information available
Bulk density:	No information available	No information available
Solubility(ies):	completely soluble in water	No information available
Partition coefficient: n-octanol/water (log Kow):	No information available	No information available
Auto-ignition temperature:	No information available	No information available
Decomposition temperature:	No information available	No information available
Viscosity:	No information available	No information available
Explosive properties:	No information available	No information available
Oxidising properties:	No information available	No information available
<b>9.2</b>	<b>Other information</b>	
	-	

<b>SECTION 10 STABILITY AND REACTIVITY</b>		
10.1	Reactivity:	See subsections 10.3 through 10.5.
10.2	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).
10.3	Possibility of hazardous reactions:	Acids, nitrogen oxides, hydrogen peroxide, oxidizing agents, polymerization initiators, alkaline metals.
10.4	Conditions to avoid:	Heat sources, low temperatures.
10.5	Incompatible materials:	Various metals, alloys, plastic, magnesium, zinc alloys.
10.6	Hazardous decomposition products:	No information available.

<b>SECTION 11 TOXICOLOGICAL INFORMATION</b>					
11.1 Information on toxicological effects					
Acute toxicity:					
Route of exposure:	Method	Species	Dose LD <sub>50</sub> /LC <sub>50</sub> or ATE <sub>mix</sub>	Exposure time	Results
Oral:	-	rat	LD <sub>50</sub>	No information available	7.060 mg/kg (ethanol) 800 mg/kg (paraformaldehyde)
Dermal:	-	-	-	No information available	-
Inhalation:	-	rat	LC <sub>50</sub>	4 h	20.000 mg/l (ethanol) 1.07 mg/kg (paraformaldehyde)
Specific target organ toxicity – single exposure (STOT SE):					
	Specific effects		Target organ		Note



Trading name:	<b>4% FORMALDEHYDE, ALCOHOLIC SOLUTION</b>				
Product code:	F4A-OT-X**	Revision date:	26 June 2019	Version:	3

Oral:	No information available	No information available	-
Dermal:	No information available	No information available	-
Inhalation:	No information available	No information available	-

Aspiration hazard:	No information available.
--------------------	---------------------------

Irritation and corrosion
--------------------------

	Exposure time	Species	Evaluation	Method	Note
Skin corrosion/irritation:	-	-	-	-	-
Serious eye damage/irritation	-	-	-	-	-

Sensitization
---------------

Skin sensitization:	May cause allergic skin reaction.
Respiratory sensitization:	Allergic persons may display irritation.

Symptoms related to the physical, chemical and toxicological characteristics
--

Oral exposure:	Depending on concentration and exposure time, it may lead to stinging and digestive mucus damage, nausea, vomiting.
Dermal exposure:	Depending on concentration and exposure time, redness accompanied by sensation of stinging and pain may occur, as well as skin cracking and rash.
Inhalation exposure:	Depending on concentration and exposure time, it may lead to mucosa irritation, cough, and dyspnea.
Eye exposure:	Depending on concentration and exposure time, it may lead to stinging, tearing, and pain.

Repeated dose toxicity (subacute, subchronic, chronic)
--

	Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-

Trading name:	<b>4% FORMALDEHYDE, ALCOHOLIC SOLUTION</b>					
Product code:	F4A-OT-X**	Revision date:	26 June 2019	Version:	3	

Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

Specific target organ toxicity – repeated exposure (STOT RE):

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-
Chronic inhalation	No information available	No information available	-

CMR effects (carcinogenicity; mutagenicity; reproductive toxicity)

Carcinogenicity:	No information available
Mutagenicity <i>in vitro</i> :	No information available
Genotoxicity:	No information available
Mutagenicity <i>in vivo</i> :	No information available
Germ cell mutagenicity:	No information available
Reproductive toxicity:	No information available

Trading name:	<b>4% FORMALDEHYDE, ALCOHOLIC SOLUTION</b>				
Product code:	F4A-OT-X**	Revision date:	26 June 2019	Version:	3

Summary of evaluation of the CMR properties:	No information available
<b>11.2 Practical experiences:</b>	
Remarks relevant for classification:	No information available
Other remarks:	No information available
<b>11.3 General notes:</b>	
-	

**SECTION 12 ECOLOGICAL INFORMATION:**

**12.1 Toxicity**

Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	fish	-	60 mg/l (paraformaldehyde)	-
Crustacea:	EC <sub>50</sub>	48 hours	No information available	-	No information available	-
Algae/aquatic plants	IC <sub>50</sub>	4 days	No information available	-	No information available	-
Other organisms	-	-	-	-	-	-
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	No information available	-	No information available	-
Crustacea:	EC <sub>50</sub>	48 hours	No information available	-	No information available	-
Algae/aquatic plants	IC <sub>50</sub>	72 hours	No information available	-	No information available	-
Other organisms	-	-	-	-	-	-

**12.2 Persistence and degradability**

Abiotic degradation					
	Degradation half-lives	Method	Evaluation	Note	
Marine water	No information available	No information available	No information available	-	
Fresh water	No information available	No information available	No information available	-	

Trading name:	<b>4% FORMALDEHYDE, ALCOHOLIC SOLUTION</b>			
Product code:	F4A-OT-X**	Revision date:	26 June 2019	Version: 3

Air	No information available	No information available	No information available	-
Soil	No information available	No information available	No information available	-

Biodegradation				
% Degradation	Time (days)	Method	Evaluation	Note
No information available	No information available	No information available	No information available	No information available

12.3 Bioaccumulative potential						
Partition coefficient: n-octanol/water (log Kow):						
Value	Concentration	pH	°C	Method	Evaluation	Note
-	-	-	-	-	-	-

Bioconcentration factor (BCF)				
Value	Species	Method	Evaluation	Note
No information available	No information available	No information available	No information available	-

Chronic ecotoxicity						
Value	Dose	Exposure time	Species	Method	Evaluation	Note
Chronic toxicity on fish	LC <sub>50</sub>	No information available	No information available	No information available	No information available	-
Chronic toxicity on crustacea ( <i>Daphnia</i> )	EC <sub>50</sub>	No information available	No information available	No information available	No information available	-

12.4 Mobility in soil						
Known or predicted distribution in environmental compartments:						

Trading name:	<b>4% FORMALDEHYDE, ALCOHOLIC SOLUTION</b>				
Product code:	F4A-OT-X**	Revision date:	26 June 2019	Version:	3

No information available					
Surface tension:					
	Value	°C	Concentration	Method	Note
	No information available	No information available	No information available	No information available	-

Adsorption / desorption						
Transport	A/D coefficient Henry's constant		log Kow	Evaporation rate	Method	Note
Soil-water	No information available	information available	No information available	No information available	No information available	-
Water-air	No information available	information available	No information available	No information available	No information available	-
Soil-air	No information available	information available	No information available	No information available	No information available	-

<b>12.5</b>	<b>Results of PBT and vPvB assessment</b>
	No information available

<b>12.6</b>	<b>Other adverse effects</b>
	No information available

**SECTION 13 DISPOSAL CONSIDERATIONS**

<b>13.1</b>	<b>Waste treatment methods</b>
-------------	--------------------------------

<b>13.1.1.</b>	<b>Product/Packaging disposal:</b>
	Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.

<b>13.1.2.</b>	<b>Waste codes/waste designations according to Law:</b>
	Packaging that contains residual hazardous substances or is contaminated with hazardous substances

<b>13.1.3.</b>	<b>Waste treatment – relevant information:</b>
	No information available

Trading name:	<b>4% FORMALDEHYDE, ALCOHOLIC SOLUTION</b>				
Product code:	F4A-OT-X**	Revision date:	26 June 2019	Version:	3

13.1.4.	Sewage disposal – relevant information:
	Waste must not be disposed of into the sewage system.
13.1.5.	Other disposal recommendations:
	Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge.
13.1.6.	Relevant Community provisions:
	-

**SECTION 14 TRANSPORT INFORMATION**

	Transporting/shipment by road (ADR)
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	-
Special precautions for user:	-
	Transporting/shipment by rail (RID)
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	-
Special precautions for user:	-
	Inland waterway transport (ADN)
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	-
Special precautions for user:	-
	Transporting/shipment by sea (IMDG)
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	II

Trading name:	<b>4% FORMALDEHYDE, ALCOHOLIC SOLUTION</b>				
Product code:	F4A-OT-X**	Revision date:	26 June 2019	Version:	3

Environmentally hazardous:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (ICAO-TI/IATA-DGR)	
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	-
Special precautions for user:	-
Further information: -	

<b>SECTION 15 REGULATORY INFORMATION</b>	
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture
	EU regulations
	Authorization and/or restrictions of use
	Authorizations: -
	Restrictions: -
	Other EU regulations: EC Regulation No. 1906/2007 and EC Regulation No. 1272/2008 of the European Parliament and the European Council; The European Commission Regulation No. 453/2006 of 2010 on changes and amendments to the Regulation (EC) No. 1907/2006 of the European Parliament and Council on registration, evaluation, authorization and restriction of chemical substances (REACH); EC Regulation No. 2037/2000 of the European Parliament and Council from 29 June 2000 on substances that damage the ozone layer; EC Regulation No. 689/2008 of the European Parliament and Council from 17 June 2008 concerning the export and import of dangerous chemicals; EC Regulation No. 850/2004 of the European Parliament and Council from 29 April 2004 about persistent organic pollutants; Directive 2008/98/EC of the European Parliament and Council of 19 November 2008 on waste and repealing certain Directives
	Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline)

Trading name:	<b>4% FORMALDEHYDE, ALCOHOLIC SOLUTION</b>				
Product code:	F4A-OT-X**	Revision date:	26 June 2019	Version:	3

National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
-----------------------	---

15.2	Chemical safety assessment
	None

**SECTION 16 Other information**

16.1	Indication of changes:	-														
16.2	Abbreviations and acronyms:	<table border="0"> <tr> <td>PBT</td> <td>Stable, bioaccumulative and toxic</td> </tr> <tr> <td>vPvB</td> <td>Strongly stable and strongly bioaccumulative.</td> </tr> <tr> <td>LD<sub>50</sub></td> <td>Lethal dose, 50%</td> </tr> <tr> <td>LC<sub>50</sub></td> <td>Lethal concentration, 50%</td> </tr> <tr> <td>TCOJ</td> <td>Specific target organ toxicity - single exposure</td> </tr> </table>	PBT	Stable, bioaccumulative and toxic	vPvB	Strongly stable and strongly bioaccumulative.	LD <sub>50</sub>	Lethal dose, 50%	LC <sub>50</sub>	Lethal concentration, 50%	TCOJ	Specific target organ toxicity - single exposure				
PBT	Stable, bioaccumulative and toxic															
vPvB	Strongly stable and strongly bioaccumulative.															
LD <sub>50</sub>	Lethal dose, 50%															
LC <sub>50</sub>	Lethal concentration, 50%															
TCOJ	Specific target organ toxicity - single exposure															
16.3.	Key literature references and source of data:	-														
16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)															
	Classification according to CLP	Classification procedure														
	-	-														
16.5.	Relevant H statements (number and full text)															
	H:	<table border="0"> <tr> <td>H225</td> <td>Highly flammable liquid and vapor.</td> </tr> <tr> <td>H302</td> <td>Harmful if swallowed.</td> </tr> <tr> <td>H315</td> <td>Causes skin irritation.</td> </tr> <tr> <td>H317</td> <td>May cause allergic skin reaction.</td> </tr> <tr> <td>H318</td> <td>Causes serious eye damage.</td> </tr> <tr> <td>H332</td> <td>Harmful if inhaled.</td> </tr> <tr> <td>H334</td> <td>May cause allergy or asthma symptoms or breathing difficulties if inhaled.</td> </tr> </table>	H225	Highly flammable liquid and vapor.	H302	Harmful if swallowed.	H315	Causes skin irritation.	H317	May cause allergic skin reaction.	H318	Causes serious eye damage.	H332	Harmful if inhaled.	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H225	Highly flammable liquid and vapor.															
H302	Harmful if swallowed.															
H315	Causes skin irritation.															
H317	May cause allergic skin reaction.															
H318	Causes serious eye damage.															
H332	Harmful if inhaled.															
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.															
16.6.	Training advice:	-														
16.7.	Further information:	<p>** "X" in the product code marks different volumes (different packagings of the product)</p> <p>We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.</p>														

**ANNEX:**  
**EXPOSURE SCENARIO RESULTING TO CHEMICAL SAFETY ASSESSMENT**

-