

Page 1 of 17

Trading name:		URIGNOST SM REAGENT					
Product code:	UGSM-X**	Date of compilation:	14 November 2022	Version:	5		

SECT	ION 1: Identification of	the substance	e/mixture	e and of the company/undertaking	
1.1	Product identifier				
	Trading name:	URIGNOST	SM REAG	ENT	
	Chemical name:	-			
	Catalogue number:	UGSM-X**			
1.2	Relevant identified use	es of the subs	tance or n	nixture and uses advised against	
	Uses:			ntion acc. to Sternheimer-Malbin for staining and microscopic of urine sediment.	
	Uses advised against:		Only the	e identified uses are advised.	
	Reason why uses advis	sed against:	The product is intended for use only as an <i>in vitro</i> diagnostic m device, registered at the Agency for Medicinal Products and M Devices and there is no reason to use it for other purposes.		
1.3	Details of the supplier	of the safety	data shee	t	
	Supplier:		BioGnost Ltd.		
	Address:		Medjugorska 59, Zagreb		
	Telephone number:		+385 1 2409997		
	Telefax.:		+385 1 2404039		
	e-mail of competent p	erson:	msds@biognost.hr		
	National contact:		-		
1.4	Emergency telephone	number			
	National Protection ar	nd Rescue Dire	ectorate:	112	
	Medical information:			+385 1 2348 342	
	Other information:			-	

SECTIO	SECTION 2. Hazards identification					
2.1	Classification of the substance	e or mixture				
2.1.1	Classification according to Re	egulation (EC) No 12	272/2008 (CLP)			
	Hazard class and cate	Hazard class and category code: Hazard statements*:				
	Flam. Liq. 3		H226			
2.1.2.	Additional information					
	-					
*For fu	ll text of Hazard- and EU Hazar	d-statements: see S	SECTION 16			
2.2	Label elements					
	Product identification:	URIGNOST SM I	REAGENT			
	Identification number:	-				
	Authorization number:	-				



Page 2 of 17

Trading name:	URIGNOST SM REAGENT					
Product code:	UGSM-X**	Date of compilation:	14 November 2022	Version:	5	

	Hazard pictograms:	GHS02
	Signal word:	Danger
	Hazard statements:	H226 Flammable liquid and vapor.
	Precautionary statements:	<ul> <li>P210 Keep away from heat/sparks/open flames/hot surfaces Do not smoke.</li> <li>P233 Keep container tightly closed.</li> <li>P280 Wear protective gloves/protective clothing/eye/protection/face protection.</li> </ul>
	Supplemetal hazard information (EU):	-
2.3	Other hazards	
	Endocrine Disrupting Prope No known endocrine disrupti Results of PBT and vPvB ass PBT or a vPvB.	

SECTION 3. Co	SECTION 3. Composition/information on ingredients							
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)				
64-17-5/ 200-578-6/ 603-002-00-5	01-2119457610-43- 0147	10 - 20 %	ethanol	Flam. Liq. 2; H225				

SECT	ECTION 4. First aid measures				
4.1	Description of first aid measures	s			
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.			
	Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.			
	Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.			



Page 3 of 17

Trading name:	URIGNOST SM REAGENT					
Product code:	UGSM-X**	Date of compilation:	14 November 2022	Version:	5	

	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.
	Following ingestion:	Rinse the mouth thoroughly with 1-2 glasses of water. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.
	Self-protection of the first aider:	-
4.2	Most important symptoms and eff	ects, both acute and delayed
İ	Following inhalation:	Depending on concentration and exposure time, it may lead to mucosa irritation, cough, and dyspnea.
	Following skin contact:	Depending on concentration and exposure time, it may lead to irritation, rash, skin drying and skin cracking.
	Following eye contact:	Depending on concentration and exposure time, it may lead to irritation, tearing, redness and pain.
	Following ingestion:	Depending on concentration and exposure time, it may lead to stinging and digestive mucus damage, abdominal pain, nausea, vomiting.
4.3	Indication of any immediate medi	cal attention and special treatment needed
	-	

SECTIO	SECTION 5. Firefighting measures				
5.1	Extinguishing media				
	Suitable extinguishing media:	Small fire - water spray, dry powder, CO <sub>2</sub> Large fire - water spray or alcohol resistant foam			
	Unsuitable extinguishing media:	Water with full jet			
5.2	Special hazards arising from the su	ubstance or mixture			
	Hazardous combustion products:	Formation of toxic gases is possible during heating or in case of fire.			
5.3	Advice for firefighters				
	Use a self-contained open-circuit o	compressed air breathing apparatus and fireproof clothing.			
5.4	Additional information				
	Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. Do not contaminate the environment with extinguishing media.				

SECTIO	SECTION 6. Accidental release measures				
6.1	Personal precautions, protective equipment and emergency procedures				
6.1.1.	For non-emergency personnel	For non-emergency personnel			
	Protective equipment:	Use personal protective equipment (see Section 8).			



Page 4 of 17

Trading name:	URIGNOST SM REAGENT					
Product code:	UGSM-X**	Date of compilation:	14 November 2022	Version:	5	

	Accident prevention methods	Evacuate members of all non-essential personnel and those members without protective equipment. Avoid breathing vapors and avoid contact with skin and eyes. Do not smoke. Keep away from ignition sources.		
	Emergency procedures:	Mark the area using proper signs.		
6.1.2.	For emergency responders:			
	Use protective equipment; in (see Section 8).	case of inadequate ventilation use adequate airways protective equipment		
6.2	Environmental precautions:			
	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.			
6.3	Methods and material for con	tainment and cleaning up		
6.3.1.	Bunding, covering of drains; capping procedures:	Sand protective barrier or barriers made of similar materials.		
6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using absorbing material. Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and and involved materials with water.		
6.3.3.	Other information:	Secure proper ventilation. Do not use incompatible materials (see Section 10).		
6.4	Reference to other sections			
	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.			

SECTIO	SECTION 7. Handling and storage				
7.1	Precautions for safe handling				
7.1.1.	Protection measures				
	Measures to prevent fire:	Use in well ventilated storage rooms. Keep away from sources of ignition and heat. Do not use tools that cause sparks. Do not smoke.			
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.			
	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.			
	Other measures:	Protect against electrostatic charges.			
7.1.2.	Advice on general occupational hygiene:				
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.				
7.2	Conditions for safe storage, including any incompatibilities				



Page 5 of 17

Trading name:	URIGNOST SM REAGENT					
Product code:	UGSM-X**	Date of compilation:	14 November 2022	Version:	5	

	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms at temperatures ranging from 15 to 25 °C. Protect from heat and direct sunlight.
	Packaging materials:	Manufacturer's original packaging.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).
7.3	Specific end use(s)	
	Recommendations:	-
	Industrial sector specific solutions:	-

SECTIO	ECTION 8. Exposure controls/personal protection									
8.1	Control pa									
	Substance		CAS No			Occupational exposure limit values/short term values		values	Biological limit values	
Ethanol		64-17-5			рр 100			ng/m³ 1900/-	-	
Substan	ce name:	-						ı		
EC No:		-	CAS No	:	-					
DNEL										
						Indus	strial			
Route o	-	Acı effect		effe	Acute	_		_	nronic ct local	Chronic effect systemic
Oral		-		-			-			-
Inhalatio	on	1900 mg (ethanol)		-			-			380 mg/m³ (ethanol)
Dermal		-		-			-			343 mg/kg (ethanol)
Critical p	hysical par	ameters: s	solubility,	flamm	nability	y, corros	sivity:		-	·
						Consu	umer			
Route o	-		cute ct local	effe	Acutect sys				Chronic effect systemic	



Page 6 of 17

Trading r	name:	URIGNOST SM REAGENT							
Product o	ode:	UGSM-X**	Da	te of c	of compilation: 14 November			Version:	5
					T		Γ		
Oral		- OFO mag/mg3	-		-		87 mg/kg b	ow/day (etha	anol)
Inhalation		950 mg/m <sup>3</sup> (ethanol)	-		-		114 mg/m <sup>3</sup>	(ethanol)	
Dermal		-		-		206 mg/kg	(ethanol)		
PNEC									
Environme	ental prot	ection target		PI	NEC				
Fresh water				0.9	96 mg/l (ethand	ol)			
Freshwate	r sedimer	nts		3.	6 mg/kg (ethan	ol)			
Marine wa	iter			0.	79 mg/l (ethand	ol)			
Marine se	diments			2.9	9 mg/kg (ethan	ol)			
Food chair	n			38	30-720 mg/kg (	ethanol)			
Microorga	nisms in	sewage treatment		58	30 mg/l (ethano	l)			
Soil (agric	ultural)			0.	63 mg/kg (etha	nol)			
Air				no	no information available				
8.2	Exposu	ure controls							
8.2.1.	Appro	priate engineering	controls						
		nce/mixture related at exposure during		pr	Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.				
	Structı exposı	ural measures to pro ure:	event	In	In accordance with Section 7.				
	Organi expost	isational measures ure:	to prevent		Organization of work in order to reduce other worker's influence during work process.			'S	
	Techni	cal measures to pre	event exposul	re: cc	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels. Secure stations for rinsing eyes and showering.				
8.2.2.	Person	al protection equip	ment						
8.2.2.1.	Eye an	d face protection:	leve	els of c	sses that stick to oncentration in e in case of high	air; protecti	ve gas mask	that covers	
8.2.2.2.	Skin pı	rotection	L						
	Hand դ	The pro			rotective gloves have to satisfy the specification of lation (EU) 2016/425 and the related standard EN 374.  Glove material: nitrile rubber  Glove thickness: 0.40 mm  Time until perforation: > 480 min				



Page 7 of 17

Trading name:	URIGNOST SM REAGENT					
Product code:	UGSM-X**	Date of compilation:	14 November 2022	Version:	5	

	Other skin protection:	During everyday work use cotton clothing (EN 340) and suitable footwear, such as rubber boots (EN 20345) or shoes that cover the entire foot. In case of spilling hazard, use clothing made of impermeable material suitable for protection from liquid chemicals (Viton, PVC, himex) and footwear made from the same material.
8.2.2.3.	Respiratory protection:	Protective full face mask (EN 136) or half mask (EN 140) equipped with a filter for organic vapors, type "A" (boiling point >65°C) according to EN 14387) used when concentration levels exceed GVI.
8.2.2.4.	Thermal hazards:	No information available
8.2.3.	Environmental exposure controls	
	Substance/mixture related measures to prevent exposure:	See Section 6
	Structural measures to prevent exposure:	Use modern equipment.
	Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
	Technical measures to prevent exposure:	See Section 6

Int	formation on basic physical and	chemical properties	
		Value	Method
Ph	ysical state:	liquid	No information available
Cc	olour:	dark purple	No information available
Od	dour/odour threshold:	ethanol like/no information available	No information available
М	elting point / freezing point:	No information available	No information available
	oiling point or initial boiling oint and boiling range:	No information available	No information available
Fla	ammability:	No information available	No information available
Lo	ver and upper explosion limit:	No information available	No information available
Flá	ash point:	42 °C	No information available
Αι	uto-ignition temperature:	No information available	No information available
De	ecomposition temperature:	No information available	No information available
рН	<del>1</del> :	6.0 – 7.0	No information available
Kiı	nematic viscosity:	No information available	No information available
Sc	lubility:	No information available	No information available
	rtition coefficient n- tanol/water (log value):	No information available	No information available
		No information available	No information available



Page 8 of 17

Trading name:	URIGNOST SM REAGENT					
Product code:	UGSM-X**	Date of compilation:	14 November 2022	Version:	5	

	Vapour pressure:	No information available	No information available
	Density and/or relative density:	No information available	No information available
	Relative vapour density:	No information available	No information available
	Particle characteristics:	No information available	No information available
9.2	Other information		
	-		

SECTIO	SECTION 10. Stability and reactivity				
10.1	Reactivity:	See subsections 10.3 through 10.5.			
10.2	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).			
10.3	Possibility of hazardous reactions:	No dangerous reactions known.			
10.4	Conditions to avoid:	Avoid heat, sparks, open flames and other ignition sources.			
10.5	Incompatible materials:	No further relevant information available.			
10.6	Hazardous decomposition products:	No dangerous decompostion products known.			

SECTION 11. T	oxicological info	rmation			
11.1 Inform	nation on hazard c	lasses as defined in	Regulation (EC) No 127	2/2008	
Acute	toxicity:				
Route of exposure:	Method	Species	Dose LD <sub>50</sub> /LC <sub>50</sub> or ATE <sub>mix</sub>	Exposure t	ime Results
Oral:	-	rat (ethanol)	LD <sub>50</sub>	-	7.060 mg/kg
Dermal:	-	rabbit (ethanol)	LD <sub>50</sub>	-	>20.000 mg/kg
Inhalation:	-	rat (ethanol)	LC <sub>50</sub>	4 h	>8.000 mg/l
	c.				
		kicity – single exposu			
	2	pecific effects	Target o	rgan	Note
Oral:		ion available	No information a		Note -
Oral: Dermal:	No informat	<u>'</u>		vailable	
	No informat	ion available	No information a	vailable vailable	-
Dermal:	No informat	ion available ion available	No information a	vailable vailable	-
Dermal: Inhalation:	No informat	ion available ion available ion available	No information a	vailable vailable	-
Dermal: Inhalation:	No informat No informat	ion available ion available ion available	No information a  No information a	vailable vailable	-
Dermal: Inhalation: Aspira	No informat No informat	ion available ion available ion available	No information a  No information a	vailable vailable	-



Page 9 of 17

Trading name:				URIGNOST	SM R	EAGENT	-			
Product code:	UGSM-	X**	D	ate of compila	tion:	14 No	vember 2	022	Version:	5
Skin corrosion/irritation	on:		-	-	-	-	-	-		
Serious eye damage/irritation	<b>-</b>		-	-	-	-	-	-		
Sensitiza	ntion									
Skin sensitization		No info	ormation ava	ilable.						
Respiratory sensi		: 	ormation ava							
Symptoi	ms related t	o the phy	ysical, chemi	cal and toxicolo	gical ch	aracterist	ics			
Oral exposure:	No ir	formatio	on available.							
Dermal exposure	: No ir	formatio	on available.							
Inhalation exposi	ıre: No ir	formatio	on available.							
Eye exposure:	No ir	formatio	on available.							
Repeate	d dose toxio	city (suba		onic, chronic)						
	Dose	2	Exposure time	Species	Meth	nod	Evaluatio	on	Note	
Subacute oral	No informavailable	mation	No information available	No information available	No infor avail	mation able	No informat available		-	
Subacute dermal	No infori available	mation	No information available	No information available	No infor avail	mation able	No informat available		-	
Subacute inhalation	No informavailable	mation	No information available	No information available	No infor avail	mation able	No informat available		-	
Subchronic oral	No infori available	mation	No information available	No information available	No infor avail	mation able	No informat available		-	
Subchronic dermal	No infori available	mation	No information available	No information available	No infor avail	mation able	No informat available		-	
Subchronic inhalation	No infori available	mation	No information available	No information available	No infor avail	mation able	No informat available		-	
Chronic oral	No informavailable	mation	No information available	No information available	No infor avail	mation able	No informat available		-	



11.2.2. Other informations:

# SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 10 of 17

Trading name:		URIGNOST SM REAGENT								
Product code:	UG	SSM-X** Da		ate of compila	ition:	14 Nov	vember 20	22	Version:	5
Chronic dermal	No availa	information able	No information available	No information available	No infor avail	mation able	No information	on	-	
Chronic inhalation		No information information available		No information available	No infor availa	mation able	No information available	on	-	
Specific	target	organ toxicit	v – reneated	exposure (STOT	RF)·					
эрест	target	organ toxicit	Specific effe	<del>-</del>	IXE):	Target o	rgan		Note	
Subacute oral		No informa	tion available		No in		available	-		
Subacute derma	·I	No informa	)	No in	formation	available	-			
Subacute inhala	tion	No informa	ation available	2	No in	formation	available	-		
Subchronic oral		No informa	ation available	)	No in	formation	available	-		
Subchronic dern	nal	No informa	ation available	)	No in	formation	available	-		
Subchronic inha	lation	No informa	ation available	2	No in	formation	available	-		
Chronic oral		No informa	ation available	2	No in	formation	available	-		
Chronic dermal		No informa	ation available	2	No in	formation	available	-		
Chronic inhalation	on	No informa	ation available	2	No in	formation	available	-		
CMR ef	fects (c	arcinogenicit	y; mutagenici	ty; reproductive	toxicity	)				
Carcino		<del>_</del>	<u>,                                     </u>	Based on avai			ssification c	riter	ia are not m	et.
Mutage	enicity i	n vitro:		Based on available data, the classification criteria are not met.						
Genoto	xicity:			Based on available data, the classification criteria are not met.						
Mutage	enicity i	n vivo:		Based on available data, the classification criteria are not met.						
Germ c	ell muta	agenicity:		Based on available data, the classification criteria are not met.						
Reprod	uctive t	oxicity:		Based on avai	lable dat	ta, the cla	ssification c	riter	ia are not m	et.
Summa propert	,	evaluation	of the C	MR Based on met.	availab	le data, t	he classifica	ation	criteria are	no
11.2 Informa	ation or	other hazar	ds:							
11.2.1. Endocr	ine disr	upting prope	rties:							
		docrine disru nan health.	ıpting proper	ties						



Page 11 of 17

Trading name:	URIGNOST SM REAGENT				
Product code:	UGSM-X**	Date of compilation:	14 November 2022	Version:	5

SECTION 12. Ed	cologic	cal informat	ion				
12.1 Toxicity	y						
Acute (short-ter toxicity	m)	Dose	Exposur time	e Species	Method	Evaluation	Note
Fish		LC <sub>50</sub>	96 hours	Golden orf	No information available	8.140 mg/l /48 h (ethanol)	-
Crustacea:		EC <sub>50</sub>	48 hours	Daphnia magna	No information available	7.800 mg/l (ethanol)	-
Algae/aquatic p	lants	IC <sub>50</sub>	4 days	No information available	No information available	5.000 mg/l / 7d (ethanol)	-
Other organism	S	-	-	-	-	-	-
Chronic (long-toxicity	erm)	Dose	Exposur time	e Species	Method	Evaluation	Note
Fish		LC <sub>50</sub>	96 hours	No information available	No information available	No information available	-
Crustacea:		EC <sub>50</sub>	48 hours	No information available	No information available	No information available	-
Algae/aquatic p	lants	IC <sub>50</sub>	72 hours	No information available	No information available	No information available	-
Other organism	S	-	_	-	-	-	-
12.2 Persist	ence ar	nd degradab	ility				
Abiotic	1		-				
	De	gradation ha	ılf-lives	Method	Evaluatio		Note
Marine water	No in	nformation a	vailable	No information available	No informatio available	n -	
Fresh water	No in	nformation a	vailable	No information available	No informatio available	n -	
Air	No in	nformation a	vailable	No information available	No informatio available	n -	
Soil	Soil No information available		No information available	No information available			



Chronic toxicity on

crustacea (Daphnia)

### SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 12 of 17

Trading name:				URIGNOST S	SM RE	AGENT	-			
Product code:	UGSM-X**		Date	e of compilati	ion: 14 Novem		vember	2022	Version:	5
Biodegrad	dation									
% Degradation	Time (day	ys)	N	/lethod	E۱	/aluatio	n		Note	
No information available	No info	rmation	No info		No info	rmatioi le		No info availabl	rmation e	
12.3 Bioaccum	nulative potential									
	water partition coe	efficient (	log Kow	)						
Value Co	oncentration	рН	°C	Method		Evalu	ation		Note	
	-	-		_	-					
Bioconce	ntration factor (BC	F)						····		
Value	Species		Method Evaluat		Evaluation N		Note			
No information available	No infor available			lo information vailable		No information available		-		
Chronic e	cotoxicity									
Value Dose			osure ime	Species	Me	thod	Evalu	ation	Note	
Chronic toxicity or	n fish LC <sub>50</sub>	No infori	mation	No information	No inforn	nation	No inform	ation	-	

12.4	Mobility in soi	l .					
	Known or predicted distribution in environmental compartments:						
	No information available						
	Surface tension:						
	Value	°C	Concentration	Method	Note		

available

available

information

No

available

information

available

No

available

available

information

No

available

available

information

No

 $EC_{50}$ 



Page 13 of 17

Trading	name.		UR	IGNOST SM R	EAGENT		e 15 OI 17	
Product		UGSM-X**		compilation:	14 Novem	ber 2022	Version:	5
Troduct	<del>coac.</del>	003W X		Compilation.	1111010111		V CI SIOTI.	
No No information available available		No information available	No informa available	tion	-			
Transpor	t A	n / desorption  A/D coefficient  enry's constant	log Kow	Evaporation ra	te Meth	nod	Note	
Soil-wate	No	information	No information available	No information available	No inform	nation _		
Water-ai	No availa	information able	No information available	No information available	No inform available	nation _		
Soil-air	No availa	information able	No information available	No information available	No inform available	nation -		
	Based on a	disrupting properti available data, does		crine disruptors.				
		erse effects						
	ino advers	e effects are expect	iea.					
SECTION	l 13. Disp	osal consideration	s					
13.1		reatment methods						
	:							
13.1.1.	Product	/Packaging disposa	l:					
	Submit f Protection	for disposal to the loon.	egal person autho	rized by the Mini	stry of Enviror	nmental and	d Nature	
13.1.2.	\\/asta_s	adas (wasta dasi	stions asserding to	Lour				
15.1.2.		odes/waste designa )*: Packaging that c ces			ces or is conta	aminated w	rith hazardo	us
	1							
13.1.3.	Waste tr	eatment – relevant	information:					



Page 14 of 17

Trading name:		URIGNOST SM RE	AGENT		
Product code:	UGSM-X**	Date of compilation:	14 November 2022	Version:	5

	No information available					
12.1.4	C					
13.1.4.	Sewage disposal – relevant					
	Waste must not be dispose	ed of into the sewage system.				
13.1.5.	Other disposal recommend	dations:				
	authorized by the ministry	duct's remains into the sewage system. Submit the remains to the collectors in charge. Do not dispose of the packaging into the sewage system. Submit ctors authorized by the ministry in charge.				
13.1.6.	Relevant Community provisions:					
	Disposal must be made acc	cording to official regulations.				
SECTIO	N 14 TRANSPORT INFORMA	ATION				
	Transporting/shipment by ro	pad (ADR)				
UN num	ber:	1170				
UN prop	er shipping name:	Ethanol solution				
Transpo	rt hazard class(es):	3				
Packing	group:	III				
Environr	mentally hazardous:	-				
Special	precautions for user:	-				
	Transporting/shipment by ra	il (RID)				
UN num	ber:	1170				
UN prop	er shipping name:	Ethanol solution				
Transpo	rt hazard class(es):	3				
Packing	group:	III				
Environr	mentally hazardous:	-				
Special	precautions for user:	-				
	Inland waterway transport (A	ADN)				
UN num	ber:	1170				
UN prop	er shipping name:	Ethanol solution				
Transpo	rt hazard class(es):	3				
Packing	group:	III				
Environr	nentally hazardous:	-				
Special <sub> </sub>	orecautions for user:	-				
	Transporting/shipment by se	ea (IMDG)				
UN num	ber:	1170				



Page 15 of 17

Trading name:		URIGNOST SM REAGENT				
Product code:	UGSM-X**	Date of compilation:	14 November 2022	Version:	5	

UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-
Transport in bulk according to Anne of MARPOL 73/78 and the IBC code:	× II _
Transporting/shipment by ai	r (ICAO-TI/IATA-DGR)
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-
-	cial Provision 144 – An aqueous solution containing 24% or less alcohol by not subject to classification.
IATA: Spe	cial Provision A58 - An aqueous solution containing 24% or less alcohol by not subject to classification.

SECTIO	SECTION 15. Regulatory information		
15.1	Safety, health and enviro	nmental regulations/legislation specific for the substance or mixture	
	EU regulations		
	Authorization and/or res	trictions of use	
	Authorizations:	-	
	Restrictions:	-	



Page 16 of 17

Trading name:	URIGNOST SM REAGENT				
Product code:	UGSM-X**	Date of compilation:	14 November 2022	Version:	5

	Other EU regulations:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC; Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC; Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work; Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006; REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);
	Information according 1999 guideline)	/13/EC about limitation of emissions of volatile organic compounds (VOC-
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
15.2	Chemical safety assessment	
	None	

SECTIO	SECTION 16. Other information			
16.1	Indication of changes:	-		
16.2	Abbreviations and acronyms:	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  IMDG: International Maritime Code for Dangerous Goods  IATA: International Air Transport Association  GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances  CAS: Chemical Abstracts Service (division of the American Chemical Society)  DNEL: Derived No-Effect Level (UK REACH)  LC50: Lethal concentration, 50 percent  LD50: Lethal dose, 50 percent  PBT: Persistent, Bioaccumulative and Toxic  vPvB: very Persistent and very Bioaccumulative		
16.3.	Key literature references and source of data:	-		



Page 17 of 17

Trading name:	URIGNOST SM REAGENT				
Product code:	UGSM-X**	Date of compilation:	14 November 2022	Version:	5

16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)		
Classific	cation	Classification procedure	
-		-	
16.5.	Relevant H statements (number and full text)		
	225	Highly flammable liquid and vapor.	
	H: 226	Flammable liquid and vapor.	
16.6.	Training advice:	-	
		** "X" in the product code marks different volumes (different packagings of the product)	
16.7.	Further information:	We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.	

ANNEX: Exposure scenario resulting to chemical safety assessment
-