

Trading name:	4% NB FORMALDEHYDE			
Product code:	FNB4-X**	Revision date:	06 May 2026	Version: 8

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING		
1.1	Product identifier	
	Trading name:	4% NB FORMALDEHYDE
	Chemical name:	-
	Catalogue number:	FNB4-X**
1.2	Relevant identified uses of the substance or mixture and uses advised against	
	Uses:	Fixative for use in histology.
	Uses advised against:	Only the identified uses are advised.
	Reason why uses advised against:	The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.
1.3	Details of the supplier of the safety data sheet	
	Supplier:	BioGnost Ltd.
	Address:	Medjugorska 59, Zagreb
	Telephone number:	+385 1 2409997
	Fax no.:	+385 1 2404039
	e-mail of competent person:	msds@biognost.hr
	National contact:	-
1.4	Emergency telephone number	
	National Protection and Rescue Directorate:	112
	Medical information:	+385 1 2348 342
	Other information:	-

SECTION 2 HAZARDS INFORMATION		
2.1	Classification of the substance or mixture	
2.1.1	Classification according to (EC) Regulation No. elements	
	Hazard class and category code:	Hazard statements*:
	Skin Irr. 2	H315
	Skin Sens. 1	H317
	Eye Irr. 2	H319
	Resp. Sens. 1	H334
	Muta. 2	H341
	Carc. 1B	H350
2.1.2.	Additional information	
	-	
*For full text of Hazard- and EU Hazard-statements: see Section 16		

Trading name:	4% NB FORMALDEHYDE			
Product code:	FNB4-X**	Revision date:	06 May 2026	Version: 8

2.2	Label elements	
	Product identification:	4% NB FORMALDEHYDE (10% neutral buffered and stabilized formalin solution, pH 7.0)
	Identification number:	-
	Authorization no.:	-
	Hazard pictograms:	 GHS08  GHS07
	Signal word:	Danger
	Hazard statements:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H341 Suspected of causing genetic defects. H350 May cause cancer.
	Precautionary statements:	P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye/protection/face protection. P302 + P352 IF ON SKIN: Wash with plenty of water. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/ attention.
	Supplemental hazard information (EU):	-
2.3	Other hazards	
	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.	

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Trading name:	4% NB FORMALDEHYDE			
Product code:	FNB4-X**	Revision date:	06 May 2026	Version: 8

CAS/ EC/ Index no.	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)
50-00-0/ 200-001-8/ 605-001-00-5	01-2119488953-20- XXXX	3 – <5 %	formaldehyde, 37 %	Carc. 1B; H350 Muta. 2; H341 Acute Tox. 2; H330 Acute Tox. 4; H302 Skin Corr. 1B; H314 Skin. Sens. 1; H317 EUH071
67-56-1/ 200-659-6/ 603-001-00-X	01-2119433307-44- XXXX	1 – 2 %	methanol	Flam. Liq. 2; H225 Acute Tox. 3; H301 Acute Tox. 3; H311 Acute Tox. 3; H331 STOT SE 1; H370

Specific concentration limits

Formaldehyde, 37%

inhalation: ATE = 100 ppmV (gases)

oral: ATE = 500 mg/kg bw

STOT SE 3; H335: C ≥ 5 % (Eye)

Skin Corr. 1B; H314: C ≥ 25 %

Skin Irrit. 2; H315: 5 % ≤ C < 25 %

Eye Irrit. 2; H319: 5 % ≤ C < 25 %

Methanol

STOT SE 1; H370: C ≥ 10%

STOT SE 2; H371: 3 % ≤ C < 10 %

SECTION 4 FIRST AID MEASURES

4.1 Description of first aid measures

General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.
Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.
Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.
Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.
Following ingestion:	Rinse the oral cavity, drink 1-2 glasses of water. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.
Self-protection of the first aider:	-

4.2 Most important symptoms and effects, both acute and delayed

Trading name:	4% NB FORMALDEHYDE			
Product code:	FNB4-X**	Revision date:	06 May 2026	Version: 8

	Following inhalation:	Depending on concentration and exposure time, it may lead to mucosa irritation, cough, and dyspnea.
	Following skin contact:	Depending on concentration and exposure time, it may lead to irritation, rash, skin drying and skin cracking.
	Following eye contact:	Depending on concentration and exposure time, it may lead to irritation, tearing, redness and pain.
	Following ingestion:	Depending on concentration and exposure time, it may lead to stinging and digestive mucus damage, abdominal pain, nausea, vomiting.
4.3	Indication of any immediate medical attention and special treatment needed	
	-	

SECTION 5 FIREFIGHTING MEASURES		
5.1	Extinguishing media	
	Suitable extinguishing media:	Small fire - water spray, dry powder, CO ₂ Large fire - water spray or alcohol-resistant foam
	Unsuitable extinguishing media:	No information available
5.2	Special hazards arising from the substance or mixture	
	Hazardous combustion products:	Not flammable. Surrounding fire may cause hazardous fumes to be released.
5.3	Advice for firefighters	
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing.	
5.4	Additional information	
	Do not contaminate the environment with extinguishing media.	

SECTION 6 ACCIDENTAL RELEASE MEASURES		
6.1	Personal precautions, protective equipment and emergency procedures	
6.1.1.	For non-emergency personnel	
	Protective equipment:	Use personal protective equipment (see Section 8).
	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment. Avoid breathing vapors and avoid contact with skin and eyes. Do not smoke.
	Emergency procedures:	Mark the area using proper signs.
6.1.2.	For emergency responders:	
	Use protective equipment; in case of inadequate ventilation use adequate airways protective equipment (see Section 8).	
6.2	Environmental precautions:	

Trading name:	4% NB FORMALDEHYDE			
Product code:	FNB4-X**	Revision date:	06 May 2026	Version: 8

	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.	
6.3	Methods and material for containment and cleaning up	
6.3.1.	Bunding, covering of drains; capping procedures:	Sand or clay barriers.
6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using absorbing material. Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and involved materials with water.
6.3.3.	Other information:	Do not use incompatible materials (see Section 10).
6.4	Reference to other sections	
	-	

SECTION 7 HANDLING AND STORAGE		
7.1	Precautions for safe handling	
7.1.1.	Protection measures	
	Measures to prevent fire:	Use in well ventilated storage rooms.
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.
	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.
	Other measures:	-
7.1.2.	Advice on general occupational hygiene:	
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.	
7.2	Conditions for safe storage, including any incompatibilities	
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms at temperatures ranging from 15 to 25 °C.
	Packaging materials:	Manufacturer's original packaging. Avoid metal containers.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.

Trading name:	4% NB FORMALDEHYDE			
Product code:	FNB4-X**	Revision date:	06 May 2026	Version: 8

	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).
7.3	Specific end use(s)	
	Recommendations:	-
	Industrial sector specific solutions:	-

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION				
8.1	Control parameters			
Substance	CAS No	Occupational exposure limit values/short term values		Biological limit values
		ppm	mg/m ³	
Formaldehyde	50-00-0	0.3/0.6	0.37/0.74	-
Methanol	67-56-1	200/-	260/-	-
Substance name: -				
EC No: - CAS No: -				
DNEL				
Industrial				
Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	0.75 mg/m ³ (formaldehyde) 130 mg/m ³ (methanol)	130 mg/m ³ (methanol)	0.375 mg/m ³ (formaldehyde) 130 mg/m ³ (methanol)	9 mg/m ³ (formaldehyde) 130 mg/m ³ (methanol)
Dermal	-	20 mg/kg (methanol)	0.037 mg/cm ² (formaldehyde)	240 mg/kg (formaldehyde) 20 mg/kg (methanol)
Critical physical parameters: solubility, flammability, corrosivity: -				
Consumer				
Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	4 mg/kg (methanol)	-	4.1 mg/kg (formaldehyde) 4 mg/kg (methanol)
Inhalation	26 mg/m ³ (methanol)	26 mg/m ³ (methanol)	0.1 mg/m ³ (formaldehyde) 50 mg/m ³ (methanol)	3.2 mg/m ³ (formaldehyde) 26 mg/m ³ (methanol)

Trading name:	4% NB FORMALDEHYDE			
Product code:	FNB4-X**	Revision date:	06 May 2026	Version: 8

Dermal	-	4 mg/kg (methanol)	0.012 mg/cm ² (formaldehyde)	102 mg/kg (formaldehyde) 4mg/kg (methanol)
--------	---	-----------------------	--	---

PNEC

Environmental protection target	PNEC
Fresh water	0.44 mg/l (formaldehyde) 20.8 mg/l (methanol)
Freshwater sediments	2.3 mg/kg (formaldehyde) 77 mg/kg (methanol)
Marine water	0.44 mg/l (formaldehyde) 2.08 mg/l (methanol)
Marine sediments	2.3 mg/kg (formaldehyde) 7.7 mg/kg (methanol)
Food chain	No information available
Microorganisms in sewage treatment	0.19 mg/l (formaldehyde) 100 mg/l (methanol)
Soil (agricultural)	0.2 mg/kg (formaldehyde) 100 mg/kg (methanol)
Air	No information available

8.2 Exposure controls

8.2.1. Engineering measures

Substance/mixture related measures to prevent exposure during identified uses:	Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.
Structural measures to prevent exposure:	In accordance with Section 7.
Organisational measures to prevent exposure:	Organization of work in order to reduce other worker's influence during work process.
Technical measures to prevent exposure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels. Secure stations for rinsing eyes and showering.

8.2.2. Personal protection equipment

8.2.2.1.	Eye and face protection:	Safety glasses that stick to face (EN 166) or visor in case of lower levels of concentration in air; protective gas mask that covers the entire face in case of higher levels of concentration in air.
8.2.2.2.	Skin protection	
	Hand protection:	Protective nitrile gloves, 0.11 mm thick (EN 374).
	Other skin protection:	Wear antistatic clothing made of natural fibers (such as cotton) with long sleeves (EN 340) and shoes that cover the entire foot.

Trading name:	4% NB FORMALDEHYDE			
Product code:	FNB4-X**	Revision date:	06 May 2026	Version: 8

8.2.2.3.	Respiratory protection:	Suitable mask (EN 136) or half mask (EN 140) equipped with a combined "A1 + Form" filter (EN 143) used when concentration levels exceed GVI.
8.2.2.4.	Thermal hazards:	No information available
8.2.3.	Environmental exposure controls	
	Substance/mixture related measures to prevent exposure:	See Section 6
	Structural measures to prevent exposure:	Use modern equipment.
	Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
	Technical measures to prevent exposure:	See Section 6

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES			
9.1	Information on basic physical and chemical properties		
		Value	Method
	Physical state:	liquid	No information available
	Colour:	colorless	No information available
	Odour/odour threshold:	sharp/no information available	No information available
	Melting point / freezing point:	No information available	No information available
	Boiling point or initial boiling point and boiling range:	cca 100 °C at 1,013 hPa	No information available
	Flammability:	No information available	No information available
	Lover and upper explosion limit:	No information available	No information available
	Flash point:	Not applicable	No information available
	Auto-ignition temperature:	No information available	No information available
	Decomposition temperature:	No information available	No information available
	pH:	6.8-7.2 (neutral buffered)	No information available
	Kinematic viscosity:	No information available	No information available
	Solubility:	completely soluble in water	No information available
	Partition coefficient n-octanol/water (log value):	No information available	No information available
	Vapour pressure:	No information available	No information available
	Density and/or relative density	No information available	No information available
	Relative vapour density:	No information available	No information available
	Particle characteristics:	No information available	No information available

Trading name:	4% NB FORMALDEHYDE			
Product code:	FNB4-X**	Revision date:	06 May 2026	Version: 8

9.2	Other information
	4% NB Formaldehyde (10% neutral buffered and stabilized formalin solution) is non-flammable aqueous solution because it is stabilized using methanol in concentration <1%.

SECTION 10 STABILITY AND REACTIVITY		
10.1	Reactivity:	See subsections 10.3 through 10.5.
10.2	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).
10.3	Possibility of hazardous reactions:	Acids, nitrogen oxides, hydrogen peroxide, oxidizing agents, polymerization initiators, alkaline metals.
10.4	Conditions to avoid:	Heat sources, low temperatures.
10.5	Incompatible materials:	Various metals, alloys, plastic, magnesium, zinc alloys.
10.6	Hazardous decomposition products:	No information available.

SECTION 11 TOXICOLOGICAL INFORMATION					
11.1	Information on toxicological effects				
	Acute toxicity:				
Route of exposure:	Method	Species	Dose LD ₅₀ /LC ₅₀ or ATE _{mix}	Exposure time	Results
Oral:	-	rat	LD ₅₀	No information available	100 mg/kg (formaldehyde) 100.1 mg/kg (methanol)
Dermal:	-	rabbit	LD ₅₀	No information available	270 mg/kg (formaldehyde) 300.1 mg/kg (methanol)
Inhalation:	-	rat	LC ₅₀	4 h	0.57 mg/l (formaldehyde) 3.1 mg/l (methanol)
	Specific target organ toxicity – single exposure (STOT SE):				
	Specific effects		Target organ		Note
Oral:	No information available		No information available		-
Dermal:	No information available		No information available		-
Inhalation:	No information available		No information available		-

Trading name:	4% NB FORMALDEHYDE				
Product code:	FNB4-X**	Revision date:	06 May 2026	Version:	8

Aspiration hazard:		No information available.				
Irritation and corrosion						
Exposure time		Species	Evaluation	Method	Note	
Skin corrosion/irritation:	-	rabbit	-	-	No skin irritation.	
Serious eye damage/irritation	-	rabbit	-	-	No eye irritation.	
Sensitization						
Skin sensitization:		May cause allergic skin reaction.				
Respiratory sensitization:		Allergic persons may display irritation.				
Symptoms related to the physical, chemical and toxicological characteristics						
Oral exposure:		If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.				
Dermal exposure:		Depending on concentration and exposure time, redness accompanied by sensation of stinging and pain may occur, as well as skin cracking and rash.				
Inhalation exposure:		Depending on concentration and exposure time, it may lead to mucosal irritations, cough, shortness of breath, possible damages: damage of respiratory tract				
Eye exposure:		Depending on concentration and exposure time, it may lead to stinging, tearing, and pain. Risk of blindness.				
Repeated dose toxicity (subacute, subchronic, chronic)						
	Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-

Trading name:	4% NB FORMALDEHYDE				
Product code:	FNB4-X**	Revision date:	06 May 2026	Version:	8

Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

--	--	--	--	--	--	--

	Specific target organ toxicity – repeated exposure (STOT RE):					
--	---	--	--	--	--	--

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-
Chronic inhalation	No information available	No information available	-

--	--	--	--

	CMR effects (carcinogenicity; mutagenicity; reproductive toxicity)		
--	--	--	--

	Carcinogenicity:	Possible carcinogen.
	Mutagenicity <i>in vitro</i> :	No information available
	Genotoxicity:	No information available
	Mutagenicity <i>in vivo</i> :	Evidence of genetic defects.
	Germ cell mutagenicity:	No information available
	Reproductive toxicity:	No information available

--	--	--

	Summary of evaluation of the CMR properties:	No information available
--	--	--------------------------

--	--	--

Trading name:	4% NB FORMALDEHYDE				
Product code:	FNB4-X**	Revision date:	06 May 2026	Version:	8

11.2	Information on other hazards:
11.2.1.	Endocrine disrupting properties:
	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
11.2.2.	Other informations:
	-

SECTION 12 ECOLOGICAL INFORMATION:						
12.1	Toxicity					
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	fish (<i>Morone saxatilis</i>)	-	6.7 mg/l (formaldehyde) 15.400 mg/l (methanol)	-
Crustacea:	EC ₅₀	48 hours	water flea (<i>Daphnia magna</i>)	-	5.8 mg/l (formaldehyde) 18.260 mg/l (methanol)	-
Algae/aquatic plants	IC ₅₀	4 days	green algae	-	4.89 mg/l (formaldehyde) 22.000 mg/l (methanol)	-
Other organisms	-	-	-	-	-	-
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants	IC ₅₀	72 hours	No information available	No information available	No information available	-
Other organisms	-	-	-	-	-	-

Trading name:	4% NB FORMALDEHYDE			
Product code:	FNB4-X**	Revision date:	06 May 2026	Version: 8

12.2	Persistence and degradability					
	Abiotic degradation					
	Degradation half-lives		Method		Evaluation	Note
Marine water	No information available		No information available		No information available	-
Fresh water	No information available		No information available		No information available	-
Air	No information available		No information available		No information available	-
Soil	No information available		No information available		No information available	-
	Biodegradation					
% Degradation	Time (days)		Method		Evaluation	Note
No information available	No information available		No information available		No information available	No information available
12.3	Bioaccumulative potential					
	Partition coefficient: n-octanol/water (log Kow):					
Value	Concentration	pH	°C	Method	Evaluation	Note
0,021	-	-	-	formaldehyde	-	-
-0.77	-	-	-	methanol	-	-
	Bioconcentration factor (BCF)					
Value	Species		Method		Evaluation	Note
No information available	No information available		No information available		No information available	-
	Chronic ecotoxicity					

Trading name:	4% NB FORMALDEHYDE				
Product code:	FNB4-X**	Revision date:	06 May 2026	Version:	8

Value	Dose	Exposure time	Species	Method	Evaluation	Note
Chronic toxicity on fish	LC ₅₀	No information available	No information available	No information available	No information available	-
Chronic toxicity on crustacea (<i>Daphnia</i>)	EC ₅₀	No information available	No information available	No information available	No information available	-

12.4 Mobility in soil

Known or predicted distribution in environmental compartments:

No information available

Surface tension:

	Value	°C	Concentration	Method	Note
	No information available	No information available	No information available	No information available	-

Adsorption / desorption

Transport	A/D coefficient Henry's constant	log Kow	Evaporation rate	Method	Note
Soil-water	No information available	No information available	No information available	No information available	-
Water-air	No information available	No information available	No information available	No information available	-
Soil-air	No information available	No information available	No information available	No information available	-

12.5. Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6. Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Trading name:	4% NB FORMALDEHYDE			
Product code:	FNB4-X**	Revision date:	06 May 2026	Version: 8

12.6.	Other adverse effects
	No information available

SECTION 13 DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods
13.1.1.	Product/Packaging disposal:
	Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.
13.1.2.	Waste codes/waste designations according to Law:
	Packaging that contains residual hazardous substances or is contaminated with hazardous substances
13.1.3.	Waste treatment – relevant information:
	No information available
13.1.4.	Sewage disposal – relevant information:
	Waste must not be disposed of into the sewage system.
13.1.5.	Other disposal recommendations:
	Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge.
13.1.6.	Relevant Community provisions:
	-

SECTION 14 TRANSPORT INFORMATION

	Transporting/shipment by road (ADR)
UN number:	Not applicable
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
	Transporting/shipment by rail (RID)
UN number:	Not applicable

Trading name:	4% NB FORMALDEHYDE			
Product code:	FNB4-X**	Revision date:	06 May 2026	Version: 8

UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-

Inland waterway transport (ADN)	
UN number:	Not applicable
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-

Transporting/shipment by sea (IMDG)	
UN number:	Not applicable
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-

Transporting/shipment by air (ICAO-TI/IATA-DGR)	
UN number:	3334
UN proper shipping name:	Aviation regulated liquid, n.o.s. (formaldehyde)
Transport hazard class(es):	9
Packing group:	III
Environmentally hazardous:	None
Special precautions for user:	no information

Further information:	Formaldehyde solutions, nonflammable, containing less than 25% of formaldehyde do not adhere to the ADR regulations.
----------------------	--

SECTION 15 REGULATORY INFORMATION	
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture
	EU regulations
	Authorization and/or restrictions of use

Trading name:	4% NB FORMALDEHYDE				
Product code:	FNB4-X**	Revision date:	06 May 2026	Version:	8

	Authorizations:	-
	Restrictions:	-
	Other EU regulations:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC; Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC; Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work; Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006; REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII); Commission Delegated Regulation (EU) 2024/2564
	Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline)	
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
15.2	Chemical safety assessment	
	None	

SECTION 16 Other information		
16.1	Indication of changes:	Alignment with Commission Delegated Regulation (EU) 2024/2564.
16.2	Abbreviations and acronyms:	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Trading name:	4% NB FORMALDEHYDE			
Product code:	FNB4-X**	Revision date:	06 May 2026	Version: 8

16.3.	Key literature references and source of data:	-
16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)	
Classification according to CLP		Classification procedure
-		-
16.5.	Relevant H statements (number and full text)	
	H: 225	Highly flammable liquid and vapor.
	301	Toxic if swallowed.
	302	Harmful if swallowed.
	311	Toxic in contact with skin.
	314	Causes severe skin burns and eye damage
	315	Causes skin irritation.
	317	May cause allergic skin reaction.
	319	Causes serious eye irritation.
	330	Fatal if inhaled.
	331	Toxic if inhaled.
	334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	335	May cause respiratory irritation.
	341	Suspected of causing genetic defects.
	350	May cause cancer.
	370	Causes damage to organs.
	371	May cause damage to organs.
	EUH071	Corrosive to the respiratory tract.
16.6.	Training advice:	-
16.7.	Further information:	** "X" in the product code marks different volumes (different packagings of the product) We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.

ANNEX:**EXPOSURE SCENARIO RESULTING TO CHEMICAL SAFETY ASSESSMENT**

-

Version	Description / reason of change	Date
8.	Alignment with Commission Delegated Regulation (EU) 2024/2564	06.05.2026.