

Page 1 of 19

Trade name:	BIOMOUNT NEW						
Product code:	BMN-X**	Date of compilation:	14 November 2022	Version:	4		

SECTI	ON 1: Identification of t	the su	ıbstance/mixture a	nd of the company/undertaking		
1.1.	Product identifier					
	Trade name:	ВІО	BIOMOUNT NEW			
	Chemical name:	-				
	Catalogue number:	ВМ	N-X**			
1.2.	Relevant identified use	es of t	he substance or mix	cture and uses advised against		
	Uses:		For covering micro	scope sections and mounting covering glasses.		
	Uses advised against:		Only the identified	uses are advised.		
	Reason why uses advis	sed	registered at the A	ended for use only as an <i>in vitro</i> diagnostic medical device, agency for Medicinal Products and Medical Devices and to use it for other purposes.		
1.3.	Details of the supplier	of the	e safety data sheet			
	Supplier:		BioGnost Ltd.	BioGnost Ltd.		
	Address:		Medjugorska	Medjugorska 59, Zagreb		
	Telephone number:		+385 1 24099	+385 1 2409997		
	Telefax:		+385 1 24040	+385 1 2404039		
	e-mail of competent p	e-mail of competent person:		msds@biognost.hr		
	National contact:		_			
1.4.	Emergency telephone	Emergency telephone numbers				
	National Protection ar	National Protection and Rescue I		112		
	Medical information:		+385 1 2348 342			
	Other information:			-		

SECTIO	ECTION 2. Hazards identification					
2.1.	Classification of the substance	ce or mixture				
2.1.1.	Classification according to Re	egulation (EC) No 127	72/2008 (CLP)			
	Hazard class and cat	egory code:	Warning statements*:			
	Aspir. Tox. 1		H304			
2.1.2.	Additional information					
	EUH066	EUH066				
* For fu	ıll text of Hazard- and EU Haza	rd-statements: see SI	ECTION 16			
2.2.	Label elements					
	Product identification:	BIOMOUNT NE	EW			
	Identification number: -					
	Authorisation number:	_				



Page 2 of 19

Trade name:	BIOMOUNT NEW					
Product code:	BMN-X**	Date of compilation:	14 November 2022	Version: 4		

	Hazard pictograms:	GHS08		
	Signal word:	Danger		
	Hazard statement:	H304 May be fatal if swallowed and enters airways. EUH066 Repeated exposure may cause skin dryness or cracking.		
	Precautionary statements:	P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor. P331 Do NOT induce vomiting. P405 Store locked up. P501 Dispose of contents and container in accordance with local regulations.		
	Supplemetal hazard information (EU):	-		
2.3.	Other hazards			
	Environmental Hazards: No significant hazards. Material does not meet the criteria for PBT or vPvB in accordance with REACH Annex XIII. Endocrine Disrupting Properties: No known endocrine disrupting properties.			

SECTION 3. Co	SECTION 3. Composition/information on ingredients							
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)				
- 920-901-0 -	01-2119456810-40	70 – 90 %	Hydrocarbons, C11- C13, isoalkanes, <2% aromatics	Aspir. tox. 1; H304 EUH066				

SECTI	SECTION 4. First aid measures					
4.1.	Description of first aid me	easures				
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.				
	Following inhalation:	Immediately remove from further exposure. Get immediate medical assistance. For those providing assistance, avoid exposure to yourself or others. Use adequate respiratory protection. Give supplemental oxygen, if available. If breathing has stopped, assist ventilation with a mechanical device.				



Page 3 of 19

Trade name:	BIOMOUNT NEW					
Product code:	BMN-X**	Date of compilation:	14 November 2022	Version: 4		

	Following skin contact:		Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse.		
			Flush thoroughly with water. If irritation occurs, get medical assistance.		
	Following ingestion:		DO NOT induce vomiting. Seek immediate medical attention.		
	Self-protection of the first aider		-		
4.2.	Most important sympt	Most important symptoms and effects, both acute and delayed			
	Following inhalation:	No i	No important symptoms or effects.		
	Following skin contact:	No important symptoms or effects.			
	Following eye contact:	No i	mportant symptoms or effects.		
	Following ingestion:	No important symptoms or effects.			
4.3.	Indication of any imme	Indication of any immediate medical attention and special treatment needed			
	If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately.				

SECTIO	ON 5. Firefighting measures				
5.1.	Extinguishing media				
	Suitable extinguishing media:	Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames.			
	Unsuitable extinguishing media:	Straight streams of water			
5.2.	Special hazards arising from the substance or mixture				
	Hazardous by products of fire: Sr	moke, fume, incomplete combustion products, carbon oxides.			
5.3.	Advice for firefighters				
	water supply. Fire-fighters should u	om fire control or dilution from entering streams, sewers or drinking use standard protective equipment and in enclosed spaces, self-A). Use water spray to cool fire exposed surfaces and to protect			
5.4.	Additional information				
	-				

SECTIO	SECTION 6. Accidental release measures				
6.1.	Personal precautions, protective equipment and emergency procedures				
6.1.1.	For non-emergency personnel				



Page 4 of 19

Trade name:	BIOMOUNT NEW						
Product code:	BMN-X**	Date of compilation:	14 November 2022	Version:	4		

	Protective equipment:	See Section 8 for advice on the minimum requirements for personal protective equipment. Additional protective measures may be necessary, depending on the specific circumstances and/or the expert judgment of the emergency responders.		
	Accident prevention method	Avoid contact with spilled material. Warn or evacuate occupants in surrounding and downwind areas if required, due to toxicity or flammability of the material. See Section 5 for fire fighting information.		
	Emergency procedures:	See the Hazard Identification Section for Significant Hazards. See Section 4 for First Aid Advice.		
6.1.2.	For emergency responders:			
	Respiratory protection: half-face or full-face respirator with filter(s) for organic vapor and, when applicable, H2S, or self contained breathing apparatus (SCBA) can be used depending on the size of spill and potential level of exposure. If the exposure cannot be completely characterized or an oxygen deficient atmosphere is possible or anticipated, SCBA is recommended. Work gloves that are resistant to aromatic hydrocarbons are recommended. Note: gloves made of polyvinyl acetate (PVA) are not water-resistant and are not suitable for emergency use. Chemical goggles are recommended if splashes or contact with eyes is possible. Small spills: normal antistatic work clothes are usually adequate. Large spills: full body suit of chemical resistant, antistatic material is recommended.			
6.2.	Environmental precautions:			
	Large Spills: Dyke far ahead of liquid spill for later recovery and disposal. Prevent entry into waterways sewers, basements or confined areas.			
6.3.	Methods and materials for o	Methods and materials for containment and cleaning up		
		estimation and clearing up		
6.3.1.	Bunding, covering of drains; capping procedures:	Land Spill: Stop leak if you can do so without risk. Water Spill: Stop leak if you can do so without risk. Confine the spill immediately with booms. Warn other shipping. Remove from the surface by skimming or with suitable absorbents. Seek the advice of a specialist before using dispersants.		
6.3.1.	drains; capping	Land Spill: Stop leak if you can do so without risk. Water Spill: Stop leak if you can do so without risk. Confine the spill immediately with booms. Warn other shipping. Remove from the surface by skimming or with suitable absorbents. Seek the advice of a specialist before		
	drains; capping procedures:	Land Spill: Stop leak if you can do so without risk. Water Spill: Stop leak if you can do so without risk. Confine the spill immediately with booms. Warn other shipping. Remove from the surface by skimming or with suitable absorbents. Seek the advice of a specialist before using dispersants. Absorb or cover with dry earth, sand or other non-combustible material and		
6.3.2.	drains; capping procedures: Cleaning up:	Land Spill: Stop leak if you can do so without risk. Water Spill: Stop leak if you can do so without risk. Confine the spill immediately with booms. Warn other shipping. Remove from the surface by skimming or with suitable absorbents. Seek the advice of a specialist before using dispersants. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Recover by pumping or with suitable absorbent. Secure proper ventilation. Contact the responsible person; in case of larger spills and possible environmental pollution contact National Protection and		

SECTIO	ECTION 7. Handling and storage	
7.1.	Precautions for safe handling	
7.1.1.	Protection measures	



Page 5 of 19

Trade name:	BIOMOUNT NEW				
Product code:	BMN-X**	Date of compilation:	14 November 2022	Version: 4	

	Measures to prevent fire:	Avoid contact with skin. Prevent small spills and leakage to avoid slip hazard. Material can accumulate static charges which may cause an electrical spark (ignition source).			
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.			
	Measures to protect the environment:	When the material is handled in bulk, an electrical spark could ignite any flammable vapors from liquids or residues that may be present (e.g., during switch-loading operations). Use proper bonding and/or earthing procedures.			
	Other measures:	This material is a static accumulator. A liquid is typically considered a nonconductive, static accumulator if its conductivity is below 100 pS/m (100x10E-12 Siemens per meter) and is considered a semiconductive, static accumulator if its conductivity is below 10,000 pS/m. Whether a liquid is nonconductive or semiconductive, the precautions are the same. A number of factors, for example liquid temperature, presence of contaminants, anti-static additives and filtration can greatly influence the conductivity of a liquid.			
7.1.2.	Advice on general occupational hygiene:				
	eating, drinking, and/or smoking. Routinely wash	such as washing after handling the material and before n work clothing and protective equipment to remove nd footwear that cannot be cleaned. Practice good			
7.2.	Conditions for safe storage, including any incompa	atibilities			
	Technical measures and storage conditions:	Keep in a cool and well-ventilated area.			
	Packaging materials:	Teflon, polypropylene, stainless steel, carbon steel.			
	Requirements for storage rooms and vessels:	The type of container used to store the material may affect static accumulation and dissipation. Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release.			
	Advices for storage equipment:	Storage containers should be earthed and bonded. Fixed storage containers, transfer containers and associated equipment should be earthed and bonded to prevent accumulation of static charge.			
	Further information on storage conditions:	Suitable materials and coating are carbon steel, stainless steel, teflon, polyethylene, polypropylene. Unsuitable materials and coatings: butyl rubber, natural rubber, ethylene-proplyene-diene monomer (EPDM), polystyrene			
7.3.	Specific end use(s)				



Page 6 of 19

Trade name:	BIOMOUNT NEW			
Product code:	BMN-X**	Date of compilation:	14 November 2022	Version: 4

Recommendations:	Section 1 informs about identified end-uses.
Industrial sector specific solutions:	-

SECTION 8. E			ols/personal	protection	l			
8.1. Conti	rol para	meters		T				
Substance		CAS No		Occupational exposure limit values/short term values		Biological limit values		
					ppm	mg/m³		
Hydrocarbons isoalkanes, <2			-		171*	1200*	No i	nformation available
* Source - mat	terial sa	ifety dat	a sheet provi	ded by the	raw material	ls supplier		
Substance:	-							
EC No:	-		CAS No:	-				
DNEL								
		T		lı	ndustrial			
Route of expo	sure:	Route exposi		Route of e	xposure:	Route of ex	posure:	Route of exposure:
Oral		-		-		-		-
Inhalation		-		-		-		-
Dermal		-		-				-
Critical physical	al parar	neters: s	olubility, flar	nmability, co	orrosivity:	-		
		T		C	onsumer			
Route of expo	sure:	Route exposu		Route of e	xposure:	Route of ex	posure:	Route of exposure:
Oral		-		-		-		-
Inhalation		-		-		-		-
Dermal		-		-		-		-
PNEC								
Environmental protection target			PNEC					
Fresh water			No information available					
Freshwater sediments			No information available					
Marine water			No inform	nation available)			
Marine sediments			No information available					
Food chain					No information available			
Microorganisn	ns in se	wage tr	eatment		No inform	nation available	<u> </u>	



Page 7 of 19

Trade name:	BIOMOUNT NEW				
Product code:	BMN-X**	Date of compilation:	14 November 2022	Version:	4

Soil (agric	cultural)		No information available		
Air			No information available		
8.2.	Exposure controls				
8.2.1.	Appropriate engineering controls	5			
	Substance/mixture related measures to prevent exposure during identified uses:	Do not eat, drink or smoke in the workspace. Use personal protective equipment. Wash hands after handling the product and before eating and/or drinking.			
	Structural measures to prevent exposure:		ate ventilation should be provided so that exposure limits t exceeded. Use explosion-proff ventilation equipment.		
	Organisational measures to prevent exposure:	Organization of work in order to reduce other worker's influence during work process.			
	Technical measures to prevent exposure:	See Se	ction 7.2		
8.2.2.	Personal protection equipment:	Personal protection equipment:			
8.2.2.1.	Eye and face protection:		ntact is likely, safety glasses with side shields are mended.		
8.2.2.2.	Skin protection				
	Hand protection:	glove gaun comp level break	olonged or repeated contact is likely, chemical-resistant es are recommended. If contact with forearms is likely, wear tlet-style gloves. Nitrile, minimum 0.38 mm thickness or parable protective barrier material with a high performance for continuous contact use conditions, permeation exthrough minimum 480 minutes in accordance with CEN dards EN 420 and EN 374.		
	Other skin protection:		olonged or repeated contact is likely, chemical, and oil cant clothing is recommended.		
		conce healt select regul consi	gineering controls do not maintain airborne contaminant entrations at a level which is adequate to protect worker h, an approved respirator may be appropriate. Respirator tion, use, and maintenance must be in accordance with latory requirements, if applicable. Types of respirators to be idered for this material include: face filter respirator Type A filter material, European		
8.2.2.3.	Respiratory protection:	Comi 405 p	mittee for Standardization (CEN) standards EN 136, 140 and provide respirator masks and EN 149 and 143 provide filter mmendations.		
		respi respi oxyg	nigh airborne concentrations, use an approved supplied-air rator, operated in positive pressure mode. Supplied air rators with an escape bottle may be appropriate when en levels are inadequate, gas/vapour warning properties are , or if air purifying filter capacity/rating may be exceeded.		



Page 8 of 19

Trade name:	BIOMOUNT NEW				
Product code:	BMN-X**	Date of compilation:	14 November 2022	Version: 4	

8.2.2.4.	Thermal hazards:	No information available.			
8.2.3.	Environmental exposure controls				
	Substance/mixture related measures to prevent exposure:	Comply with applicable environmental regulations limiting discharge to air, water and soil. Protect the environment by applying appropriate control measures to prevent or limit emissions.			
	Structural measures to prevent exposure:	Use modern equipment.			
	Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.			
	Technical measures to prevent exposure:	See Section 6			

.1.	Information on basic physical and chemical properties					
		Value	Method			
	Physical state:	liquid	No information available			
	Colour:	colourless	No information available			
	Odour/odour threshold:	no odour/no information available	No information available			
	Melting point / freezing point:	No information available	No information available			
	Boiling point or initial boiling point and boiling range:	188°C - 210 °C	ASTM D86			
	Flammability:	No information available	No information available			
	Lover and upper explosion limit:	No information available	No information available			
	Flash point:	62 °C	ASTM D-93			
	Auto-ignition temperature:	222 ℃	ASTM E659			
	Decomposition temperature:	No information available	No information available			
	pH:	Not technically feasible	No information available			
	Kinematic viscosity:	No information available	No information available			
	Solubility:	Negligible	No information available			
	Partition coefficient noctanol/water (log value):	No information available	No information available			
	Vapour pressure:	No information available	No information available			
	Density and/or relative density	No information available	No information available			
	Relative vapour density:	No information available	No information available			
	Particle characteristics:	No information available	No information available			



Page 9 of 19

Trade name:	BIOMOUNT NEW					
Product code:	BMN-X**	Date of compilation:	14 November 2022	Version: 4		

	-	
SECTIO	ON 10.: Stability and reactivity	
10.1.	Reactivity:	No information available
10.2.	Chemical stability:	The product is stable under normal conditions.
10.3.	Possibility of hazardous reactions:	Hazardous polymerization will not occur.
10.4.	Conditions to avoid:	Open flames and high energy ignition sources.
10.5.	Incompatible materials:	Strong oxidants.
10.6.	Hazardous decomposition products:	Material does not decompose at ambient temperatures.

11.1. Info	rmation on hazard classes	as defined in I	Regulation (EC) No 1272/2	800	
Acu	te toxicity:				
Route of exposure:	Method	Species	Effective Dose LD ₅₀ /LC ₅ or ATE _{mixture}	₀ Exposure time	Results
Oral:	No information available	rat	LD ₅₀ > 5000 mg/kg	-	Minimally toxic
Dermal:	No information available	rabbit	LD ₅₀ > 5000 mg/kg	-	Minimally toxic
Inhalation:	No information available	rat	LC ₅₀ > 5000 mg/ m ³	8 h	Minimally toxic
Spe	cific target organ toxicity - Specifi	single exposu c effects	re (STOT-SE): Target org	gan	Note
Oral:	No information ava	ailable	No information a	vailable -	
Dermal:	No information ava	nilable No informat		vailable -	
Inhalation:	No information ava	ailable No informat		vailable -	



Page 10 of 19

Trade name:		BIOMOUNT NEW				
Product code:	BMN-X**	Date of compilation:	14 November 2022	Version:	4	

Product code:	BMN-X**	MN-X** Date of compilation:		14 November 2022 Version:		Version: 4
Irritation	and corrosion					
	Expo	sure time	Species	Evaluation	Method	Note
Skin corrosion/irritation	No informa	ition available	-	Not irritating.	-	-
Serious eye damage/irritation	No informa	ition available	-	Not irritating.	-	-
Sensitizat	ion					
Skin sensitization:	Not expecte	ed to be a skin	sensitizer.			
Respiratory sensitization:	-		iratory sensitizer	•		
Symptom	ns related to the p	hysical, chemi	cal and toxicolog	gical characterist	tics	
Oral exposure:	May be fatal if	swallowed and	d enters airways.			
Dermal exposure:	May dry the sk	in leading to d	discomfort and d	ermatitis.		
Inhalation exposure:	Negligible haz	ard at ambient	:/normal handlin	g temperatures	•	
Eye exposure:	May cause mile	d, short-lasting	g discomfort to e	eyes.		
	,					
Repeated	dose toxicity (sul	bacute, subchr	onic, chronic)			
	Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral	No information available	No information available	No information available	No information available	No information available	1 -
Subacute dermal	No information available	No information available	No information available	No information available	No information available	ı –
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	1 -
Subchronic oral	No information available	No information available	No information available	No information available	No information available	۱ -
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	n –

No

information

available

No information

available

Subchronic

inhalation

No

information

available

No

information

available

No

information

available



Page 11 of 19

Trade name:		BIOMOUNT NEW					
Product code:	BMN-X**	Date of compilation:	14 November 2022	Version: 4			

Chronic oral	No informatio available	No information available	No information available	No information available	No information available	1 -	
Chronic dermal	No informatio available	ion No No information available available		No information available	No information available	1 -	
Chronic inhalation	No informatio available	No information available	No information available	No information available	No information available	ı -	
Specific	target organ to	cicity - repeated o	ovnosuro (STOT.	_DE)·			
Specific	target organ to		effects	Target	organ	Note	
Subacute oral		No information a			information	-	
Subacute derma	l	No information a	available	No available	information	-	
Subacute inhalation No information		available	No available	information	-		
Subchronic oral No information ava		available	No available	information	tion -		
Subchronic dermal No information as		available	No available	information	-		
Subchronic inhal	ation	No information a	available	No available	information	-	
Chronic oral		No information a	available	No available	information	-	
Chronic dermal		No information a	available	No available	information	-	
Chronic inhalatio	on	No information a	available	No available	information	-	
CMR ef	fects (carcinoger	icity; mutagenici	tv: reproductive	toxicity)			
Carcinogenicity:		Not expec structurally	Not expected to cause cancer. Based on test data for structurally similar materials. Test(s) equivalent or similar to OECD Guideline 453.				
Mutagenicity in-vitro:		No informa	No information available				
Genotoxicity:		No informa	No information available				
Mutagenicity in-vivo:			No informa	No information available			
Germ ce	ell mutagenicity:		for structur	_	erials. Test(s)	n. Based on test data equivalent or similar 479	



Page 12 of 19

Trade name:	BIOMOUNT NEW				
Product code:	BMN-X**	Date of compilation:	14 November 2022	Version: 4	

	Reproductive toxicity:	Not expected to be a reproductive toxicant. Based on test data for structurally similar materials. Test(s) equivalent or similar to OECD Guideline 413 414 415.					
	Summary of evaluation of the CMR properties:	No information available					
11.2.	Information on other hazards:						
11.2.1.	Endocrine disrupting properties:						
	No known endocrine disrupting properties that affect human health.						
11.2.2.	Other informations:						
	Vapour concentration above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anasthetic may have other central nervous system effects. Prolonged and/or repeated skin contact with low viscosity materials may defat skin resulting in possible irritation and dermatitis. Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.						

SECTION 12. Ecolog	SECTION 12. Ecological information						
12.1. Toxicity							
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note	
Fish:	LC ₅₀	96 hours	Oncorhynchus mykiss	No information available	-	1000 mg/l	
Crustacea:	EC ₅₀	48 hours	Daphnia magna	No information available	-	1000 mg/l	
Algae/aquatic plants:	IC ₅₀	72 hours	Pseudokirchne riella subcapitata	No information available	-	1000 mg/l	
Other organisms:	-	-	-	-	-	-	
Chronic (long- term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note	
Fish:	LC ₅₀	96 hours	No information available	No information available	-	-	
Crustacea:	EC ₅₀	48 hours	No information available	No information available	-	-	



Page 13 of 19

Trada nama				PIOMO	DUNT NEW		Page 13 of 19	
Trade name:	D. A. L. Maria						Version: 4	
Product code:	BMN-X**	D	ate of	compilation:	14 Novem	14 November 2022 Vers		
Algae/aquatic plants:	· IL FO // NOI		ırs	No information available	No information	on -	-	
Other organisms: - 21 day		(s)	Daphnia magna	-	-	NOELR 1 mg/		
12.2. Persist	ence and degrada	oility						
Abiotic	degradation							
	Degradation h	alf-lives		Method	Evalua	tion	Note	
Marine water	No information a	available		information ilable	No informa available	tion	-	
Fresh water	No information a	available		information ilable	No information	tion	_	
Air	No information a	available		information ilable	No information	tion	-	
Soil	No information a	available	No information No informati available available		tion	-		
Biodeo	gradation							
% Degradation		s)	Method Ev		Evalu	ation	Note	
Percent Degraded 31.3 similar material	Percent Degraded 31.3 :		Ready Biodegradability (water)		No information available		Expected to be inherently biodegradable	
	umulative potentia		. (1 - : !	· · · · · ·				
	ol-water partition of				F.	valuatia:	NI	
Value > 4	Concentration No information available	рН -	°C -	Method Estimated		ormation ole	No information available	
Biocor	ncentration Factor	(BCF)						
Value	Speci	<u></u>		Method	Fvalı	uation	Note	



SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006

amended by Regulation (EU) No. 2020/878

Page 14 of 19

Trade r	name:		BIOMOUNT NEW					14 of 19			
Produc	Product code: BMN-X**		D	ate of co	mpilat	ion:	14 November 2022		Versio	on: 4	
No info			o information ailable		No info	ormatio lle	n	No information	on	No inforr available	nation
	Chroni	ic ecoto	xicity								
	Value	e	Dose		oosure time	Spe	ecies	Method	Εν	aluation	Note
Chronic	toxicity	on fish	LC ₅₀					No information available			Not expected.
Chronic crustace	-		EC ₅₀	1	No information available		nation ble	No information available	No information available		Not expected.
	Surfac	e tensio	n:								
						Concentration Method			Note		
No information available Value °C No information available					nformation N to		Highly volati partition rap Not expected to sediment	lighly volatile, will artition rapidly to air. lot expected to partition sediment and vastewater solids.			
Transpo		A/[desorption Coefficient		lo	g Kow		Evaporation	1	Method	Note
Soil-Water			mation availab	ום בור	_		mation	No information available		formation	-
Water-Air No info		lo infori	mation availab	ום בור			mation	No information available	No ir	oformation able	-



13.1.4.

13.1.5.

SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 15 of 19

Trade name: Product code: Soil-Air No in		BIOMOUNT NEW						
		BMN-X** Date of compilation: 14 November 2022 Vers				Version:	4	
		nformation available	No information available	No information available		nation _		
12.5.		PBT and vPvB assessr						
	Material o	does not meet the Rea	ch Annex XIII criteria for Pl	BT or vPvB.				
12.6.	Endocrine	e disrupting properties	3					
	No know	n endocrine disrupting	properties that affect the	environment.				
12.7.	Other adv	verse effects						
	No adverse effects are expected.							
SECTIO	N 13 Disn	osal considerations						
13.1.		reatment methods						
13.1.1.	Product	/Packaging disposal:						
	Protecti	on. Do not dispose of	legal person authorized legal person authorized legal person into ministry in charge. Do n	the sewage sy	rstem. Subn	nit the rem	ains to th	
13.1.2.	Waste (odes/waste designation	ons according to Law:					
13.1.2.	The Eur	ropean Waste Catalog lents. Determine the I	gue (EWC) code is specifi EWC according to the crite established by Commission	eria provided in	the Europ	ean Waste		
13.1.3.	and the		established by Commission	•			Catalo	
13.1.3.	vvaste t	readifient – refevant III	ioimation.					

Disposal recommendations based on material as supplied. Disposal must be in accordance with current

Product is suitable for burning in an enclosed controlled burner for fuel value or disposal by supervised incineration at very high temperatures to prevent formation of undesirable combustion products.

applicable laws and regulations, and material characteristics at time of disposal.

Sewage disposal – relevant information:

Other disposal recommendations:



Page 16 of 19

Trade name:	BIOMOUNT NEW				
Product code:	BMN-X**	Date of compilation:	14 November 2022	Version: 4	

	dangerous. Do not attempt to refill or clean containers without proper instructions. Empty drums				
should be completely drained containers should be taken for contractor and in accordance SOLDER, DRILL, GRIND, OF	should be completely drained and safely stored until appropriately reconditioned or disposed. Empty containers should be taken for recycling, recovery, or disposal through suitably qualified or licensed contractor and in accordance with governmental regulations. DO NOT PRESSURISE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION. THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.				
13.1.6. Relevant Community provision	ns:				
-					
SECTION 14. Transport information					
Transporting/shipment by road	(ADR)				
UN number:	Not subject to transport regulations.				
UN proper shipping name:	-				
Transport hazard class(es):	-				
Packing group:	-				
Environmental hazards:	-				
Special precautions for user:	-				
Transporting/shipment by rail (F	RID)				
UN number:	Not subject to transport regulations.				
UN proper shipping name:	-				
Transport hazard class(es):	-				
Packing group:	-				
Environmental hazards:	-				
Special precautions for user:	-				
Transporting/shipment by inland	d waterways (ADN)				
UN number:	Not subject to transport regulations.				
UN proper shipping name:	-				
Transport hazard class(es):	-				
Packing group:	-				
Environmental hazards:	-				
Special precautions for user:	-				
Transporting/shipment by sea (I	MDG)				
UN number:	Not subject to transport regulations.				
UN proper shipping name:	-				
Transport hazard class(es):	-				
Packing group:	-				



Page 17 of 19

Trade name:		віомо	DUNT NEW		
Product code:	BMN-X**	Date of compilation:	14 November 2022	Version: 4	

Environmental hazards:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL73/78 and the IBC code:	-
Transporting/shipment by air (ICA	AO-TI/IATA-DGR)
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmental hazards:	-
Special precautions for user:	-
Further information: -	

15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture				
	EU regulations				
	Authorisations and/or res	trictions on use			
	Authorisations:	-			
	Restrictions:	-			
	Other EU regulations:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC; Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC; Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work; Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and			
		mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006; REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);			



Page 18 of 19

Trade name:		ВІОМО	OUNT NEW		
Product code:	BMN-X**	Date of compilation:	14 November 2022	Version:	4

	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act	
15.2.	Chemical safety assessment		
	-		

SECTIO	ECTION 16. Other information				
16.1.	Indication of changes:	-			
16.2.	Abbreviations and acronyms:	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative			
16.3.	Key literature references and source of data:	-			
16.4.	Classification and procedure 1272/2008 (CLP)	used to derive the classification for mixture according to Regulation (EC)			
Classifi	ication	Classification procedure			
-		-			
16.5.	Relevant H statements (num	ber and full text)			
	H: 304 (EUH066)	May be fatal if swallowed and enters airways. Repeated exposure may cause skin dryness or cracking.			
16.6.	Training advice:	-			
16.7.	Further information:	** "X" in the product code marks different volumes (different packaging of the product) We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.			

ANNEX: Exposure scenario resulting to Chemical safety assessment

-