

Page 1 of 17

Trading name:	BIOWAX 56/58				
Product code:	BW56/58-X**	Date of compilation:	14 November 2022	Version: 5	

1.1.	Product identifier					
	Trading name:	BIOWAX 56	5/58			
	Chemical name:	-				
	Catalogue number:	BW56/58-X	* *			
1.2.	Relevant identified u	ses of the sub	ostance or m	nixture and uses advised against		
	Uses:		Blend of paraffin waxes with melting point at 56/58°C for optimal infiltration and routine work, enables easier formation of ribbons, virtually no cut resistance and better overall results.			
	Uses advised against	•	Only the	Only the identified uses are advised.		
	Reason why uses adv	medical device, registe		luct is intended for use only as an <i>in vitro</i> diagnostic device, registered at the Agency for Medicinal Products ical Devices and there is no reason to use it for other		
1.3.	Details of the supplie	Details of the supplier of the safety data sheet				
	Supplier:	Supplier: B		BioGnost Ltd.		
	Address:		Medjugorska 59, Zagreb			
	Telephone number: +		+385 1 2409997			
	Fax no.:		+385 1 2404039			
	e-mail of competent	person:	msds@biognost.hr			
	National contact:	National contact: -		-		
1.4.	Emergency telephon	e number				
	National Protection a	and Rescue D	irectorate:	112		
	Medical information:			+385 1 2348 342		
	Other information:			-		

SECTIO	CTION 2. Hazards identification					
2.1.	Classification of the substan	Classification of the substance or mixture				
2.1.1.	Classification according to	Regulation (EC) No	1272/2008 (CLP)			
	Hazard class and category code: Hazard statements*:					
	Not identified as hazardous	-				
2.1.2.	Additional information					
	_					
*For full	l text of Hazard- and EU Hazar	d-statements: see S	Section 16			
2.2.	Label elements					
	Product identification: BIOWAX 56/58					
	Identification number:	-				



Page 2 of 17

Trading name:	BIOWAX 56/58				
Product code:	BW56/58-X**	Date of compilation:	14 November 2022	Version: 5	

	Authorization no.:	-		
	Hazard pictograms:	-		
	Signal word:	-		
	Hazard statements:	-		
	Precautionary statements:	-		
	Supplemetal hazard information (EU):	-		
2.3.	Other hazards			
	Endocrine Disrupting Propertie	es:		
	No known endocrine disrupting properties.			
	PBT: This product is not identified as a PBT/vPvB Substance according to REACH Annex XIII.			

CAS/ EC/ Index no.	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)
8002-74-2/ 232-315-6/ -	01- 02119488076- 30	90-100 %	paraffin wax	-
9003-27-4/ 618-360-8/	-	< 1	polymer	-

SECTIO	ON 4. First aid measure	s	
4.1.	Description of first aid measures		
	General notes:	-	
	Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. If breathing becomes erratic or it stops, immediately apply artificial respiration (other than mouth-to-mouth) and contact a physician.	
	Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water and soap. Seek medical assistance if the symptoms of irritation remain.	
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open using clean fingers. If the symptoms remain, immediately call a physician.	
	Following ingestion:	Do not induce vomiting. Make the afflicted person drink a glass of water. If spontaneous vomiting occurs, wash the mouth with water, then make the person drink 100-200 ml of water and seek medical attention.	
	Self-protection of the first aider:	Treat symptomatically.	



Page 3 of 17

Trading name:	BIOWAX 56/58				
Product code:	BW56/58-X**	Date of compilation:	14 November 2022	Version: 5	

4.2.	Most important sympton	Most important symptoms and effects, both acute and delayed			
	Following inhalation: High concentration of vapours may induce: Headache, nausea, dizziness. Irritant effect to the respiratory tract.				
	Following skin contact: May cause slight irritation to the skin. Heated product may cause burns.				
	Following eye contact:	May cause slight irritation to eyes.			
	Following ingestion:	May cause nausea.			
4.3.	Indication of any immediate medical attention and special treatment needed				
	In contact with or splashe	In contact with or splashed by melted product, quickly cool area with water.			

SECTIO	ON 5. Firefighting measures				
5.1.	Extinguishing media				
	Suitable extinguishing media:	Foam, dry chemical powder, CO ₂			
	Unsuitable extinguishing media:	water			
5.2.	Special hazards arising from the substance or mixture				
	Hazardous combustion products:	Slight flammability hazard when exposed to heat or flame. During a fire, toxic gases (carbon monoxide, nitrous gases) may be generated by thermal decomposition or combustion.			
5.3.	Advice for firefighter	s			
	Only suitably trained personnel should attempt to tackle fires. Breathing apparatus and protective clothing should be worn. Do not remain in the immediate vicinity without respiratory protective equipment and protective clothing.				
5.4.	Additional information	Additional information			
	Remove sources of h	eat and ignition. Do not contaminate the environment with extinguishing media.			

SECTIO	TION 6. Accidental release measures						
6.1.	Personal precautions, protective equipment and emergency procedures						
6.1.1.	For non-emergency personnel	For non-emergency personnel					
	Protective equipment: Use personal protective equipment (see Section 8).						
	Accident prevention methods:	Evacuate members of all non-essential personnel and thom members without protective equipment. Remove all sources sparks and ignition. Do not smoke.					
	Emergency procedures:	Emergency procedures: Mark the area using proper signs.					
6.1.2.	For emergency responders:						
	Wear suitable protective clothing and breathing apparatus. See section 8. Stop leak if safe to do so. Remove sources of ignition						



Page 4 of 17

Trading name:	BIOWAX 56/58				
Product code:	BW56/58-X**	Date of compilation:	14 November 2022	Version: 5	

6.2.	Environmental preca	utions:					
		Water may be used to flush spills away from sources of ignition. Prevent spreading by damming. Do not allow the product to enter public drainage system or open water course. Avoid release to the environment.					
6.3.	Methods and materia	al for containment and cleaning up					
6.3.1.	Bunding, covering of drains; capping procedures:	Stop leak if safe to do so. Use damming system to prevent spreading.					
6.3.2.	Cleaning up:	Use sand or active clay to absorb spilled substance and remove to containers for disposal. When in liquid state, cool and allow to solidify.					
6.3.3.	Other information:	-					
6.4.	Reference to other se	Reference to other sections					
	See Section 7 for info	See Section 7 for information about secure handling.					
	See Section 8 for info	ormation about personal protective equipment.					
	See Section 13 for in	formation about containment.					

SECTIO	N 7. Handling and storage			
7.1.	Precautions for safe handling			
7.1.1.	Protection measures			
	Measures to prevent fire:	Keep away from sources of heat and ignition. Do not smoke.		
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.		
	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.		
	Other measures: -			
7.1.2.	Advice on general occupational hygiene:			
	Do not eat, drink or smoke in the workspace. The	noroughly wash hands after work and before eating.		
7.2.	Conditions for safe storage, including any incon	npatibilities		
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms, and away from sources of heat, sunlight, and other incompatible substances.		
	Packaging materials:	Manufacturer's original packaging.		
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.		
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.		



Page 5 of 17

Trading	g name:				E	3IOW	AX 56/58			
Produc	ct code:	BW56/58-	X** Date of compilation			ation:	14 Novem	ber 2022	Version: 5	
	Further	information c	on storage (conditions:	•	and c	lo not use em	oty containe	al in the storage room rs for storing other compatible materials	
7.3.	Specific	end use(s)				(0000				
	Recomn	nendations:				-				
	Industria	al sector spec	ific solution	ns:		-				
SECTIO	N 8. Expos	ure controls	/personal	protection	1					
8.1.	Control	parameters								
	Substand	ce	CAS N		-		xposure limit erm values	Biolo	gical limit values	
					ppm		mg/m³			
Paraffin	Paraffin wax, smoke		8002-74	4-2	-/-		2/6	No informa	ation available	
name: EC No:	-		CA No	i -						
DINEL					ndusti	rial				
Route o	of exposure:		Acute effect local	A	cute systen		Chror effect l		Chronic effect systemic	
Oral			-	-			-	-	-	
Inhalati	on		-	-			-	-		
Dermal			-	-			-	-	-	
Critical	physical par	rameters: solu	ubility, flam				-			
			1	C	onsun	ner				
Route c	of exposure:		Acute effect local		cute systen	nic	Chror effect l		Chronic effect systemic	
Oral			-	-			-		-	
Inhalati			-	-			-	-	-	
Dermal			-	-			-		-	
PNEC										
	•	tection target			PN					
Fresh w	ater				No	inform	nation availabl	е		



Freshwater sediments

SAFETY DATA SHEET BIOGNOST® According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

No information available

Page 6 of 17

Trading name:		BIOWA	X 56/58	
Product code:	BW56/58-X**	Date of compilation:	14 November 2022	Version: 5

Freshwater sediments				No information available			
Marine wa	nter			No information available			
Marine se	diments			No information available			
Food chair	n			No information available			
Microorga	nisms in sewage trea	tment		No information available			
Soil (agric	ultural)			No information available			
Air				No information available			
8.2.	Exposure controls	S					
8.2.1.	Appropriate engi	neering contro	ls				
	Substance/mixture measures to previous during identified	ent exposure		e product in well ventilated rooms. Use personal protective nent. Do not eat, drink or smoke in the workspace.			
	Structural measure:	res to prevent	No info	ormation available			
	Organisational m prevent exposure		Organization of work in order to reduce other worker's influence during work process.				
	Technical measur exposure:	es to prevent		cure proper workspace ventilation in order to keep ncentration levels in air below permitted levels.			
8.2.2.	Personal protection	on equipment					
8.2.2.1.	Eye and face prot	ection:	Safety visor.	glasses that stick to face (preventing splashing) (EN 166) or			
8.2.2.2.	Skin protection						
	Hand protection:	standard EN Glove Glove	374. e materia e thickne	st be according to the EU Directive 2016/425/EEC and al: nitrile rubber ess: ≥0.50 mm thime: >480 min			
	Other skin protection:			othing made of natural fibers (such as cotton) with long sleeves hoes that cover the entire foot (EN 10335).			
8.2.2.3.	Respiratory protection:	Protective full face mask (EN 136) or half mask (EN 140) equipped with a filter for organic vapors, type "A" (boiling point >65°C) according to EN 14387) used when concentration levels exceed GVI.					
8.2.2.4.	Thermal hazards:	No information available					
8.2.3.	Environmental ex	posure control	s				
	Substance/mixtur measures to prev		See See	ction 6			



Page 7 of 17

Trading name:		BIOWAX 56/58							
Product code:	BW56/58-X**	Date of compilation:	14 November 2022	Version: 5					

Structural measures to prevent exposure:	Use modern equipment.
Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
Technical measures to prevent exposure:	See Section 6

1.	Information on basic physical and ch	emical properties		
		Value	Method	
	Physical state:	solid (pellets)	No information available	
	Color:	transparent white	No information available	
	Odour/odour threshold:	no odor/no information available	No information available	
	Melting point / freezing point:	56 – 58 °C	No information available	
	Boiling point or initial boiling point and boiling range:	>300°C	No information available	
	Flammability:	May be combustible at high temperatures	No information available	
	Lover and upper explosion limit:	No information available	No information available	
	Flash point:	>200°C	No information available	
	Auto-ignition temperature:	>200°C	No information available	
	Decomposition temperature:	No information available	No information available	
	рН:	No information available	No information available	
	Kinematic viscosity:	~4.0 cSt (at 100°C)	No information available	
	Solubility:	Insoluble	No information available	
	Partition coefficient n-octanol/water (log value):	No information available	No information available	
	Vapour pressure:	No information available	No information available	
	Density and/or relative density	No information available	No information available	
	Relative vapour density:	No information available	No information available	
	Particle characteristics:	No information available	No information available	
9.2.	Other information			

SECTION	10.: Stability and reactivity	
10.1.	Reactivity:	See subsections 10.3 through 10.5.



Page 8 of 17

Trading name:		BIOWA	X 56/58				
Product code:	BW56/58-X**	Date of compilation:	14 November 2022	Version: 5			

10.2.	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using.
10.3.	Possibility of hazardous reactions:	No information available.
10.4.	Conditions to avoid:	Extremes of temperature (preferably, store between 5 and 39°C). The product is combustible when heated >300°C.
10.5.	Incompatible materials:	May react with strong oxidants (e.g. chlorates, peroxides).
10.6.	Hazardous decomposition products:	Thermal decomposition or incomplete combustion may produce carbon monoxide, nitrous gases and irritating fumes.

SECTION 11. Toxi 11.1. Informa			as defined in Regu	ulation (EC) No.	1272/2009		
Acute to		Classes	as defined in Regi	JIALIOII (EC) INO	12/2/2006		
Route of exposure:	e of Method		Species	Effective Dose LD ₅₀ /LC ₅₀ or ATE _{mixture}	Exposur	e time	Results
Oral exposure:	No informa availabl		-	LD ₅₀	-		>5000mg/kg (OECD 401)
Dermal exposure:	No informa availabl		-	LD ₅₀	-		>2000mg/kg (OECD 402)
Inhalation exposure:	No informa availabl		-	LC ₅₀	-		-
			pecific effects rmation available				Note
•		No info	rmation available	ole No information available			Note
Dermal exposure: Inhalation exposur	e:		rmation available rmation available				
Aspirati	on hazard:		No informa	No information available			
Irritatio	n and corrosio	n:					
	Exposure t	ime	Species	Evaluation	Method		Note
Skin irritation:			rabbit	-	-	-	
Eye irritation:			rabbit	-	-	-	
Sensitiz	ation						



Page 9 of 17

Trading name:		BIOWA	X 56/58	
Product code:	BW56/58-X**	Date of compilation:	14 November 2022	Version: 5

Dermal exposure	: No information a	No information available					
Inhalation exposure:	No information a	No information available					
	·						
Sympt	coms related to the p	hysical, chem	nical and toxicol	ogical character	istics		
Oral exposure:	Diarrhoea, gas	trointestinal	complaints				
Dermal exposure	: No informatio	n available					
Inhalation exposi	ure: No informatio	n available					
Eye exposure:	No informatio	n available					
Repea	ted dose toxicity (su	oacute, subcl	nronic, chronic)				
	Dose	Exposure time	Species	Method	Evaluation	Note	
Subacute oral	No information available	No informati on available	No information available	No information available	No information available	-	
Subacute dermal	No information available	No informati on available	No information available	No information available	No information available	-	
Subacute inhalation	No information available	No informati on available	No information available	No information available	No information available	-	
Subchronic oral	No information available	No informati on available	No information available	No information available	No information available	-	
Subchronic dermal	No information available	No informati on available	No information available	No information available	No information available	-	
Subchronic inhalation	No information available	No informati on available	No information available	No information available	No information available	-	
Chronic oral	No information available	No informati on available	No information available	No information available	No information available	-	



								Page 1	10 of 17
Trading nam	e:			Bl	IOW <i>A</i>	XX 56/58			
Product code	e: BW56/58-	X**	Date o	of compila	tion:	14 Novemb	er 2022	Versi	ion: 5
Chronic derm	No inform available	ation	No informati on available	No informat available		No information available	No information	on -	
Chronic inhalation	No inform available	ation	No informati on available	No informat available		No information available	No informatio available	on -	
Sno	ecific target organ	tovicity	ı – ropoatoo	l ovnosuro	(STO)	r DE).			
Spe	ecinc target organ	toxicity	Specific effo		(310)			* * * * * * * * * * * * * * * * * * *	Note
Subacute oral		No in	formation a		Na:	Target orga nformation avai		_	note
Subacute derr	nal		formation a			nformation avai		-	
Subacute inha								_	
Subchronic or					information available information available		_		
Subchronic de					No information available		_		
Subchronic in					No information available		-		
Chronic oral	idiation				No information available		-		
Chronic derma		<u> </u>			<u> </u>	nformation avai		-	
Chronic inhala					lo information available		_		
Cirionic irridic	ition	140 111	TOTTILATION A	TVUII UDIC	1101		шыс		
CM	IR effects (carcino	genicity	/: mutagenio	citv: reproc	ductive	e toxicity)			
	cinogenicity:	9	1			nimals did not in	ndicate carci	noaenio	effects.
	tagenicity in-vitro	•				d not indicate i			
	notoxicity:			nation ava					
	tagenicity in-vivo:					d not indicate r	nutagenic el	ffects.	
	rm cell mutagenici			mation ava			<u> </u>		
	productive toxicity		No toxic	ity on rep	orodu	ctive organs w	as determi	ned in	reproductiv
	mmary of eval operties:	uation		CMR					
11.2. Info	ormation on other	hazaro	ls:						
11.2.1. End	docrine disrupting	proper	ties:						
	known endocrine			ties that af	fect h	uman health.			
11.2.2. Otl	ner informations:								



Page 11 of 17

Trading name:		BIOWA	X 56/58	
Product code:	BW56/58-X**	Date of compilation:	14 November 2022	Version: 5

SECTION 12	. Ecological inforn	nation							
12.1. To	12.1. Toxicity								
Acute toxicity	Dose	Exposure time	Species	Method	Evaluation	Note			
Fish	LC ₅₀	96 hours	Pimephales promelas	No information available	-	>100mg/l			
Crustacea:	EC ₅₀	48 hours	Daphina magna	No information available	-	>10000mg/l			
Algae/aqua tic plants	IC ₅₀	8 days	No information available	No information available	_	-			
Microorga nisms	LC ₅₀	72 hours	-	-	_	-			
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note			
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-			
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-			
Algae/aqua tic plants	IC ₅₀	72 hours	No information available	No information available	No information available	-			
Other organisms	_	-	-	-	_	_			

12.2. Persistence and degradability

Abiotic	degradation

	Degradation half-lives	Method	Evaluation	Note
Marine water	No information available	No information available	No information available	-
Fresh water	No information available	No information available	No information available	-
Air	No information available	No information available	No information available	-



Page 12 of 17

Trading name: BIOWAX 56/58												
Product code: BW56/58-X**			Da	ate of o	compilation:	14 No	vember	2022	Vers	ion:	5	
Soil	No availa	information able	No intermation		nation available		No	informati	on avail	able	-	
В	Biodegra	adation										
% Degradat		Time (d	ays)		N	/lethod	Ev	aluation		١	lote	
No informat available	tion N		forma		No info	rmation e	No info	ormation le		o informa ailable	ation	
12.3. B	Bioaccur	mulative pote	ntial									
C		-water partitio	on coe			ow)	1					
Value	C	oncentration	рН	°C		Method		Evaluation	on		Note	
_		o formation vailable	-	-		No informatior available		informati ilable	on	-		
		entration fact		F)			1					
Value		Spe	ecies			Method		aluation			Note	
No informat available	tion	No informat	ion av	ailable	No ir avail	nformation able	No info	ormation le		lo inforn vailable	nation	
C	Chronic	ecotoxicity										
Va	alue	Do	ose	•	osure ne	Species	Met	hod	Evaluation N		Note	
Chronic toxi	icity on	fish LC ₅₀		No inforn availa	nation ble	No information available	No inform availab	1	No information - available			
	icity on	、 EC ₅₀		No inforn	nation	No information	No inform	No No information - available				



Page 13 of 17

Trading name:		BIOWA	X 56/58	
Product code:	BW56/58-X**	Date of compilation:	14 November 2022	Version: 5

	No informa	tion available						
	Surface tension:							
	Value	alue °C Concentration Method No				Note		
	No informatio information available		No information available	No information available		-		
	Adsorption	/ desorption						
Transport	•	O coefficient ary's constant	log Kow	Evaporation rate	Meth	od	Note	
Soil-wate	r No availa	information able	No information available	No information available	No inform available	nation	-	
Water-air	er-air No information available		No information available	No information available	No information available		-	
Soil-air	No availa	information able	No information available	No information available		nation	-	
12.5.	Not identifi		B Substance accordir	ng to REACH An	nex XIII.			
12.6.		lisrupting prope		· · · · ·				
	No known 6	endocrine disrup	ting properties that a	affect the enviro	nment.			
	Other adverse No adverse e	e effects ffects are expec	ted.					
CECTION	12 Diamana							
13.1.		eatment method						
15.1.	vvaste ti	Catheric metric						
13.1.1.	Product/	/Packaging dispo	osal:					
	Submit f	•	ne legal person autho	rized by the Mir	nistry of Env	ironment	al and Nature	



Page 14 of 17

Trading name:		BIOWA	X 56/58	
Product code:	BW56/58-X**	Date of compilation:	14 November 2022	Version: 5

13.1.2.	Waste codes/waste d	lesignations according to Law:		
	No information availa	able		
13.1.3.	Waste treatment – re	levant information:		
	No information availa	able		
13.1.4.	Sewage disposal – re	levant information:		
	Waste must not be d	isposed of into the sewage system.		
13.1.5.	Other disposal recom	nmendations:		
	Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge. Do not dispos of in places where ignition may occur.			
13.1.6.	Relevant Community	provisions:		
	-			
SECTION	14. Transport informati	on		
	Transporting/shipment b	by road (ADR)		
UN numb	er:	Not subject to transport regulations.		
UN prope	r shipping name:	-		
Transport	hazard class(es):	-		
Packing g	oup:	-		
Environme	entally hazardous:	-		
Special pr	ecautions for user:	-		
	Transporting/shipment b	oy rail (RID)		
UN numb	er:	Not subject to transport regulations.		
UN prope	r shipping name:	-		
Transport	hazard class(es):	-		
Packing g	roup:	-		
Environme	entally hazardous:	-		
Special pr	ecautions for user:	-		
	Inland waterway transpo	ort (ADN)		
UN numb	er:	Not subject to transport regulations.		
UN prope	r shipping name:	-		



Page 15 of 17

Trading name:		BIOWA	X 56/58		
Product code:	BW56/58-X**	Date of compilation:	14 November 2022	Version:	5
Transport hazard	class(es):	-			
Packing group:		-			
Environmentally h	azardous:	-			
Special precaution	ns for user:	-			
Transpo	orting/shipment by s	ea (IMDG)			
UN number:		Not subject to transport	regulations.		
UN proper shippir	ng name:	-			
Transport hazard	class(es):	-			
Packing group:		-			
Environmentally h	azardous:	-			
Special precaution	ns for user:	-			
Transpo	orting/shipment by a	ir (ICAO-TI/IATA-DGR)			
UN number:		Not subject to transport	regulations.		
UN proper shipping name:		-			
Transport hazard class(es):		-			
Packing group:		-			
Environmentally hazardous:		-			
Special precautions for user:		-			

SECTION 15. Regulatory information			
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture		
	EU regulations		
	Authorization and,	or restrictions of use	
	Authorizations:	-	
	Restrictions:	-	



Page 16 of 17

Trading name:	BIOWAX 56/58			_
Product code:	BW56/58-X**	Date of compilation:	14 November 2022	Version: 5

	None	
15.2.	Chemical safety asses	sment
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
	Information according guideline)	g 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-
		REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);
		Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006;
		Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work;
	Other EU regulations:	Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC;
		Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC;

SECTION	16. Other information		
16.1.	Indication of changes:	-	
16.2.	Abbreviations and acronyms:	PBT vPvB LD ₅₀ LC ₅₀ STOT-SE	Stable, bioaccumulative and toxic Strongly stable and strongly bioaccumulative. Lethal dose, 50% Lethal concentration, 50% Specific target organ toxicity - single exposure
16.3.	Key literature references and source of data:	-	
16.4.	Classification and procedure used to derive the classification for mixture according to Regulati 1272/2008 (CLP)		ne classification for mixture according to Regulation (EC)
Classification C		Classification pro	cedure
16.5.	Relevant H statements (number and full text)		
	H:	•	



SAFETY DATA SHEET

BIOGNOST® According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 17 of 17

Trading name:	BIOWAX 56/58			
Product code:	BW56/58-X**	Date of compilation:	14 November 2022	Version: 5

16.6.	Training advice:	-
16.7.	Further information:	** "X" in the product code marks different volumes (different packagings of the product) We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.

ANNEX: Exposure scen	rio resulting to Chemical safety assessment
_	