

Page 1 of 18

Trading name:	CLEAN LENS, SOLUTION 1				
Product code:	CL1-OT-X**	Date of compilation:	21 Dec 2022	Version:	3

1.1.	Product identifier	the substance/i	IIIX CUI E	and of the company/undertaking			
	Trading name:	CLEAN LENS,	SOLUTIO	N 1			
	Chemical name:	-	-				
	Catalogue number:	CL1-OT-X**					
1.2.	Relevant identified uses of the substance or mixture and uses advised against						
	Uses:		Solution according to Carl Zeiss formulation for cleaning microscope lens.				
	Uses advised against:		Only	the identified uses are advised.			
	Reason why uses advised against:		The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.				
1.3.	Details of the supplie	r of the safety da	ta sheet				
	Supplier:		BioGnost Ltd.				
	Address:		Medjugorska 59, Zagreb				
	Telephone number:		+385 1 2409997				
	Fax no.:		+385 1 2404039				
	e-mail of competent	person:	msds@biognost.hr				
	National contact person:		-	-			
1.4.	Emergency telephone	number					
_	National Protection a	nd Rescue Direct	orate:	112			
	Medical information:			+385 1 2348 342			
	Other information:						

SECTIO	SECTION 2. Hazards identification				
2.1.	Classification of the substance or mixture				
2.1.1.	Classification (REGULATION (EC) No. 1272/20	008 (CLP)			
	Hazard class and category code:	Hazard statements*:			
	Flam. Liq. 2	H225			
	Asp. Tox. 1	H304			
	Skin Irrit. 2	H315			
	STOT SE 3	H336			
	Repr. 2	H361f			
	STOT RE 2	H373			
	Aquatic Chronic 2	H411			
2.1.2.	Additional information				



Page 2 of 18

Trading name:	CLEAN LENS, SOLUTION 1				
Product code:	CL1-OT-X**	Date of compilation:	21 Dec 2022	Version:	3

*For f	ull text of Hazard- and EU Hazard	-statements: see Section 16			
2.2.	Classification according to EC Directive Nr. 1272/2008 (CLP)				
	Product identification:	CLEAN LENS, SOLUTION 1			
	Identification number:	-			
	Authorization no.:	-			
	Hazard pictograms:	GHS02 GHS07 GHS08 GHS09			
	Signal word:	DANGER			
	Warning statements:	 H225 Highly flammable liquid and vapor. H304 May be fatal if swallowed and enters respiratory system. H315 Causes skin irritation. H336 May cause drowsiness or dizziness. H361F Suspected of damaging fertility. H373 May cause damage to organs through prolonged or repeated exposure. H411 Very toxic to aquatic life with long lasting effects. 			
	Precautionary statements:	P210 Keep away from heat/sparks/open flames/hot surfaces. Do no smoke. P273 Avoid release to the environment. P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor. P308 + P313 IF exposed or concerned: Get medical advice/attention. P331 Do NOT induce vomiting.			
	Further information:	-			
2.3.	Other hazards				
	No known endocrine disruptir This substance/mixture contai	ng properties. Ins no components considered to be either persistent, bioaccumulative and and very bioaccumulative (vPvB) at levels of 0.1% or higher.			



Page 3 of 18

Trading name:	CLEAN LENS, SOLUTION 1				
Product code:	CL1-OT-X**	Date of compilation:	21 Dec 2022	Version:	3

SECTION 3. Cor	SECTION 3. Composition/information on ingredients					
CAS/ EC/ Index no.	REACH registration number	Weight % content (or range)	Identification name	Classification (REGULATION) (EC) No 1272/2008 (CLP)		
110-54-3/ 203-777-6/ 601-037-00-0	_	80 – 100 %	n-hexane	Flam. Liq. 2; H225 Repr. 2; H361f Aspir. tox. 1; H304 STOT SE 2; H373 Skin Irr. 2; H315 STOT SE 3; H336 Aquatic Chronic 2; H411		
67-63-0/ 200-661-7/ 603-117-00-0	-	15 - 25 %	propan-2-ol	Flam. Liq. 2; H225 Eye Irr. 2; H319 STOT SE 3; H336		

4.1.	Description of first aid meas	sures
	General notes:	Remove contaminated clothes. Take the afflicted person away from contaminated area.
	Following inhalation:	Carry the afflicted person out for fresh air, place them in half lying position and calm them down. If breathing stops, immediately apply artificial respiration. In case of any symptoms, seek medical assistance; in case of fainting, transfer the person to hospital in lateral position while maintaining the airways clear.
	After skin contact:	Immediately remove the clothes contaminated with the product. Immediately rinse the contaminated area with water and soap for at least 15 minutes; in case of persisting symptoms seek medical assistance.
	After eye contact:	Remove the lens (if the afflicted person uses them). Using clean fingers spread eyelids and rinse the eyes using mild jet of water for at least 15 minutes. In case of persisting symptoms (strong redness, burning sensation or permanent tearing), seek ophthalmologist's assistance.
	After swallowing:	In order to avoid aspiration into the lungs, do not induce vomiting. Rinse the mouth with water, do not provide anything to drink to the afflicted person. Do not place anything to the mouth of the unconscious person. Calm the afflicted person down and place them in the half lying position. Should spontaneous vomiting occur, keep their head under their hips in order to prevent aspiration into the lungs (breathing in). IMMEDIATELY CALL PHYSICIAN.
	Personal protection used by the person providing first aid measures:	-



Page 4 of 18

Trading name:	CLEAN LENS, SOLUTION 1				
Product code:	CL1-OT-X**	Date of compilation:	21 Dec 2022	Version:	3

	Following inhalation:	Headache, nausea, vomiting, unconsciousness, vertigo, weakness	
	After skin contact:	Redness, irritation, drying anc cracking of skin	
	After eye contact:	Redness, tearing, pain	
	After swallowing:	Unconsciousness, loss of coordination, stomach pain, headache, nausea, vomiting, vertigo, weakness	
4.3.	Indication of any immediate medical attention and special treatment needed		
	Treat symptomatically.		

SECTIO	SECTION 5. FIREFIGHTING MEASURES				
5.1.	Extinguishing media				
	Suitable extinguishing media:	Dust, water, water spray. Adapt extinguishing to local conditions and other stored chemicals.			
	Unsuitable extinguishing media:	Strong jet of water.			
5.2.	Special hazards arising from the substance or mixture				
	Hazardous combustion products:	May cause toxic gases liberation - carbon oxides. Fumes are heavier than air and can spread across the ground; may create explosive mixture with air.			
5.3.	Advice for firefighters				
	In case of fire use self-sustaining breathing device with independent air supply and fireproof suit.				
5.4.	Additional information				
		I tanks exposed to fire. Separately collect the waste water used for e into the drainage system. Use only non-sparking tools.			

SECTIO	SECTION 6. ACCIDENTAL RELEASE MEASURES				
6.1.	Personal precautions, protective equipment and emergency procedures				
6.1.1.	For non-emergency personnel				
	Protective equipment:	Use personal protective equipment. Keep the persons without protective equipment away. Do not inhale vapor. Do not get in eyes or on skin. Keep away from heat and sparks.			
	Accident prevention procedure:	Adhere to the handling measures listed in Section 7.			
	Emergency procedures:	Use protective equipment. Remove all the persons from the place of the accident, notify the responsible persons and services.			
6.1.2.	For emergency responders:				
	Use full protective equipment. Remove the persons without protective equipment from the place of potential exposure.				
6.2.	Environmental precautions:				
	Inform the responsible person. Prevent from spilling into sewers, waterways and draining systems. In of larger quantities spilled to the environment, inform National protection and rescue directorate (11)				



Page 5 of 18

Trading name:	CLEAN LENS, SOLUTION 1				
Product code:	CL1-OT-X**	Date of compilation:	21 Dec 2022	Version:	3

6.3.	Methods and materia	al for containment and cleaning up		
6.3.1.	Bunding, covering of drains; capping procedures:	Prevent spilling to sewers, waterways and draining system by placing absorbing barriers.		
6.3.2.	Cleaning up:	Collect the spilled liquid with absorbing materials (sand, soil, universal binding agents). Transfer to containers that can be tightly closed, keep in well ventilated places until disposal. Hand over the material to the legal person authorized for collecting/disposing of hazardous waste. Rinse the residues with water.		
6.3.3.	Other information: Use only non-sparking tools.			
6.4.	Reference to other sections			
	Refer to Section 8 fo	r protective equipment. Refer to Section 14 for managing waste disposal.		

7.1.	Precautions for safe handling				
7.1.1.	Protection measures				
	Measures to prevent fire:	Vapors may create explosive mix with air. Take precaution preventing occurrence of static electricity. All equipment must grounded during work. All devices must be explosion-proof. away from sources of heat and ignition. Keep away from source ignition — No smoking			
	Measures to prevent aerosol and dust generation:	Not applicable			
	Environmental precautions:	Prevent from spilling into sewers, waterways and draining systems			
	Other measures:	-			
7.1.2.	Advice on general occupational hyg	Advice on general occupational hygiene:			
	Keep separate from food and drink. Wear protective clothes and equipment. Take off all contaminated clothing immediately. Wash hands before rest and at the end of the work day. Avoid contact with skir and eyes. Do not inhale vapor				
	clothing immediately. Wash hands and eyes. Do not inhale vapor.	•	·		
7.2.		before res	t and at the end of the work day. Avoid contact with skin		
7.2.	and eyes. Do not inhale vapor.	before res	t and at the end of the work day. Avoid contact with skin		
7.2.	and eyes. Do not inhale vapor. Conditions for safe storage, including	before res	mpatibilities Keep in places with solvent-proof floors. Keep in original		
7.2.	and eyes. Do not inhale vapor. Conditions for safe storage, including Technical measures and storage conditions.	before resi	mpatibilities Keep in places with solvent-proof floors. Keep in original packaging.		
7.2.	and eyes. Do not inhale vapor. Conditions for safe storage, including Technical measures and storage concentrations of the containers materials:	before resi	mpatibilities Keep in places with solvent-proof floors. Keep in original packaging. Use only manufacturer's original packaging.		
7.2.	and eyes. Do not inhale vapor. Conditions for safe storage, including Technical measures and storage concentrations of the storage concentrations of the storage rooms and the storage rooms are storage rooms and the storage rooms are storage rooms and the storage rooms are storage rooms.	ng any inco nditions: nd vessels:	mpatibilities Keep in places with solvent-proof floors. Keep in original packaging. Use only manufacturer's original packaging. Impermeable floor. Secure proper ventilation. Protect from light and direct		
7.2.	and eyes. Do not inhale vapor. Conditions for safe storage, including Technical measures and storage concentrations of the storage concentration of the storage rooms and Advices for storage equipment:	ng any inco nditions: nd vessels:	mpatibilities Keep in places with solvent-proof floors. Keep in original packaging. Use only manufacturer's original packaging. Impermeable floor. Secure proper ventilation. Protect from light and direct heat sources. Store in well ventilated containers and separate from		



Fresh water

Freshwater sediments

SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 6 of 18

[
Trading name:				CL	EAN LEN	IS, S	OLUTION	1		
Product code:	CL1-OT	-X**	Date o	f com	pilation:	21	Dec 2022	-	Version:	3
Special dec	isions for	r industry se	ctor:		For ind	ustria	al and profe	ession	al use only.	
SECTION 8. Exposu	re contr	ols/persona	al protec	tion						
8.1. Control par	ameters									
				Occi	upational	ехро	sure limit			
Substance		CAS I	No	val	ues/short	tern	n values		Biological I	imit values
					ppm	ı	mg/m³			
n-hexane		110-5	4-3		20/-		72/-			-
2-propanol		67-63	3-0	40	0/500	99	99/1250		-	-
Substance: -										
EC No: -		CAS No:	_							
DNEL		1	·							
				Ind	lustrial					
Route of		Acute		Acute			Chronic		(Chronic
exposure:	effe	ect local	effe	ect sys	temic		effect local		effe	ct systemic
Oral	-		-			-	-		-	
Inhalation	_		_			-		_	³ (propan-2-ol)	
										(n-hexane)
									888 mg/kg (propan-2	•
Dermal	-		-			-			11 mg/kg	
									(n-hexane	•
Critical physical para	meters: s	solubility, fla	ımmabili	tv. cor	rosivity:				1 `	•
ризови ризови ризови					nsumer					
Route of		Acute		Acute			Chronic			 Chronic
exposure:		ect local	effe	ect sys			effect loca	al		ct systemic
-									26 mg/kg	
Oral	-		-			-			(propan-2	•
Inhalation	_		_			_			_	(propan-2-ol)
minalation			-			ļ <u> </u>				(n-hexane)
										g (propan-2-ol)
Dermal	-		-			-			5.3 mg/kg (n-hexane	•
PNEC									(II-IIEXaile	-)
	ation to	a a t			DNIEC					
Environmental prote	ection tar	get			PNEC					

No information available

No information available



Page 7 of 18

Trading name:	CLEAN LENS, SOLUTION 1			_	
Product code:	CL1-OT-X**	Date of compilation:	21 Dec 2022	Version:	3

Marine w	ater		No information available	
Marine se	ediments		No information available	
Food cha	in		No information available	
Microorg	anisms in sewage treatment		No information available	
Soil (agricultural)			No information available	
Air			No information available	
8.2.	Exposure controls			
8.2.1.	Engineering measures			
	Substance/mixture related measures to prevent exposure during identified uses:	Handle and open the containers with care. Use per protective equipment. Do not eat, drink or smoke during w		
	Structural measures to prevent exposure:	-		
	Organizational measures to prevent exposure:	Comply to general and special measures for working chemicals at places where chemicals are used. Do not const food and drink in the places of use. Wash hands and face water after work and before daily breaks.		
	Technical measures for preventing exposure:	In cas	e proper ventilation. e of accident, devices for rinsing eyes and showers must be vicinity and easily accessible.	
8.2.2.	Individual protection measures			
8.2.2.1.	Eye and face protection:	levels o	glasses that stick to face (EN 166) or visor in case of lower of concentration in air; protective gas mask that covers the ace in case of higher levels of concentration in air.	
8.2.2.2.	Skin protection			
	Hand protection:	Regulat Full cor Splash	otective gloves have to satisfy the specification of tion (EU) 2016/425 and the related standard EN 374. Intact: Glove material: butyl rubber Glove thickness: ≥ 0.50 mm Time until perforation: > 480 min contact: Glove material: nitrile rubber Glove thickness: 0.4 mm Break through time: 35 min	



Page 8 of 18

Trading name:	CLEAN LENS, SOLUTION 1				
Product code:	CL1-OT-X**	Date of compilation:	21 Dec 2022	Version:	3

	Body protection:	During everyday work use antistatic clothing (EN 13688) and suitable footwear, such as rubber boots (EN 20345) or shoes that cover the entire foot. In case of spilling hazard, use clothing made of impermeable material suitable for protection from liquid chemicals (Viton, PVC, himex) and footwear made from the same material.
8.2.2.3.	Respiratory protection:	If the concentration level exceeds the GVI values (or because of inadequate ventilation), use a filter for organic vapors, type "A" (boiling point >65°C) according to EN 14387.
8.2.2.4.	Thermal hazards:	No information available.
8.2.3.	Environmental exposure controls	
	Substance/mixture related measures to prevent exposure:	See Section 6
	Structural measures to prevent exposure:	Use modern equipment.
	Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
	Technical measures for preventing exposure:	See Section 6

9.1.	Information on basic physical ar	nd chemical properties	
		Value	Method
	Physical state:	liquid	No information available
	Color:	transparent	No information available
	Odour/odour threshold:	biting/no information avaialble	No information available
	Melting point / freezing point:	Not specified.	No information available
	Boiling point or initial boiling point and boiling range:	> 64 °C (64 – 70)	No information available
	Flammability:	No information available.	No information available
	Lover and upper explosion limit:	> 64 °C (64 – 70)	No information available
	Flash point:	< 0 °C	No information available
	Auto-ignition temperature:	No information available.	No information available
	Decomposition temperature:	No information available.	No information available
	рН:	No information available.	No information available
	Kinematic viscosity:	No information available.	No information available
	Solubility:	No information available.	No information available



Page 9 of 18

Trading name:		CLEAN LEN	S, SOLUTION 1		
Product code:	CL1-OT-X**	Date of compilation:	21 Dec 2022	Version:	3

	Partition coefficient n- octanol/water (log value):	No information available.	No information available.
	Vapour pressure:	No information available.	No information available.
	Density and/or relative density	No information available.	No information available.
	Relative vapour density:	No information available.	No information available.
	Particle characteristics:	No information available.	No information available.
9.2.	Other information		
	-		

SECTIO	SECTION 10. STABILITY AND REACTIVITY				
10.1.	Reactivity:	No information available.			
10.2.	Chemical stability:	Stable under normal usage conditions.			
10.3.	Possibility of hazardous reactions:	Contact with strong oxidants (peroxides, chromates).			
10.4.	Conditions to avoid:	Exposure to sources of direct heat and sunlight.			
10.5.	Incompatible materials:	Mixes of nitrates or other strong oxidants (such as chlorates, perchlorates, liquid oxygen) may cause explosive mix.			
10.6.	Hazardous decomposition products:	Carbon monoxides.			

SECTION 11. Tox	cicological info	rmation			
11.1. Informat	ion on toxicolo	gical effects			
Acute to	xicity:				
Route of exposure:	Method	Species	Effective dose LD ₅₀ /LC ₅₀ or ATE _{mixture}	Exposure time	Results
Oral exposure:	-	rat	LD ₅₀	-	5.840 mg/kg (2- propanol) 16.000 mg/kg (n-hexane)
Skin contact:	-	rabbit	LD ₅₀	-	12.800 mg/kg (2- propanol) >3.350 mg/kg (n-hexane)
Inhaling:	-	rat	LC ₅₀	4 h	37.5 mg/l – vapor (2- propanol) >17.600 mg/kg (n- hexane)
Specific	target organ to	xicity – single ex	posure (STOT SE):		
	Sp	pecific effects	Та	rget organ	Note
Oral exposure:	No informa	tion available	No informa	tion available	-



Page 10 of 18

T.,,		CI		C COLUTION		Page 1	0 01 10	
Trading name:		CLEAN LENS, SOLUTION 1						
Product code:	CL1-OT-X**	Date of com	pilation:	21 Dec 2022	Vei	rsion:	3	
Skin contact:	No information ava	rmation available	<u> </u>	_				
Inhaling:	No information ava	ilable	No info	rmation available)	may cause or dizzine	e drowsiness ss	
Aspiration	hazard:							
levitation o	and correction							
irritation a	Exposure time	Species	Evaluatio	n Method	J	No	***	
Skin	Exposure time	Species	Evaluatio	ii wethod	J	INC	ne	
corrosion/irritation	- •			_	irr	itates skin a	nd mucus.	
Serious eye damage/irritation	-	-		-		uses seriou itation	s eye	
Sensitizati								
Skin sensitization:	Does not cause ser	isitization.						
Respiratory sensitization:	Does not cause ser	nsitization.						
Symptoms	s related to the physic	cal, chemical ar	nd toxicolo	gical characterist	ics			
Oral exposure:	Unconsciousness, weakness	oss of coordin	ation, stor	nach pain, head	lache, na	ausea, vom	iting, vertigo	
Skin contact:	Redness, irritation,	drying and crad	cking of sk	in				
Inhaling:	May cause damage	to organs thro	ugh prolo	nged or repeated	d exposu	ıre – Nervoı	ıs system.	
Eye contact:	Redness, tearing, p	ain						
Repeated	dose toxicity (subacu	te, subchronic,	chronic)					
	Dose	Exposure time	Spec	ies Method		Evaluation	Note	
Subacute oral	No informati available	on No informatio available	n No infor on avail	mati No informa able available	tion	No information available	-	
Subacute dermal	No informati available	No informatio available	No infor on avail	mati No informa available	tion	No information available	-	



Page 11 of 18

Trading name:		CLEAN LEN	S, SOLUTION 1		
Product code:	CL1-OT-X**	Date of compilation:	21 Dec 2022	Version:	3

Subacute inhaling toxicity	No information available	No information available	No informati on available	No information available	No information available	-
Subchronic oral	No information available	No information available	No informati on available	No information available	No information available	-
Subchronic dermal toxicity	No information available	No information available	No informati on available	No information available	No information available	_
Subchronic inhalation	No information available	No information available	No informati on available	No information available	No information available	-
Chronic oral	No information available	No information available	No informati on available	No information available	No information available	-
Chronic dermal toxicity	No information available	No information available	No informati on available	No information available	No information available	-
Chronic inhalation	No information available	No information available	No informati on available	No information available	No information available	-

	Specific effects	Target organ	Note	
Subacute oral	No information available	No information available	-	
Subacute dermal	No information available	No information available	-	
Subacute inhaling toxicity	No information available	No information available	-	
Subchronic oral	No information available	No information available	-	
Subchronic dermal toxicity	No information available	No information available	-	
Subchronic inhalation	No information available	No information available	-	
Chronic oral	No information available	No information available	-	
Chronic dermal toxicity	No information available	No information available	-	
Chronic inhalation	No information available	No information available	-	



Page 12 of 18

Trading name:		CLEAN LEN	S, SOLUTION 1		
Product code:	CL1-OT-X**	Date of compilation:	21 Dec 2022	Version:	3

	Carcinogenicity:	Based on available data, the classification criteria are no met.
	Mutagenicity in-vitro:	Based on available data, the classification criteria are no met.
	Genotoxicity:	Based on available data, the classification criteria are no met.
	Mutagenicity in-vivo:	Based on available data, the classification criteria are no met.
	Germ cell mutagenicity:	Based on available data, the classification criteria are no met.
	Reproductive toxicity:	Overexposure may cause reproductive disorder(s) based or tests with laboratory animals. Suspected human reproductive toxicant Suspected of damaging fertility. Suspected of damaging fertility.
	Total evaluation of CMR properties:	-
11.2.	Information on other hazards:	
11.2.1.	Endocrine disrupting properties:	
	No known endocrine disrupting properties that affect human health.	
11.2.2.	Other informations:	

SECTION	12. Ecological information:

12.1. Toxicity						
Acute (short-term) toxicity	Dose	Exposure period	Organism	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	Pimephales promelas (fathead minnow)	-	2.5 mg/L (n-hexane) 9.640 mg/l mg/l (2-propanol)	-
Crustacea:	EC ₅₀	48 hours	Daphnia magna	-	13.299 mg/l (2-propanol) 2.1 mg/l (n- hexane)	-
Algae/aquatic plants	IC ₅₀	72 hours	algae	_	>1,000 mg/l (2-propanol)	-



Page 13 of 18

Trading name	:				CLEAN LEN	IS, SOLUTI	ION 1		
Product code:	(CL1-OT-X**		Date c	of compilation:	21 Dec 2	2022	Version:	3
Other organism		-	-		-	-	-		-
Chronic (long-t toxicity	erm)	Dose Exposure period			Organism	Method	ethod Evaluat		Note
Fish		LC ₅₀	96 ho	urs	-	-	-		-
Crustacea:		EC ₅₀	48 ho	urs	-	-	-		-
Algae/aquatic p	olants	IC ₅₀	72 ho	urs	-	-	-		-
Other organism	ns	-	-		-	-	-		-
		and degradak	oility						
Abiotio		adation							
	D	egradation h	alf-lives		Method	Evalı	uation		Note
Marine water	-			-		-		No ii avail	nformation able.
Fresh water	-			-		-		No ii avail	nformation able.
Air	-			-		-		No ii avail	nformation able.
Soil	-			-		-		No ii avail	nformation able.
Piodo	radat	ion		1				i	
Biodeo % Degradation		Time (da	vs)		Method	Fyalı	uation		Note
-	-	Time (de	y <i>3)</i>		Wicthod	-	dation	_	Note
12.3. Bioacc	umula	itive potentia	I						
		efficient: n-oc		ater (lo	og Kow):				
Value	Conc	entration	рН	°C	Method		Evaluatio	n	Note
			-	-	-	-		-	
				•	·				
Biocor	ncentra	ation factor (BCF)						
Value		Specie	es		Method	Eva	aluation		Note
-	-			-		-			information ilable.
Chron	ic ecot	toxicity							



Page 14 of 18

Trading name:		CLEAN LENS	S, SOLUTION 1		
Product code:	CL1-OT-X**	Date of compilation:	21 Dec 2022	Version:	3

Product	t code:	CL1	-OT-X**	Date of c	ompilation	: 21 Dec 2	2022	Version:	3
	Value		Dose	Exposure period	Urganism		d Eva	luation	Note
Chronic	toxicity	on fish	LC ₅₀			1	No information available.		
	onic toxicity on stacea (Daphnia) EC50							No information available.	
12.4.	Mobility	/ in soil							
	Known	or predic	ted distribut	ion in environ	mental com	partments:			
	No info	rmation	available.						
		tension:		1					
	Valu	ie	°C	°C Concentration Method		d	Note		
	_				No infor	mation available			
Transpo Soil-wat Water-a	rt er -		efficient constant	log Kow	Evapo	pration rate	Metl		Note No information available. No information available. No information
Soil-air	-			-	-		-		available.
12.5.	This sul	ostance/r		ains no compo					accumulative and
	toxic (P	bi), or ve	ery persistent	and very bioa	iccumulative	e (NANR) at len	eis of 0.15	% or nighe	г.
12.6.	Endocri	ne disrup	oting propert	ies					
	The sub	stance/n			-				rupting propertie
	accordi	_	ACH Article 5 2018/605 at	levels of 0.1%	_	ated regulation	511 (20) 20	717/2100 0	i Commission
	accordi	_			_	ated regulation	511 (20) 20	717/2100 0	Commission

No further relevant information available.



Page 15 of 18

Trading name:	CLEAN LENS, SOLUTION 1				
Product code:	CL1-OT-X**	CL1-OT-X** Date of compilation:		Version:	3

SECTIO	N 13. Disposal considerat	ions	
13.1.	Waste treatment metho	ds	
13.1.1.	Product/Packaging disp	osal:	
	collecting/disposing of may be reused or recyc not intended for clean	aste is not permitted. Hand over the material to the legal person authorized for hazardous waste. Contaminated packaging must be adequately emptied, and it teled after adequate cleaning. Empty the remaining contents. Packaging that is ing must be disposed of in the same manner as the product stored in the weld and/or cut the empty packaging - there is possibility of residual fumes	
13.1.2.	Waste codes/waste desi	gnations according to Law:	
		gnations must be determined in accordance with local hazardous waste	
13.1.3.	Wasta treatment releva	ant information:	
15.1.5.	Waste treatment – relevant information: No information available.		
	NO IIIIOIIIIatioii availabie	: .	
13.1.4.	Sewage disposal – relevant information:		
	Avoid larger amounts of	undiluted product from entering sewers.	
13.1.5.	Other disposal recomme	endations:	
	No information available		
13.1.6.	Relevant Community pro		
	-		
SECTIO	N 14. Transport informati	on	
	Transporting/shipment by	road (ADR)	
UN num	nber:	1208	
UN proper shipping name:		Hexanes	
Transport hazard class(es):		3	
Packing group:		ll l	
Environmentally hazardous:		yes	
Special	precautions for user:	-	
	Transporting/shipment by	rail (RID)	
UN num	nber:	1208	
UN prop	per shipping name:	Hexanes	



Page 16 of 18

Trading name:	CLEAN LENS, SOLUTION 1				
Product code:	CL1-OT-X**	OT-X** Date of compilation:		Version:	3

Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	yes
Special precautions for user:	-
Inland waterway transport (ADN)	
UN number:	1208
UN proper shipping name:	Hexanes
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	yes
Special precautions for user:	-
Transporting/shipment by sea (IN	MDG)
UN number:	1208
UN proper shipping name:	Hexanes
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	yes
Special precautions for user:	-
Transporting/shipment by air (ICA	AO-TI/IATA-DGR)
UN number:	1208
UN proper shipping name:	Hexanes
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	yes
Special precautions for user:	-
Further information: -	

SECTIO	SECTION 15. REGULATORY INFORMATION		
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture		
	EU regulations		
	Authorization and/or restric	ctions of use	
	Authorizations:	-	
	Restrictions:	-	



Page 17 of 18

Trading name:	CLEAN LENS, SOLUTION 1				
Product code:	CL1-OT-X**	Date of compilation:	21 Dec 2022	Version:	3

	Other EU regulations:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC; Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC; Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work; Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006; REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);	
	Information (Directive 1999/13/EC) on restricting emissions of volatile organic compounds ("VOC"):		
	National regulation:	The Chemicals Act, the Ordinance on the Classification, Labeling, Marking and Packaging of Hazardous Chemicals.	
15.2.	Chemical safety assessment		
	-		

SECTION 16. Other information			
16.1.	Indication of changes:	-	
16.2.	Abbreviations and acronyms:	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative	
16.3.	Key literature references and source of data:	-	



Page 18 of 18

Trading name:	CLEAN LENS, SOLUTION 1				
Product code:	CL1-OT-X**	CL1-OT-X** Date of compilation:		Version:	3

16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)				
Classifi	Classification according to CLP		Classification procedure		
_			-		
16.5.	5. Relevant H statements (num		ber and full text)		
		225	Highly flammable liquid and vapor		
		304	May be fatal if swallowed and enters respiratory system.		
		315	Causes skin irritation		
	H:	319	Causes serious eye irritation		
	п.	336	May cause drowsiness or dizziness.		
		361f	Suspected of damaging fertility.		
		373	May cause damage to organs through prolonged or repeated exposure.		
		411	Toxic to aquatic life with long lasting effects.		
16.6.	Trai	ining advice:	-		
16.7.	16.7. Further information:		Safety data sheet is used for proper use and protective measures and it is compiled on the basis of available data and the original SDS file of the manufacturer. The user of the product must comply with all the listed data for safe product handling, as well as be trained for safe use and transport. Legal or physical entity that markets the product in the Republic of Croatia is not held responsible for improper use and consequences stemming from it. SDS does not guarantee the product quality.		

ANNEX:

EXPOSURE SCENARIO RESULTING TO CHEMICAL SAFETY ASSESSMENT

-