





Trading name:	<b>CLEAN LENS, SOLUTION 3</b>				
Product code:	CL3-OT-X**	Date of compilation:	26 April 2024	Version:	4

<b>SECTION 1. Identification of the substance/mixture and of the company/undertaking</b>		
1.1.	Product identifier	
	Trading name:	CLEAN LENS, SOLUTION 3
	Chemical name:	-
	Catalogue number:	CL3-OT-X**
1.2.	Relevant identified uses of the substance or mixture and uses advised against	
	Uses:	Solution for cleaning microscope lens and removing immersion oil from stained slide after using microscope.
	Uses advised against:	Only the identified uses are advised.
	Reason why uses advised against:	The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.
1.3.	Details of the supplier of the safety data sheet	
	Supplier:	BioGnost Ltd.
	Address:	Medjugorska 59, Zagreb
	Telephone number:	+385 1 2409997
	Fax no.:	+385 1 2404039
	e-mail of competent person:	<a href="mailto:msds@biognost.hr">msds@biognost.hr</a>
	National contact person:	-
1.4.	Emergency telephone number	
	National Protection and Rescue Directorate:	112
	Medical information:	+385 1 2348 342
	Other information:	-

<b>SECTION 2. Hazards identification</b>		
2.1.	Classification of the substance or mixture	
2.1.1.	Classification (REGULATION (EC) No. 1272/2008 (CLP))	
	Hazard class and category code:	Hazard statements*:
	Flam. Liq. 2	H225
	Asp. Tox. 1	H304
	Skin Irr. 2	H315
	STOT SE 3	H336
	Aquatic Chronic 2	H411
2.1.2.	Additional information	
	-	
*For full text of Hazard- and EU Hazard-statements: see Section 16		

Trading name:	<b>CLEAN LENS, SOLUTION 3</b>				
Product code:	CL3-OT-X**	Date of compilation:	26 April 2024	Version:	4

<b>2.2. Label elements</b>	
Product identification:	CLEAN LENS, SOLUTION 3
Identification number:	-
Authorization no.:	-
Hazard pictograms:	<div style="display: flex; flex-wrap: wrap; justify-content: space-around;"> <div style="text-align: center;">               GHS02         </div> <div style="text-align: center;">               GHS07         </div> <div style="text-align: center;">               GHS08         </div> <div style="text-align: center;">               GHS09         </div> </div>
Signal word:	DANGER
Warning statements:	H225 Highly flammable liquid and vapor. H304 May be fatal if swallowed and enters respiratory system. H315 Causes skin irritation. H336 May cause drowsiness or dizziness. H411 Very toxic to aquatic life with long lasting effects.
Precautionary statements:	P210 Keep away from heat/sparks/open flames/hot surfaces. Do not smoke. P273 Avoid release to the environment. P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor. P308 + P313 IF exposed or concerned: Get medical advice/attention. P331 Do NOT induce vomiting.
Further information:	-

<b>2.3. Other hazards</b>	
No known endocrine disrupting properties. This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.	

<b>SECTION 3. Composition/information on ingredients</b>				
CAS/ EC/ Index no.	REACH registration number	Weight % content (or range)	Identification name	Classification (REGULATION) (EC) No 1272/2008 (CLP)

Trading name:	<b>CLEAN LENS, SOLUTION 3</b>			
Product code:	CL3-OT-X**	Date of compilation:	26 April 2024	Version: 4

110-54-3/ 203-777-6/ 601-037-00-0	-	80 – 100 %	naphtha (petroleum)	Flam. Liq. 2; H225 Aspir. tox. 1; H304 Skin Irr. 2; H315 STOT SE 3; H336 Aquatic Chronic 2; H411
67-63-0/ 200-661-7/ 603-117-00-0	-	3 - 6 %	propan-2-ol	Flam. Liq. 2; H225 Eye Irr. 2; H319 STOT SE 3; H336

**SECTION 4. FIRST AID MEASURES**

**4.1. Description of first aid measures**

General notes:	Remove contaminated clothes. Take the afflicted person away from contaminated area.
Following inhalation:	Carry the afflicted person out for fresh air, place them in half lying position and calm them down. If breathing stops, immediately apply artificial respiration. In case of any symptoms, seek medical assistance; in case of fainting, transfer the person to hospital in lateral position while maintaining the airways clear.
After skin contact:	Immediately remove the clothes contaminated with the product. Immediately rinse the contaminated area with water and soap for at least 15 minutes; in case of persisting symptoms seek medical assistance.
After eye contact:	Remove the lens (if the afflicted person uses them). Using clean fingers spread eyelids and rinse the eyes using mild jet of water for at least 15 minutes. In case of persisting symptoms (strong redness, burning sensation or permanent tearing), seek ophthalmologist's assistance.
After swallowing:	In order to avoid aspiration into the lungs, do not induce vomiting. Rinse the mouth with water, do not provide anything to drink to the afflicted person. Do not place anything to the mouth of the unconscious person. Calm the afflicted person down and place them in the half lying position. Should spontaneous vomiting occur, keep their head under their hips in order to prevent aspiration into the lungs (breathing in). IMMEDIATELY CALL PHYSICIAN.
Personal protection used by the person providing first aid measures:	-

**4.2. Most important symptoms and effects, both acute and delayed**

Following inhalation:	Headache, nausea, vomiting, unconsciousness, vertigo, weakness
After skin contact:	Redness, irritation, drying and cracking of skin
After eye contact:	Redness, tearing, pain
After swallowing:	Unconsciousness, loss of coordination, stomach pain, headache, nausea, vomiting, vertigo, weakness

Trading name:	<b>CLEAN LENS, SOLUTION 3</b>				
Product code:	CL3-OT-X**	Date of compilation:	26 April 2024	Version:	4

4.3.	Indication of any immediate medical attention and special treatment needed
	Treat symptomatically.

<b>SECTION 5. FIREFIGHTING MEASURES</b>	
5.1.	Extinguishing media
	Suitable extinguishing media: Dust, water, water spray. Adapt extinguishing to local conditions and other stored chemicals.
	Unsuitable extinguishing media: Strong jet of water.
5.2.	Special hazards arising from the substance or mixture
	Hazardous combustion products: May cause toxic gases liberation - carbon oxides. Fumes are heavier than air and can spread across the ground; may create explosive mixture with air.
5.3.	Advice for firefighters
	In case of fire use self-sustaining breathing device with independent air supply and fireproof suit.
5.4.	Additional information
	Use water spray to cool the closed tanks exposed to fire. Separately collect the waste water used for extinguishing the fire. Do not release into the drainage system. Use only non-sparking tools.

<b>SECTION 6. ACCIDENTAL RELEASE MEASURES</b>	
6.1.	Personal precautions, protective equipment and emergency procedures
6.1.1.	For non-emergency personnel
	Protective equipment: Use personal protective equipment. Keep the persons without protective equipment away. Do not inhale vapor. Do not get in eyes or on skin. Keep away from heat and sparks.
	Accident prevention procedure: Adhere to the handling measures listed in Section 7.
	Emergency procedures: Use protective equipment. Remove all the persons from the place of the accident, notify the responsible persons and services.
6.1.2.	For emergency responders:
	Use full protective equipment. Remove the persons without protective equipment from the place of potential exposure.
6.2.	Environmental precautions:
	Inform the responsible person. Prevent from spilling into sewers, waterways and draining systems. In case of larger quantities spilled to the environment, inform National protection and rescue directorate (112).
6.3.	Methods and material for containment and cleaning up
6.3.1.	Bunding, covering of drains; capping procedures: Prevent spilling to sewers, waterways and draining system by placing absorbing barriers.

Trading name:	<b>CLEAN LENS, SOLUTION 3</b>				
Product code:	CL3-OT-X**	Date of compilation:	26 April 2024	Version:	4

6.3.2.	Cleaning up:	Collect the spilled liquid with absorbing materials (sand, soil, universal binding agents). Transfer to containers that can be tightly closed, keep in well ventilated places until disposal. Hand over the material to the legal person authorized for collecting/disposing of hazardous waste. Rinse the residues with water.
6.3.3.	Other information:	Use only non-sparking tools.
6.4.	Reference to other sections	
	Refer to Section 8 for protective equipment. Refer to Section 14 for managing waste disposal.	

**SECTION 7. Handling and storage**

7.1.	Precautions for safe handling	
7.1.1.	Protection measures	
	Measures to prevent fire:	Vapors may create explosive mix with air. Take precautions for preventing occurrence of static electricity. All equipment must be grounded during work. All devices must be explosion-proof. Keep away from sources of heat and ignition. Keep away from sources of ignition — No smoking
	Measures to prevent aerosol and dust generation:	Not applicable
	Environmental precautions:	Prevent from spilling into sewers, waterways and draining systems.
	Other measures:	-
7.1.2.	Advice on general occupational hygiene:	
	Keep separate from food and drink. Wear protective clothes and equipment. Take off all contaminated clothing immediately. Wash hands before rest and at the end of the work day. Avoid contact with skin and eyes. Do not inhale vapor.	
7.2.	Conditions for safe storage, including any incompatibilities	
	Technical measures and storage conditions:	Keep in places with solvent-proof floors. Keep in original packaging.
	Containers materials:	Use only manufacturer's original packaging.
	Requirements for storage rooms and vessels:	Impermeable floor.
	Advices for storage equipment:	Secure proper ventilation. Protect from light and direct heat sources.
	Other information on storage conditions:	Store in well ventilated containers and separate from oxidizing agents.
7.3.	Specific end use(s)	
	Recommendations:	-
	Special decisions for industry sector:	For industrial and professional use only.

**SECTION 8. Exposure controls/personal protection**

8.1.	Control parameters
------	--------------------

Trading name:	<b>CLEAN LENS, SOLUTION 3</b>				
Product code:	CL3-OT-X**	Date of compilation:	26 April 2024	Version:	4

Substance	CAS No	Occupational exposure limit values/short term values		Biological limit values
		ppm	mg/m <sup>3</sup>	
2-propanol	67-63-0	400/500	999/1250	-

Substance:	-			
EC No:	-	CAS No:	-	

**DNEL**

<b>Industrial</b>				
Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	500 mg/m <sup>3</sup> (propan-2-ol)
Dermal	-	-	-	888 mg/kg bw/day (propan-2-ol)

Critical physical parameters: solubility, flammability, corrosivity:

<b>Consumer</b>				
Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	26 mg/kg bw/day (propan-2-ol)
Inhalation	-	-	-	89 mg/m <sup>3</sup> (propan-2-ol)
Dermal	-	-	-	319 mg/kg (propan-2-ol)

**PNEC**

Environmental protection target	PNEC
Fresh water	No information available
Freshwater sediments	No information available
Marine water	No information available
Marine sediments	No information available
Food chain	No information available
Microorganisms in sewage treatment	No information available
Soil (agricultural)	No information available
Air	No information available

8.2.	Exposure controls
8.2.1.	Engineering measures

Trading name:	<b>CLEAN LENS, SOLUTION 3</b>				
Product code:	CL3-OT-X**	Date of compilation:	26 April 2024	Version:	4

	Substance/mixture related measures to prevent exposure during identified uses:	Handle and open the containers with care. Use personal protective equipment. Do not eat, drink or smoke during work.
	Structural measures to prevent exposure:	-
	Organizational measures to prevent exposure:	Comply to general and special measures for working with chemicals at places where chemicals are used. Do not consume food and drink in the places of use. Wash hands and face with water after work and before daily breaks.
	Technical measures for preventing exposure:	Secure proper ventilation. In case of accident, devices for rinsing eyes and showers must be in the vicinity and easily accessible.
8.2.2.	<b>Individual protection measures</b>	
8.2.2.1.	Eye and face protection:	Safety glasses that stick to face (EN 166) or visor in case of lower levels of concentration in air; protective gas mask that covers the entire face in case of higher levels of concentration in air.
8.2.2.2.	<b>Skin protection</b>	
	Hand protection:	The protective gloves have to satisfy the specification of Regulation (EU) 2016/425 and the related standard EN 374. Full contact: Glove material: butyl rubber Glove thickness: ≥ 0.50 mm Time until perforation: > 480 min Splash contact: Glove material: nitrile rubber Glove thickness: 0.4 mm Break through time: 35 min
	Body protection:	During everyday work use antistatic clothing (EN 13688) and suitable footwear, such as rubber boots (EN 20345) or shoes that cover the entire foot. In case of spilling hazard, use clothing made of impermeable material suitable for protection from liquid chemicals (Viton, PVC, himex) and footwear made from the same material.
8.2.2.3.	Respiratory protection:	If the concentration level exceeds the GVI values (or because of inadequate ventilation), use a filter for organic vapors, type "A" (boiling point >65°C) according to EN 14387.
8.2.2.4.	Thermal hazards:	No information available.
8.2.3.	<b>Environmental exposure controls</b>	
	Substance/mixture related measures to prevent exposure:	See Section 6

Trading name:	<b>CLEAN LENS, SOLUTION 3</b>			
Product code:	CL3-OT-X**	Date of compilation:	26 April 2024	Version: 4

Structural measures to prevent exposure:	Use modern equipment.
Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
Technical measures for preventing exposure:	See Section 6

**SECTION 9. Physical and chemical properties**

9.1. Information on basic physical and chemical properties			
		Value	Method
	Physical state:	liquid	No information available.
	Color:	transparent	No information available.
	Odour/odour threshold:	ether like/no information available	No information available.
	Melting point / freezing point:	Not specified.	No information available.
	Boiling point or initial boiling point and boiling range:	No information available.	No information available.
	Flammability:	No information available.	No information available.
	Lower and upper explosion limit:	No information available.	No information available.
	Flash point:	< 0 °C	No information available.
	Auto-ignition temperature:	No information available.	No information available.
	Decomposition temperature:	No information available.	No information available.
	pH:	No information available.	No information available.
	Kinematic viscosity:	No information available.	No information available.
	Solubility:	No information available.	No information available.
	Partition coefficient n-octanol/water (log value):	No information available.	No information available.
	Vapour pressure:	No information available.	No information available.
	Density and/or relative density	No information available.	No information available.
	Relative vapour density:	No information available.	No information available.
	Particle characteristics:	No information available.	No information available.
9.2. Other information			
	-		

**SECTION 10. STABILITY AND REACTIVITY**

10.1.	Reactivity:	No information available.
10.2.	Chemical stability:	Stable under normal usage conditions.



Trading name:	<b>CLEAN LENS, SOLUTION 3</b>			
Product code:	CL3-OT-X**	Date of compilation:	26 April 2024	Version: 4

10.3.	Possibility of hazardous reactions:	Contact with strong oxidants (peroxides, chromates...).
10.4.	Conditions to avoid:	Exposure to sources of direct heat and sunlight.
10.5.	Incompatible materials:	Mixes of nitrates or other strong oxidants (such as chlorates, perchlorates, liquid oxygen) may cause explosive mix.
10.6.	Hazardous decomposition products:	Carbon monoxides.

**SECTION 11. Toxicological information**

11.1. Information on toxicological effects

Acute toxicity:

Route of exposure:	Method	Species	Effective dose LD <sub>50</sub> /LC <sub>50</sub> or ATE <sub>mixture</sub>	Exposure time	Results
Oral exposure:	-	rat	LD <sub>50</sub>	-	5.840 mg/kg (2-propanol)
Skin contact:	-	rabbit	LD <sub>50</sub>	-	12.800 mg/kg (2-propanol)
Inhaling:	-	rat	LC <sub>50</sub>	4 h	37.5 mg/l – vapor (2-propanol)

Specific target organ toxicity – single exposure (STOT SE):

	Specific effects	Target organ	Note
Oral exposure:	No information available	No information available	-
Skin contact:	No information available	No information available	-
Inhaling:	No information available	No information available	may cause drowsiness or dizziness

Aspiration hazard:

Irritation and corrosion

	Exposure time	Species	Evaluation	Method	Note
Skin corrosion/irritation:	-	-	-	-	irritates skin and mucus.
Serious eye damage/irritation	-	-	-	-	causes serious eye irritation

Sensitization:

Skin sensitization:	Does not cause sensitization.
---------------------	-------------------------------

Trading name:	<b>CLEAN LENS, SOLUTION 3</b>				
Product code:	CL3-OT-X**	Date of compilation:	26 April 2024	Version:	4

Respiratory sensitization:	Does not cause sensitization.
----------------------------	-------------------------------

Symptoms related to the physical, chemical and toxicological characteristics
--

Oral exposure:	Unconsciousness, loss of coordination, stomach pain, headache, nausea, vomiting, vertigo, weakness
Skin contact:	Redness, irritation, drying and cracking of skin
Inhaling:	May cause damage to organs through prolonged or repeated exposure – Nervous system.
Eye contact:	Redness, tearing, pain

Repeated dose toxicity (subacute, subchronic, chronic)
--

	Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhaling toxicity	No information available	No information available	No information available	No information available	No information available	-
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal toxicity	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-

Trading name:	<b>CLEAN LENS, SOLUTION 3</b>				
Product code:	CL3-OT-X**	Date of compilation:	26 April 2024	Version:	4

Chronic dermal toxicity	No information available	No information available	No information available	No information available	No information available	-
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

--	--	--	--	--	--	--

	Specific target organ toxicity – repeated exposure (STOT RE):					
--	---	--	--	--	--	--

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhaling toxicity	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal toxicity	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal toxicity	No information available	No information available	-
Chronic inhalation	No information available	No information available	-

--	--	--	--	--	--	--

	CMR effects (carcinogenicity, mutagenicity, reproductive toxicity)					
--	--	--	--	--	--	--

	Carcinogenicity:	Based on available data, the classification criteria are not met.
	Mutagenicity <i>in-vitro</i> :	Based on available data, the classification criteria are not met.
	Genotoxicity:	Based on available data, the classification criteria are not met.
	Mutagenicity <i>in-vivo</i> :	Based on available data, the classification criteria are not met.
	Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
	Reproductive toxicity:	Based on available data, the classification criteria are not met.

	Total evaluation of CMR properties:	-
--	-------------------------------------	---

--	--	--	--	--	--	--

11.2.	Information on other hazards:					
-------	-------------------------------	--	--	--	--	--

Trading name:	<b>CLEAN LENS, SOLUTION 3</b>				
Product code:	CL3-OT-X**	Date of compilation:	26 April 2024	Version:	4

11.2.1.	Endocrine disrupting properties:
	No known endocrine disrupting properties that affect human health.
11.2.2.	Other informations:
	-

**SECTION 12. Ecological information:**

**12.1. Toxicity**

Acute (short-term) toxicity	Dose	Exposure period	Organism	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	Pimephales promelas (fathead minnow)	-	9.640 mg/l mg/l (2-propanol)	-
Crustacea:	EC <sub>50</sub>	48 hours	Daphnia magna	-	13.299 mg/l (2-propanol)	-
Algae/aquatic plants	IC <sub>50</sub>	72 hours	algae	-	>1,000 mg/l (2-propanol)	-
Other organisms	-	-	-	-	-	-
Chronic (long-term) toxicity	Dose	Exposure period	Organism	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	-	-	-	-
Crustacea:	EC <sub>50</sub>	48 hours	-	-	-	-
Algae/aquatic plants	IC <sub>50</sub>	72 hours	-	-	-	-
Other organisms	-	-	-	-	-	-

**12.2. Persistence and degradability**

Abiotic degradation

	Degradation half-lives	Method	Evaluation	Note
Marine water	-	-	-	No information available.
Fresh water	-	-	-	No information available.
Air	-	-	-	No information available.
Soil	-	-	-	No information available.

Trading name:	<b>CLEAN LENS, SOLUTION 3</b>				
Product code:	CL3-OT-X**	Date of compilation:	26 April 2024	Version:	4

Biodegradation				
% Degradation	Time (days)	Method	Evaluation	Note
-	-	-	-	-

**12.3. Bioaccumulative potential**

Partition coefficient: n-octanol/water (log Kow):						
Value	Concentration	pH	°C	Method	Evaluation	Note
-	-	-	-	-	-	-

**Bioconcentration factor (BCF)**

Value	Species	Method	Evaluation	Note
-	-	-	-	No information available.

**Chronic ecotoxicity**

Value	Dose	Exposure period	Organism	Method	Evaluation	Note
Chronic toxicity on fish	LC <sub>50</sub>	-	-	-	-	No information available.
Chronic toxicity on crustacea (Daphnia)	EC <sub>50</sub>	-	-	-	-	No information available.

**12.4. Mobility in soil**

Known or predicted distribution in environmental compartments:						
No information available.						
Surface tension:						
Value	°C	Concentration	Method	Note		
-	-	-	-	-	No information available.	

**Adsorption / desorption**

Transport	A/D coefficient Henry's constant	log Kow	Evaporation rate	Method	Note
-----------	-------------------------------------	---------	------------------	--------	------

Trading name:	<b>CLEAN LENS, SOLUTION 3</b>				
Product code:	CL3-OT-X**	Date of compilation:	26 April 2024	Version:	4

Soil-water	-	-	-	-	No information available.
Water-air	-	-	-	-	No information available.
Soil-air	-	-	-	-	No information available.

**12.5. Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6. Endocrine disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**12.7. Other adverse effects**

No further relevant information available.

**SECTION 13. Disposal considerations**

**13.1. Waste treatment methods**

**13.1.1. Product/Packaging disposal:**

Disposal with normal waste is not permitted. Hand over the material to the legal person authorized for collecting/disposing of hazardous waste. Contaminated packaging must be adequately emptied, and it may be reused or recycled after adequate cleaning. Empty the remaining contents. Packaging that is not intended for cleaning must be disposed of in the same manner as the product stored in the packaging. Do not drill, weld and/or cut the empty packaging - there is possibility of residual fumes exploding.

**13.1.2. Waste codes/waste designations according to Law:**

Waste codes/waste designations must be determined in accordance with local hazardous waste gatherers.

**13.1.3. Waste treatment – relevant information:**

No information available.

**13.1.4. Sewage disposal – relevant information:**

Avoid larger amounts of undiluted product from entering sewers.

Trading name:	<b>CLEAN LENS, SOLUTION 3</b>				
Product code:	CL3-OT-X**	Date of compilation:	26 April 2024	Version:	4

13.1.5.	Other disposal recommendations:
	No information available.
13.1.6.	Relevant Community provisions:
	-

**SECTION 14. Transport information**

	Transporting/shipment by road (ADR)
UN number:	1268
UN proper shipping name:	Petroleum distillates, n.o.s. (petroleum ether)
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	yes
Special precautions for user:	-

	Transporting/shipment by rail (RID)
UN number:	1268
UN proper shipping name:	Petroleum distillates, n.o.s. (petroleum ether)
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	yes
Special precautions for user:	-

	Inland waterway transport (ADN)
UN number:	1268
UN proper shipping name:	Petroleum distillates, n.o.s. (petroleum ether)
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	yes
Special precautions for user:	-

	Transporting/shipment by sea (IMDG)
UN number:	1268
UN proper shipping name:	Petroleum distillates, n.o.s. (petroleum ether)
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	yes
Special precautions for user:	-

Trading name:	<b>CLEAN LENS, SOLUTION 3</b>				
Product code:	CL3-OT-X**	Date of compilation:	26 April 2024	Version:	4

Transporting/shipment by air (ICAO-TI/IATA-DGR)	
UN number:	1268
UN proper shipping name:	Petroleum distillates, n.o.s. (petroleum ether)
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	yes
Special precautions for user:	-
Further information: -	

**SECTION 15. REGULATORY INFORMATION**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

EU regulations	
Authorization and/or restrictions of use	
Authorizations:	-
Restrictions:	-
Other EU regulations:	<p>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC;</p> <p>Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC;</p> <p>Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work;</p> <p>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006;</p> <p>REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);</p>
Information (Directive 1999/13/EC) on restricting emissions of volatile organic compounds ("VOC"):	
National regulation:	The Chemicals Act, the Ordinance on the Classification, Labeling, Marking and Packaging of Hazardous Chemicals.

**15.2. Chemical safety assessment**

-
---



Trading name:	<b>CLEAN LENS, SOLUTION 3</b>			
Product code:	CL3-OT-X**	Date of compilation:	26 April 2024	Version: 4

<b>SECTION 16. Other information</b>																			
16.1.	Indication of changes: -																		
16.2.	Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative																		
16.3.	Key literature references and source of data: -																		
16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)																		
	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; border-bottom: 1px solid black;">Classification according to CLP</td> <td style="width: 50%; border-bottom: 1px solid black;">Classification procedure</td> </tr> <tr> <td style="border-bottom: 1px solid black;">-</td> <td style="border-bottom: 1px solid black;">-</td> </tr> </table>	Classification according to CLP	Classification procedure	-	-														
Classification according to CLP	Classification procedure																		
-	-																		
16.5.	Relevant H statements (number and full text)																		
	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;"></td> <td style="width: 35%; border-bottom: 1px solid black;">225</td> <td style="width: 50%; border-bottom: 1px solid black;">Highly flammable liquid and vapor</td> </tr> <tr> <td></td> <td style="border-bottom: 1px solid black;">304</td> <td style="border-bottom: 1px solid black;">May be fatal if swallowed and enters respiratory system.</td> </tr> <tr> <td style="vertical-align: middle;">H:</td> <td style="border-bottom: 1px solid black;">315</td> <td style="border-bottom: 1px solid black;">Causes skin irritation</td> </tr> <tr> <td></td> <td style="border-bottom: 1px solid black;">319</td> <td style="border-bottom: 1px solid black;">Causes serious eye irritation</td> </tr> <tr> <td></td> <td style="border-bottom: 1px solid black;">336</td> <td style="border-bottom: 1px solid black;">May cause drowsiness or dizziness.</td> </tr> <tr> <td></td> <td style="border-bottom: 1px solid black;">411</td> <td style="border-bottom: 1px solid black;">Toxic to aquatic life with long lasting effects.</td> </tr> </table>		225	Highly flammable liquid and vapor		304	May be fatal if swallowed and enters respiratory system.	H:	315	Causes skin irritation		319	Causes serious eye irritation		336	May cause drowsiness or dizziness.		411	Toxic to aquatic life with long lasting effects.
	225	Highly flammable liquid and vapor																	
	304	May be fatal if swallowed and enters respiratory system.																	
H:	315	Causes skin irritation																	
	319	Causes serious eye irritation																	
	336	May cause drowsiness or dizziness.																	
	411	Toxic to aquatic life with long lasting effects.																	
16.6.	Training advice: -																		
16.7.	Further information: Safety data sheet is used for proper use and protective measures and it is compiled on the basis of available data and the original SDS file of the manufacturer. The user of the product must comply with all the listed data for safe product handling, as well as be trained for safe use and transport. Legal or physical entity that markets the product in the Republic of Croatia is not held responsible for improper use and consequences stemming from it. SDS does not guarantee the product quality.																		

<b>ANNEX:</b>
<b>EXPOSURE SCENARIO RESULTING TO CHEMICAL SAFETY ASSESSMENT</b>
-