

Page 1 of 18

Trading name:	HISTANOL EP 95				
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3

1.1	Product identifier					
	Trading name:	HISTANOL	HISTANOL EP 95			
	Chemical name:	-	-			
	Catalogue number:	HEP95-X**				
1.2	Relevant identified us	es of the subs	tance or m	nixture and uses advised against		
	Uses:		Rehydra	ting/dehydrating agent.		
	Uses advised against:		Only the	identified uses are advised.		
	Reason why uses advised against:		The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.			
1.3	Details of the supplier of the safety data sheet					
	Supplier:		BioGnost Ltd.			
	Address:		Medjugorska 59, Zagreb			
	Telephone number:		+385 1 2409997			
	Telefax.:		+385 1 2404039			
	e-mail of competent p	erson:	msds@biognost.hr			
	National contact:		-			
1.4	Emergency telephone	Emergency telephone number				
	National Protection ar	nd Rescue Dir	ectorate:	112		
	Medical information:			+385 1 2348 342		
	Other information:			-		

SECTIO	SECTION 2. Hazards identification				
2.1	Classification of the substance	or mixture			
2.1.1	Classification according to Reg	ulation (EC) No 12	72/2008 (CLP)		
	Hazard class and catego	ory code:	Hazard stater	ments*:	
	Flam. Liq. 2		H225		
	Eye Irrit. 2		H319		
	STOT SE 3		H336		
2.1.2.	Additional information				
	-				
*For ful	l text of Hazard- and EU Hazard-	statements: see S	ECTION 16		
2.2	Label elements				
	Product identification:	HISTANOL EP 9			
	Identification number:	-			



Page 2 of 18

Trading name:	HISTANOL EP 95				
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3

	Authorization number:	-			
	Hazard pictograms:	GHS02 GHS07			
	Signal word:	Danger			
	Hazard statements:	H225 Highly flammable liquid and vapor.H319 Causes serious eye irritation.H336 May cause drowsiness or dizziness			
	Precautionary statements:	 P210 Keep away from heat/sparks/open flames/hot surfaces. Do not smoke. P280 Wear protective gloves/protective clothing/eye/protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. 			
	Supplemetal hazard information (EU):	-			
2.3	Other hazards				

SECTION 3. Co	SECTION 3. Composition/information on ingredients					
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)		
64-17-5/ 200-578-6/ 603-002-00-5	01-2119457610-43- 0147	50 – 70 %	ethanol	Flam. Liq. 2; H225		
67-63-0/ 200-661-7/ 603-117-00-0	-	30 - 50 %	propan-2-ol	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336		

SECTIO	SECTION 4. First aid measures			
4.1	Description of first aid measures			
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.		



Page 3 of 18

Trading name:	HISTANOL EP 95				
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3

	Following inhalation:	Carry the afflicted person out of the contaminated area into a well- ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.
	Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.
	Following ingestion:	Do not induce vomiting. Do not insert any object into the unconscious person's mouth. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.
	Self-protection of the first aider:	-
4.2	Most important symptoms and eff	fects, both acute and delayed
	Following inhalation:	Central nervous system depression, prolonged or repeated exposure can cause: nausea, headache, vomiting, narcosis, drowsiness.
	Following skin contact:	Defatting, dry skin.
	Following eye contact:	Depending on concentration and exposure time, it may lead to irritation, tearing, redness and pain.
	Following ingestion:	Overexposure may cause mild, reversible liver effects. Aspiration may lead to: lung edema, pneumonia
4.3	Indication of any immediate media	cal attention and special treatment needed
	-	

SECTI	FION 5. Firefighting measures				
5.1	Extinguishing media				
	Suitable extinguishing media:	Carbon dioxide (CO ₂), foam, dry powder.			
	Unsuitable extinguishing media:	No information available.			
5.2	Special hazards arising from the su	ubstance or mixture			
	Hazardous combustion products:	Carbon oxides Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.			
5.3	Advice for firefighters				
	Use a self-contained open-circuit of	compressed air breathing apparatus and fireproof clothing.			
5.4	Additional information				
	Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.				



Page 4 of 18

Trading name:		HISTANO	L EP 95		
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3

6.1	Personal precautions, protective equipment and emergency procedures			
6.1.1.	For non-emergency personnel			
	Protective equipment:	Use personal protective equipment (see Section 8).		
	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment. Avoid breathing vapors and avoid contact with skin and eyes. Do not smoke. Keep away from ignition sources.		
	Emergency procedures:	Mark the area using proper signs.		
6.1.2.	For emergency responders:			
	Use protective equipment; in a (see Section 8).	case of inadequate ventilation use adequate airways protective equipment		
6.2	Environmental precautions:			
	Do not dispose of in sewage, o Protection and Rescue Directo	drainage system and waterways. In case of large spillage contact National rate (NPRD) on 112.		
6.3	Methods and material for con-	tainment and cleaning up		
6.3.1.	Bunding, covering of drains; capping procedures:	Sand protective barrier or barriers made of similar materials.		
6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using absorbing material. Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and and involved materials with water.		
6.3.3.	Other information:	Secure proper ventilation. Do not use incompatible materials (see Section 10).		
6.4	Reference to other sections			
	See Section 7 for information	on safe handling.		
	See Section 8 for information	on personal protection equipment.		
	See Section 13 for disposal information.			

SECTIO	ECTION 7. Handling and storage						
7.1	Precautions for safe handling						
7.1.1.	Protection measures						
	Measures to prevent fire:	Use in well ventilated storage rooms. Keep away from sources of ignition and heat. Do not use tools that cause sparks. Do not smoke.					
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.					



Page 5 of 18

Trading name:					
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3

	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.
	Other measures:	Protect against electrostatic charges.
7.1.2.	Advice on general occupational hygiene:	
	Do not eat, drink or smoke in the workspace. The	oroughly wash hands after work and before eating.
7.2	Conditions for safe storage, including any incon	npatibilities
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms at temperatures ranging from 15 to 25 °C. Protect from heat and direct sunlight.
	Packaging materials:	Manufacturer's original packaging. Suitable material: HDPE containers.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).
7.3	Specific end use(s)	
	Recommendations:	-
	Industrial sector specific solutions:	-

SECTION 8. Exposure contr	SECTION 8. Exposure controls/personal protection								
8.1 Control parameters									
Substance	CAS No		exposure limit term values	Biological limit values					
		ppm	mg/m ³						
Ethanol	64-17-5	1000/-	1900/-						
Propan-2-ol	67-63-0	400/500	999/1250	-					
Substance name: -									
EC No: -	CAS No:	-							
DNEL									
		Industrial							



	1	,	j	on (EU) No. 2020	,	Page 6 of 18	
Trading name	e:	······	HISTANOL EP 95				
Product code	t code: HEP95-X** Revisi		on date:	14 Novemb	er 2022	Version:	3
Route of	Acute	Acute		Chronic		Chronic	
exposure:	effect local	effect systemi	ic	effect local		effect systemic	
Oral	-	-	-		-		
Inhalation	1900 mg/m ³ (ethanol)	-	-			J/m ³ (ethanol) J/m ³ (propan-2-	ol)
Dermal	-	-	-		-	y/kg (ethanol) y/kg bw/day n-2-ol)	
Critical physica	al parameters: solubi	lity, flammability, co	rrosivity:	-			
		Co	onsumer				
Route of exposure:	Acute effect loca	Acute I effect system	ic	Chronic effect local		Chronic effect systemic	
Oral	-	-	-		87 mg/kg bw/day (eth 26 mg/kg bw/day (propan-2-ol)		anol)
Inhalation	950 mg/m ³ (ethanol)	-	-		114 mg/m ³ (ethanol) 89 mg/m ³ (propan-2-ol)		ol)
Dermal	-	-	-		_	j/kg (ethanol) j/kg (propan-2-	ol)
PNEC							
Environmental	protection target		PNEC				
Fresh water			0.96 mg	/l (ethanol)			
Freshwater sec	liments		3.6 mg/l	kg (ethanol)			
Marine water			0.79 mg/l (ethanol)				
Marine sedime	ents		2.9 mg/kg (ethanol)				
Food chain			380-720 mg/kg (ethanol)				
Microorganisn	ns in sewage treatme	ent	580 mg/l (ethanol)				
Soil (agricultur	al)		0.63 mg	/kg (ethanol)			
Air			no infor	mation available			
8.2 Ex	posure controls						
8.2.1. A	ppropriate engineeri	ng controls					
	ubstance/mixture rel revent exposure duri		Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace. In accordance with Section 7.				
	ructural measures to posure:	prevent					



Page 7 of 18

			Page 7 of 18						
Trading r	name:		HISTANOL EP 95						
Product	code:	HEP95-X**	Revision date: 14 November 2022 Version				3		
	Orgar expos	nizational measures to prev ure:	vent	ent Organization of work in order to reduce other worker's influence during work process.					
	Techn	ical measures to prevent e	xposure:	concentrati	per workspace ventilation ion levels in air below pern rinsing eyes and showerir	nitted levels. Se			
8.2.2.	Perso	nal protection equipment		1					
8.2.2.1.	Eye ar	nd face protection:	Safety glasses that stick to face (EN 166) or visor in case of lo levels of concentration in air; protective gas mask that covers entire face in case of higher levels of concentration in air.						
8.2.2.2.	Skin p	protection	l						
0.2.2.2.	Hand	protection:	Regula Full co	ation (EU) 20 ntact: Glove mater Glove thickr Time until p contact: Glove mater Glove thickr	es have to satisfy the spec 16/425 and the related star rial: butyl rubber ness: ≥ 0.50 mm rerforation: > 480 min rial: nitrile rubber ness: 0.4 mm gh time: 35 min				
	Other	skin protection:	suitabl cover t of imp chemic	During everyday work use antistatic clothing (EN 13688) and suitable footwear, such as rubber boots (EN 20345) or shoes that cover the entire foot. In case of spilling hazard, use clothing mad of impermeable material suitable for protection from liquid chemicals (Viton, PVC, himex) and footwear made from the same material.					
8.2.2.3.	Respi	ratory protection:	inadeq	juate ventilat	n level exceeds the GVI valu ion), use a filter for organi C) according to EN 14387.				
8.2.2.4.	Therm	nal hazards:	No inf	ormation ava	ilable				
8.2.3.	Enviro	onmental exposure controls	s						
		ance/mixture related ures to prevent exposure:	See Se	Section 6					
	Struct expos	ural measures to prevent ure:	Use m	odern equipr	nent.				
	-	nisational measures to nt exposure:	Adapt workpl		ocess to the required worki	ng conditions c	of the		
	Techn expos	ical measures to prevent ure:	See Se	ction 6					



Page 8 of 18

Trading name:		HISTANO	L EP 95		
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3

	Value	Method
Physical state:	liquid	No information available
Colour:	colourless	No information available
Odour/odour threshold:	alchohol like/no information available	No information available
Melting point / freezing point:	No information available	No information available
Boiling point or initial boiling point and boiling range:	No information available	No information available
Flammability:	No information available	No information available
Lover and upper explosion limit:	No information available	No information available
Flash point:	22 °C	No information available
Auto-ignition temperature:	No information available	No information available
Decomposition temperature:	No information available	No information available
pH:	No information available	No information available
Kinematic viscosity:	No information available	No information available
Solubility:	No information available	No information available
Partition coefficient n- octanol/water (log value):	No information available	No information available
Vapour pressure:	No information available	No information available
Density and/or relative density	No information available	No information available
Relative vapour density:	No information available	No information available
Particle characteristics:	No information available	No information available

SECTIO	SECTION 10. Stability and reactivity							
10.1	Reactivity:	See subsections 10.3 through 10.5.						
10.2	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).						
10.3	Possibility of hazardous reactions:	No dangerous reactions known.						
10.4	Conditions to avoid:	Avoid heat, sparks, open flames and other ignition sources.						
10.5	Incompatible materials:	Acids, bases, oxidants.						
10.6	Hazardous decomposition products:	Carbon monoxide and carbon dioxide.						

SECTION 11. Toxicological information



Page 9 of 18

Trading name:		HISTANO	L EP 95		
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3

Acute t	oxicity:							
Route of exposure:	Metho	d Specie	es	Dose LD ₅₀ or ATE		Exposure ti	me	Results
Oral:	-	rat		LD ₅₀		-	Ę	7.060 mg/kg (ethanol) 5.840 mg/kg 2-propanol)
Dermal:	-	rabbit		LD ₅₀		-	1	20.000 mg/l (ethanol) 2.800 mg/kg 2-propanol)
Inhalation:	-	- rat (2-prop		LC ₅₀		4 h		>8.000 mg/l (ethanol) 37.5 mg/l – vapor 2-propanol)
-								
Specific	target orgar	n toxicity – single e	exposure (STOT SE):				
		Specific effects		Target organ			Note	
Oral:	No infor	mation available		No information available		-		
Dermal:	No infor	mation available		No inforr	No information available		-	
Inhalation:	No infor	mation available					may cause or dizzine	e drowsiness ss
Aspirat	ion hazard:		No info	rmation ava	ilable.			
:								
Irritatio	n and corrosi							
	l	xposure time	Spe	cies l	Evaluation	Method		Note
Skin corrosion/irritati	on:		-	-		-	-	
Serious eye damage/irritation		rabbit			-	causes irritatio	serious eye n	
Sensitiz	ation							
Skin sensitizatio	n:	No information a	vailable.					
Respiratory sens	itization.	No information a						



Page 10 of 18

Trading name:				NOL EP 95		age 10 of 18	
Trading name:		HEP95-X** Revision date:			M	-	
Product code:	HEP95-X^^			14 Novem	ber 2022	Version:	
Sympton	ns related to the pl	weical chomic	al and toxicolog	vical characterist	icc		
Oral exposure:	No informat	-					
Dermal exposure:							
Inhalation exposu							
Eye exposure:	No informat						
Repeated	d dose toxicity (sub	acute, subchro	onic, chronic)				
	-	Exposure					
	Dose	time	Species	Method	Evaluation	Note	
Subacute oral	No information available	No information available	No information available	No information available	No informatio available	n -	
Subacute dermal	No information available	No information available	No information available	No information available	No informatio available	n -	
Subacute inhalation	No information available	No information available	No information available	No information available	No informatio available	n -	
Subchronic oral	No information available	No information available	No information available	No information available	No informatio available	n -	
Subchronic dermal	No information available	No information available	No information available	No information available	No informatio available	n -	
Subchronic inhalation	No information available	No information available	No information available	No information available	No informatio available	n -	
Chronic oral	No information available	No information available	No information available	No information available	No informatio available	n -	
Chronic dermal	No information available	No information available	No information available	No information available	No informatio available	n -	
Chronic inhalation	No information available	No information available	No information available	No information available	No informatio available	n -	
Specific	target organ toxicit	y – repeated e	xposure (STOT	RE):			
		Specific effect	cts	Target o	rgan	Note	



Page 11 of 18

Trading I	name:			HISTA	NOL EP 95		
Product	code:	HEP95-X**	Revis	ion date:	14 November 2022	Version:	3
Subacute	dermal	No information	available		No information available	-	
	cute inhalation No information available				No information available	-	
Subchron	ic oral	No information	available		No information available	-	
Subchron	ic dermal	No information	available		No information available	-	
Subchron	ic inhalati	on No information	available		No information available	-	
Chronic o	oral	No information	available		No information available	-	
Chronic dermal No information availab		available		No information available	-		
Chronic inhalation No information availab			available		No information available	-	
	Carcinogenicity: Mutagenicity <i>in vitro</i> : Genotoxicity: Mutagenicity <i>in vivo</i> : Germ cell mutagenicity: Reproductive toxicity:		Ba Ba Ba Ba	sed on avail sed on avail sed on avail sed on avail	able data, the classification of able data, the classification of	criteria are not criteria are not criteria are not criteria are not	met. met. met. met.
	Summary properties		the CMR	Based on met.	available data, the classific	ation criteria a	ire not
11.2 I	nformatio	n on other hazards:					
11.2.1. E	Endocrine	disrupting properties:					
٦	No known	endocrine disrupting	properties th	nat affect hu	man health.		
11.2.2. (Other info	rmations:					
-							

SECTION 12. Ecologie	SECTION 12. Ecological information							
12.1 Toxicity								
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note		
Fish	LC ₅₀	96 hours	Pimephales promelas	No information available	8.140 mg/l (ethanol) 9.640 mg/l (2- propanol)	-		



Page 12 of 18

Trading name:				HISTA	NOL EP 95			
Product code:	ŀ	HEP95-X**		Revision date:	14 Noven	nber 2022	Vers	sion: 3
Crustacea:		EC ₅₀	48 hours	Daphnia magna	No information available	7.800 mg/ (ethanol) 13.299 mg (2-propan	j/l	-
Algae/aquatic p	lants	IC ₅₀	4 days	algae	No information available	5.000 mg/ (ethanol) >1,000 mg (2-propan	g/l	-
Other organism	S	-	-	-	-	-		-
Chronic (long-te toxicity	erm)	Dose	Exposure time	Species	Method	Evaluat	tion	Note
Fish		LC ₅₀	96 hours	No information available	No information available	No inform available	ation	-
Crustacea: EC ₅₀		48 hours	No information available	No information available	No information available		-	
Algae/aquatic plants IC		IC ₅₀	72 hours	No information available	No information available	No information available		-
Other organism	S	-	-	-	-	-		-
12.2 Persiste		and degrada	hility					
		adation	Dility					
71010110		egradation h	alf-lives	Method	Evaluatio	n		Note
Marine water		information a		No information available	No informatic available			
Fresh water	No i	information a	available	No information available	No informatic available	on -		
Air	No i	information a	available	No information available	No informatic available	on -		
Soil No information available		No information available	No informatic available	on -	-			
Biodeg								
% Degradatio	n	Time (days)	Method	Evaluatio		1	Note
53 %		5 days		aerobic	No informatic available	on Rea	adily bi	odegradable



Page 13 of 18

Tradir	ng name:						н	ISTAN	OL EP 95			<u> </u>	
Produ	ct code:	ŀ	HEP95	5-X**		Revi	sion d	ate:	14 Novem	ber 202	2 ۱	/ersion:	3
12.3	Віоассі	ımula	ntive p	otential									
12.0				tition coeff	icient (log Kow)						
Valu			entrati		H	°C		ethod	Evalu	ation		Note	
≤ 4	-			-		-	-		-			bioaccumul be expecte	
	Biocon	centra	ation f	actor (BCF)									
١	Value			Species		Ν	Nethod	ł	Evaluati	on		Note	
No info availab	ormation ole		Vo Ivailab	inform le	nation	No info availab		on	No informati available	on	-		
,													
	Chronie	c ecot	toxicity	/			1		1	1		1	
	Value			Dose		osure ime	Spe	ecies	Method	Evalu	ation	Note	e
Chroni	c toxicity	on fis	sh	LC ₅₀	No infor avail	mation able	No inforr availa	mation able	No information available	No informa availab		-	
	c toxicity			EC ₅₀	No infor	mation	No infor	mation	No information	No informa	ation	_	
crustad	cea (Daph	nia)			avail		availa		available	availab			
12.4	Mobilit	y in s	oil										
	1			d distribut	ion in e	environm	nental c	compart	ments:				
	No info	ormat	ion av	ailable									
	Surface	e tens	ion:										
	Val	ue		°C	С	oncentra	ntion		Method			Note	
	No informa availab			ormation iilable		informa ailable	tion	No inf availat	ormation ble	-			



Page 14 of 18

Trading name:	HISTANOL EP 95						
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3		

	Adsorption / de	esorption					
Transpo	ort	A/D coefficient Henry's constant log Kow Evaporation rate Method					
Soil-wa	ter No available	information	No information available	No information available	No information available	-	
Water-a	air No available	information	No information available	No information available	No information available	-	
Soil-air	No available	information	No information available	No information available	No information available	-	

12.5.	Results of PBT a	and vPvB asses	sment				
			•	s considered to be	•		
	toxic (PBT), or v	ery persistent	and very bioaccur	nulative (vPvB) at le	vels of 0.1% or high	ier.	
12.6.	Endocrine disru						
						isrupting properties	
			7(f) or Commission evels of 0.1% or hi	n Delegated regulat	ion (EU) 2017/2100	or Commission	
	Regulation (EU)) 2018/605 at i	evers of 0.1% or h	igner.			
40.7							
12.7.	Other adverse e						
	No further relev	vant information	on available.				
SECTIO	N 13. Disposal	consideration	s				
13.1	Waste treatm	ent methods					
13.1.1.	Product/Pack	aging disposa	:				
	Submit for di Protection.	sposal to the l	egal person autho	rized by the Ministr	y of Environmental	and Nature	
13.1.2.	Waste codes	/waste designa	tions according to	u Law:			
		5	5	ubstances or is cont	aminated with baza	ardous substances	
13.1.3.	Waste treatm	ent – relevant	information:				
	No information	on available					
13.1.4.	Sewage dispo	osal – relevant	information:				
			d of into the sewa	ae system			
	music mustr			90 59510111.			



Γ

SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 15 of 18

Trading name:		HISTANO	L EP 95		
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3

13.1.5. Other disposal recom	mendations:
authorized by the mir	product's remains into the sewage system. Submit the remains to the collectors histry in charge. Do not dispose of the packaging into the sewage system. Submit collectors authorized by the ministry in charge.
13.1.6. Relevant Community	provisions:
Disposal must be mad	de according to official regulations.
SECTION 14 TRANSPORT INFO	νοματίον
Transporting/shipment	
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	
Environmentally hazardous:	-
Special precautions for user:	
Transporting/shipment	
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	
Environmentally hazardous:	
Special precautions for user:	-
Inland waterway transp	ort (ADN)
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	11
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment	by sea (IMDG)
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	-



Page 16 of 18

Trading name:		HISTAN	OL EP 95		
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3
	•				

Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (IC	AO-TI/IATA-DGR)
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	Ш
Environmentally hazardous:	-
Special precautions for user:	-
Further information: -	

15.1	Safety, health and enviror	nmental regulations/legislation specific for the substance or mixture				
	EU regulations					
	Authorization and/or restrictions of use					
	Authorizations:	-				
	Restrictions:	-				
	Other EU regulations:	 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC; Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work; Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006; 				
		REACH Restrictions on the manufacturing, placing on the market and use of certair dangerous substances, mixtures and articles (Annex XVII);				



Page 17 of 18

Tradir	ng name:		HISTANOL EP 95							
Product code:		HEP95-X**	Revision date:	14 November 2022	Version:	3				
	National	legislation:	Chemicals Act, Regulation or dangerous substances, Ordir and on biological limit value classification of waste with a Ordinance on writing Materi Substances Act	nance on occupational expo s, Regulation on categories waste catalog and list of h	osure limit value , types and azardous waste,	,				
15.2	Chemical	safety assessme	nt							
	None									

SECTIO	ON 16. Other information					
16.1	Indication of changes:	-				
16.2	Abbreviations and acronyms	 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative 				
16.3.	Key literature references and source of data:	Manufacturer's MSDS file.				
16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)					
Classif	ication	Classification procedure				
-		-				
16.5.	Relevant H statements (num	ber and full text)				
	225	Highly flammable liquid and vapor.				
	H: 319	Causes serious eye irritation.				
	336	May cause drowsiness or dizziness.				
16.6.	Training advice:	-				
16.7.	Further information:	** "X" in the product code marks different volumes (different packagings of the product) We are not responsible for consequences in case of failure to comply with nstructions for use or improper use of the product described in this material safety data sheet.				

ANNEX: Exposure scenario resulting to chemical safety assessment



Page 18 of 18

Trading name:	HISTANOL EP 95					
Product code:	HEP95-X**	Revision date:	14 November 2022	Version:	3	
-						