

Page 1 of 17

Trading name: H		HISTAN	HISTANOL IP		
Product code:	HIP-X**	Revision date:	14 November 2022	Version:	4

SECTI	ION 1: Identification of t	he substance	e/mixture	e and of the company/undertaking		
1.1	Product identifier					
	Trading name:	HISTANOL	HISTANOL IP			
	Chemical name:	Isopropyl a	lcohol, pro	opan-2-ol		
	Catalogue number:	HIP-X**	HIP-X**			
1.2	.2 Relevant identified uses of the substance or mixture and uses advised against		nixture and uses advised against			
	Uses:		For use	in microscopy.		
	Uses advised against:		Only the	e identified uses are advised.		
	Reason why uses advised against:		The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.			
1.3	Details of the supplier of the safety data sheet					
	Supplier:		BioGnost Ltd.			
	Address:	Address:		Medjugorska 59, Zagreb		
	Telephone number:		+385 1 2409997			
	Telefax.:		+385 1 2404039			
	e-mail of competent p	erson:	msds@biognost.hr			
	National contact:		-			
1.4	Emergency telephone	number				
	National Protection an	d Rescue Dire	ectorate:	112		
	Medical information:			+385 1 2348 342		
	Other information:			-		

SECTIO	N 2. Hazards identification		
2.1	Classification of the substance	or mixture	
2.1.1	Classification according to Reg	ulation (EC) No 12	272/2008 (CLP)
	Hazard class and categ	ory code:	Hazard statements*:
	Flam. Liq. 2		H225
	Eye Irr. 2		H319
	STOT SE 3		H336
2.1.2.	Additional information		
	-		
*For ful	I text of Hazard- and EU Hazard-	statements: see S	ECTION 16
2.2	Label elements		
	Product identification:	HISTANOL IP	
	Identification number:	-	



Page 2 of 17

Trading name:	name: HISTANOL IP				
Product code:	HIP-X**	Revision date:	14 November 2022	Version:	4

	Authorization number:	-		
	Hazard pictograms:	GHS02 GHS07		
	Signal word:	Danger		
	Hazard statements:	H225 Highly flammable liquid and vapor.H319 Causes serious eye irritation.H336 May cause drowsiness or dizziness		
	Precautionary statements:	 P210 Keep away from heat/sparks/open flames/hot surfaces. Do not smoke. P280 Wear protective gloves/protective clothing/eye/protection/face protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. 		
	Supplemetal hazard information (EU):	-		
2.3	Other hazards	Other hazards		
	Endocrine Disrupting Prope	erties:		
	No known endocrine disrupti	ng properties.		
		ins no components considered to be either persistent, bioaccumulative and and very bioaccumulative (vPvB) at levels of 0.1% or higher.		

SECTION 3. Cor	SECTION 3. Composition/information on ingredients				
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)	
67-63-0/ 200-661-7/ 603-117-00-0	-	99.0 %	propan-2-ol	Flam. Liq. 2; H225 Eye Irr. 2; H319 STOT SE 3; H336	

SECTIO	SECTION 4. First aid measures			
4.1	Description of first aid measures			
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.		



Page 3 of 17

Trading name:		HISTA	NOL IP		
Product code:	HIP-X**	Revision date:	14 November 2022	Version:	4

	Following inhalation:	Carry the afflicted person out of the contaminated area into a well- ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.
	Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.
	Following ingestion:	Do not induce vomiting. Do not insert any object into the unconscious person's mouth. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.
	Self-protection of the first aider:	-
4.2	Most important symptoms and eff	fects, both acute and delayed
	Following inhalation:	Central nervous system depression, prolonged or repeated exposure can cause: nausea, headache, vomiting, narcosis, drowsiness.
	Following skin contact:	Defatting, dry skin.
	Following eye contact:	Depending on concentration and exposure time, it may lead to irritation, tearing, redness and pain.
	Following ingestion:	Overexposure may cause mild, reversible liver effects. Aspiration may lead to: lung edema, pneumonia
4.3	Indication of any immediate media	cal attention and special treatment needed
	-	

SECTIO	CTION 5. Firefighting measures				
5.1	Extinguishing media				
	Suitable extinguishing media:	Carbon dioxide (CO ₂), foam, dry powder.			
	Unsuitable extinguishing media:	No information available.			
5.2	Special hazards arising from the su	ubstance or mixture			
	Hazardous combustion products:	Carbon oxides Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.			
5.3	Advice for firefighters				
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing.				
5.4	Additional information				
	Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.				



Page 4 of 17

Trading name:		HISTAN	OL IP		
Product code:	HIP-X**	Revision date:	14 November 2022	Version:	4

6.1	Personal precautions, protective equipment and emergency procedures				
6.1.1.	For non-emergency personne	I			
	Protective equipment:	Use personal protective equipment (see Section 8).			
	Accident prevention methods	Evacuate members of all non-essential personnel and those members without protective equipment. Avoid breathing vapors and avoid contact with skin and eyes. Do not smoke. Keep away from ignition sources.			
	Emergency procedures:	Mark the area using proper signs.			
6.1.2.	For emergency responders:				
	Use protective equipment; in ((see Section 8).	case of inadequate ventilation use adequate airways protective equipment			
6.2	Environmental precautions:				
	Do not dispose of in sewage, Protection and Rescue Directo	drainage system and waterways. In case of large spillage contact National prate (NPRD) on 112.			
6.3	Methods and material for con	tainment and cleaning up			
6.3.1.	Bunding, covering of drains; capping procedures:	Sand protective barrier or barriers made of similar materials.			
6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using absorbing material. Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and and involved materials with water.			
6.3.3.	Other information:	Secure proper ventilation. Do not use incompatible materials (see Section 10).			
6.4	Reference to other sections				
	See Section 7 for information	on safe handling.			
	See Section 8 for information on personal protection equipment.				
	See Section 8 for information	on personal protection equipment.			

SECTIO	SECTION 7. Handling and storage				
7.1	Precautions for safe handling	Precautions for safe handling			
7.1.1.	Protection measures				
	Measures to prevent fire:	Use in well ventilated storage rooms. Keep away from sources of ignition and heat. Do not use tools that cause sparks. Do not smoke.			
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.			



Page 5 of 17

Trading name:		HISTAN	OL IP		
Product code:	HIP-X**	Revision date:	14 November 2022	Version:	4

	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.		
	Other measures:	Protect against electrostatic charges.		
7.1.2.	Advice on general occupational hygiene:			
	Do not eat, drink or smoke in the workspace. The	oroughly wash hands after work and before eating.		
7.2	Conditions for safe storage, including any incor	npatibilities		
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms at temperatures ranging from 15 to 25 °C. Protect from heat and direct sunlight.		
	Packaging materials:	Manufacturer's original packaging. Suitable material: HDPE containers.		
	Requirements for storage rooms and vessels: Keep away from food and drink. Keep the cont tightly closed.			
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.		
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).		
7.3	Specific end use(s)			
	Recommendations:	-		
	Industrial sector specific solutions:	-		

SECTION 8. Expos	ure contro	ols/perso	onal prot	ection			
8.1 Control pa	8.1 Control parameters						
Substance		CAS No				exposure limit term values	Biological limit values
				рр	m	mg/m ³	
Propan-2-ol	Propan-2-ol 67-63-0 400/500 999/1250 -						
Substance name:	-						
EC No:	-	CAS No	: -				
DNEL							
				Indus	strial		
Route of	Αςι	ute	Ad	ute		Chronic	Chronic
exposure:	effect	local	effect :	systemic		effect local	effect systemic



Page 6 of 17

Trading na	ame:			HIST	ANO	DL IP			
Product co	ode:	HIP-X**	Revisi	on date:		14 November	2022	Version:	4
					:				
Oral	-		-	-			-		
Inhalation		-	-	-			500 mg/	m³ (propan-2-o	ol)
Dermal	-		-	-			888 mg/ (propan-	kg bw/day ·2-ol)	
Critical phy	sical para	meters: solubility,	flammability, co	rrosivity:		-			
			Co	onsumer					
Route of		Acute	Acute		Ch	ronic		Chronic	
exposure:		effect local	effect systemi	с	effec	t local	ef	fect systemic	
Oral		-	-	-			26 mg/k (propan-	g bw/day ·2-ol)	
Inhalation		-	-	-				n³ (propan-2-ol)	
Dermal		-	-	-			319 mg/	kg (propan-2-o	l)
PNEC									
Environmer	ntal prote	ction target		PNEC					
Fresh water				no inform	ation	available			
Freshwater	sediment	s		no inform	ation	available			
Marine wat	er			no inform	ation	available			
Marine sed	iments			no inform	ation	available			
Food chain				no inform	ation	available			
Microorgan	nisms in se	ewage treatment		no inform	ation	available			
Soil (agricu	ltural)			no inform	ation	available			
Air				no inform	ation	available			
8.2	Exposur	e controls							
8.2.1.	Approp	riate engineering o	controls						
		ce/mixture related exposure during i		•	equi			ns. Use personal a or smoke in th	
	Structur exposur	al measures to pre e:	event	In accorda	ince	with Section 7.			
	Organiz exposur	ational measures t e:	o prevent	Organization of work in order to reduce other worker's influence during work process.					
	Technica	al measures to pre	vent exposure:	concentra	tion l	workspace vent evels in air belo sing eyes and s	ow permit	tted levels. Secu	ıre
8.2.2.	Persona	l protection equip	ment						



Page 7 of 17

Trading name:		HISTANOL IP							
Product code: HIP-X**			Revision date:	14 November 2022	Version:	4			
8.2.2.1.	Eye aı	nd face protection:	levels of concentra	Safety glasses that stick to face (EN 166) or visor in case of lower levels of concentration in air; protective gas mask that covers the entire face in case of higher levels of concentration in air.					
8.2.2.2.	Skin p	protection							
	Hand	protection:	The protective gloves have to satisfy the specification of Regulation (EU) 2016/425 and the related standard EN 374. Full contact: Glove material: butyl rubber Glove thickness: ≥ 0.50 mm Time until perforation: > 480 min Splash contact: Glove material: nitrile rubber Glove thickness: 0.4 mm Break through time: 35 min						
	Other	During everyday work use antistatic clothing (EN 13688) and suitable footwear, such as rubber boots (EN 20345) or shoes that cover the entire foot. In case of spilling hazard, use clothing material of impermeable material suitable for protection from liquid chemicals (Viton, PVC, himex) and footwear made from the same material.							
8.2.2.3.	Respi	ratory protection:	inadequate ventilat	If the concentration level exceeds the GVI values (or because of inadequate ventilation), use a filter for organic vapors, type "A" (boiling point >65°C) according to EN 14387.					
8.2.2.4.	Thern	nal hazards:	No information ava	ilable					
8.2.3.	Enviro	onmental exposure contro	ls						
		ostance/mixture related asures to prevent exposure: See Section 6							
	Struct expos	ctural measures to prevent osure: Use modern equipment.							
	-	isational measures to Adapt the work process to the required working conditions of t nt exposure: workplace.							
	-	ical measures to prevent	· · · · · · · · · · · · · · · · · · ·						

SECTIO	SECTION 9. Physical and chemical properties					
9.1	Information on basic physical and chemical properties					
		Value	Method			
	Physical state:	liquid	No information available			
	Colour:	colourless	No information available			



Page 8 of 17

Trading name:		HISTAN	OL IP		
Product code:	HIP-X**	Revision date:	14 November 2022	Version:	4

	Odour/odour threshold:	alchohol like/no information available	No information available
	Melting point / freezing point:	- 89 °C	No information available
	Boiling point or initial boiling point and boiling range:	82 ℃	No information available
	Flammability:	No information available	No information available
	Lover and upper explosion limit:	lower: 2 Vol % upper: 12 Vol %	No information available
	Flash point:	12 °C	No information available
	Auto-ignition temperature:	No information available	No information available
	Decomposition temperature:	No information available	No information available
	pH:	lower: 2 Vol % upper: 12 Vol %	No information available
	Kinematic viscosity:	No information available	No information available
	Solubility:	1.00 g/l (water at 20 °C)	No information available
	Partition coefficient n- octanol/water (log value):	0.05	No information available
	Vapour pressure:	42 hPa (20°C)	No information available
	Density and/or relative density	0.7855 g/cm ³ (20°C)	No information available
	Relative vapour density:	No information available	No information available
	Particle characteristics:	No information available	No information available
9.2	Other information		
	Ignition temperature: 425 °C Product is not explosive. However,	formation of explosive air/vap	our mixtures are possible.

SECTIO	SECTION 10. Stability and reactivity			
10.1	Reactivity:	See subsections 10.3 through 10.5.		
10.2	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).		
10.3	Possibility of hazardous reactions:	No dangerous reactions known.		
10.4	Conditions to avoid:	Avoid heat, sparks, open flames and other ignition sources.		
10.5	Incompatible materials:	Acids, bases, oxidants.		
10.6	Hazardous decomposition products:	Carbon monoxide and carbon dioxide.		

SECTIO	ON 11. Toxicological information
11.1	Information on toxicological effects
	Acute toxicity:



Page 9 of 17

	1						Р	age 9 of 17	
Trading name:	HISTANOL IP								
Product code:	HIP-X**		Revision date: 14		14 No	14 November 2022		Version:	4
Route of exposure:	Method	Species		Dose LD ₅₀ /LC ₅₀ or ATE _{mix}		Exposure time		Resul	ts
Oral:	-	rat (2-propan	nol)	LD ₅₀		-		5.840 m	g/kg
Dermal:	-	rabbit (2-propa	anol)	LD ₅₀		-		12.800 m	ng/kg
Inhalation:	- rat (2-prop		iol)	LC ₅₀		4 h		37.5 mg vapo	-
Specific ta	rget organ to	kicity – single expo	osure (ST	OT SE):					
÷ •		pecific effects			Target or	gan		Note	
Oral:	No informa	tion available		No inform	nation av	ailable	-		
Dermal:	No informat	tion available		No inform	nation av	ailable	-		
Inhalation:	No informat	tion available		No inforr	nation av	ailable	may cause drowsines or dizziness		ines
Irritation a	and corrosion								
	Expo	osure time	Specie	es E	Evaluatio	n Method		Note	
Skin corrosion/irritation	•	-		-		-	-		
Serious eye damage/irritation	-	ra	rabbit				causes serious eye irritation		eye
Sensitizati	0.0								
Skin sensitization:		o information avail	lablo						
Respiratory sensitiz		information avail							
Symptoms	s related to the	e physical, chemic	cal and to	xicologica	al charac	teristics			
Oral exposure:	1	nation available.		J					
Dermal exposure:	No inforr	nation available.							
Inhalation exposure	e: No inforr	nation available.							
Eye exposure:	No inforr	nation available.							
Repeated	dose toxicity (subacute, subchro	onic, chrc	onic)					
	Dose	Exposure time	Species	S	Method	Evalua	ation	Note	



Page 10 of 17

Trading name:		HISTA	NOL IP		
Product code:	HIP-X**	Revision date:	14 November 2022	Version:	4

Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-
Chronic inhalation	No information available	No information available	-



Page 11 of 17

Trading name:	HISTANOL IP						
Product code:	HIP-X**	Revision date:	14 November 2022	Version:	4		

	CMR effects (carcinogenicity; mutagenicity;	reproductive toxicity)	
	Carcinogenicity: B	Based on available data, the classification criteria are not met.	
	Mutagenicity <i>in vitro</i> :	Based on available data, the classification criteria are not met.	
	Genotoxicity: B	Based on available data, the classification criteria are not met.	
	Mutagenicity <i>in vivo</i> :	Based on available data, the classification criteria are not met.	
	Germ cell mutagenicity:	Based on available data, the classification criteria are not met.	
	Reproductive toxicity: E	Based on available data, the classification criteria are not met.	
	Summary of evaluation of the CMI		
	properties:	met.	
11.2	Information on other hazards:		
11.2.1.	Endocrine disrupting properties:		
	No known endocrine disrupting properties	that affect human health.	
11.2.2.	Other informations:		
	-		

SECTION 12. Ecologi	cal informat	ion				
12.1 Toxicity				_		
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	Pimephales promelas	No information available	9.640 mg/l (2- propanol)	-
Crustacea:	EC ₅₀	48 hours	Daphnia magna	No information available	13.299 mg/l (2-propanol)	-
Algae/aquatic plants	IC ₅₀	4 days	algae	No information available	>1,000 mg/l (2-propanol)	-
Other organisms	-	-	-	_	-	-
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-



Page 12 of 17

Trading na	ame:				HIST	ANOL IP				
Product code: HIP-X**			Re	Revision date: 14 November 20			022 Version: 4		4	
Algae/aquatic plants		5 IC ₅₀	72 hours		No information available	No information available		nformation _ able		
Other orga	nisms	-	_	-		-	-		-	
	rsistence piotic deg	and degrada	bility							
		Degradation I	nalf-lives		Method	Evaluati	on	N	ote	
Marine wat		information			information lable	No informationavailable				
Fresh water	r No	information	available		information lable	No information available	on -			
Air	No information available No information Available available available		on -	-						
Soil	No	information	available	No information available		No information available				
Bio	odegrada	tion								
% Degra	dation	Time	(days)		Method	Evaluati	on	N	ote	
53 %		5 days		aerobic		No information available		Readily biodegradable		le
		ative potenti ter partition			OW)					
Value		centration	рН	°C	Method	Eval	uation		Note	
≤ 4	-		•	-	-	-		No bioa	ccumulat expected	on
Bio	oconcent	ration factor	(BCF)	Method		Evaluation				
Bio		ration factor Spec			Method	Evalua	tion	Ν	lote	



Page 13 of 17

Trading name:	HISTANOL IP						
Product code:	HIP-X**	Revision date:	14 November 2022	Version:	4		

	Va	lue	Dose	Exposure time	Sp	ecies	Meth	od	Evaluation	Note
Chronic	toxic	ity on fish	LC ₅₀	No information available	No infor availa	mation able	No informa availabl	ation	No information available	-
Chronic crustac		•	EC ₅₀	No information available	No infor availa	mation able	No informa availabl	ation	No information available	-
12.4	Mot	oility in soi	il							
	Kno	wn or pred	dicted distributi	on in environm	nental o	compartn	nents:			
	No i	nformatio	n available							
	Surf	ace tensio	n:							
	\	Value	°C	Concentra	ation		Metho	d		Note
			No information available	No information available		No information available		-		
	Ads	orption / c	desorption							
Transpo		A/D	coefficient 's constant	log Kow	E	vaporatio	on rate	N	lethod	Note
Soil-wa	ter	No available	information	No information available		n No information available		No information available		-
Water-a	Water-air No inf available		information	No informati available		o informa /ailable	ation	No information available		-
Soil-air	Soil-air No information available		information	No informati available		on No information available		No inf availat	ormation ble	-
12.5.	Resu	ults of PBT	and vPvB asses	ssment						
				ins no compor and very bioad						accumulative a



Page 14 of 17

					Page 14 of 17	
Trading	name:		HISTA	ANOL IP		
Product	code:	HIP-X**	Revision date:	14 November 2022	Version:	4
	according	to REACH Article 5	not contain components con 7(f) or Commission Delegate levels of 0.1% or higher.			
12.7.	Other adv	erse effects				
	No further	r relevant informati	on available.			
	-	osal consideration	IS			
13.1	Waste tr	eatment methods				
13.1.1.	Product	/Packaging disposa	l:			
	Submit f Protectio	•	egal person authorized by th	e Ministry of Environmenta	l and Nature	
13.1.2.	Waste co	odes/waste designa	ations according to Law:			
	Packagir	ng that contains res	sidual hazardous substances o	or is contaminated with haz	zardous substar	nces
13.1.3.	Waste tr	eatment – relevant	information:			
	No infor	mation available				
13.1.4.	Sewage	disposal – relevant	information:			
		•	d of into the sewage system.			
13.1.5.	Other di	sposal recommend	ations:			
Do not dispose of the product's remains into the sewage system. Submit the remains to the authorized by the ministry in charge. Do not dispose of the packaging into the sewage syst the packaging to the collectors authorized by the ministry in charge.						
13.1.6. Relevant Community provisions:						
	Disposa	must be made acc	ording to official regulations			
SECTION	J 14 TRΔN	ISPORT INFORMA	TION			
		ng/shipment by ro				
UN num	-	, , , , , , , , , , , , , , , , , , ,	1219			
UN prop	er shipping	g name:	Isopropanol			
Transpor	t hazard cl	lass(es):	3			
Packing	group:		II			
Environm	nentally ha	zardous:	-			



Page 15 of 17

Trading name:		HISTAN	IOL IP		
Product code:	HIP-X**	Revision date:	14 November 2022	Version:	4

Special precautions for user:	-
Transporting/shipment by rail (RI	D)
UN number:	1219
UN proper shipping name:	Isopropanol
Transport hazard class(es):	3
Packing group:	11
Environmentally hazardous:	-
Special precautions for user:	-
Inland waterway transport (ADN)	
UN number:	1219
UN proper shipping name:	Isopropanol
Transport hazard class(es):	3
Packing group:	П
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by sea (IN	/DG)
UN number:	1219
UN proper shipping name:	Isopropanol
Transport hazard class(es):	3
Packing group:	П
Environmentally hazardous:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (IC	AO-TI/IATA-DGR)
UN number:	1219
UN proper shipping name:	Isopropanol
Transport hazard class(es):	3
Packing group:	П
Environmentally hazardous:	-
Special precautions for user:	-
Further information: -	

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



Page 16 of 17

Trading name:	HISTANOL IP					
Product code:	HIP-X**	Revision date:	14 November 2022	Version:	4	

	EU regulations					
	Authorization and/or rest	Authorization and/or restrictions of use				
	Authorizations:	-				
	Restrictions:	-				
	Other EU regulations:	 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC; Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work; Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006; REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII); 				
	Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC- guideline)					
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act				
15.2	Chemical safety assessment					
	None					

SECTION 16. Other information				
16.1 Indication of changes:	-			



Page 17 of 17

Trading name:		HISTANOL IP							
Product code: HIP-X**			HIP-X**		Revision date:	14 November 2022	Version:	4	
16.2	Abbreviations and acronyms			ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals					
16.3.		literat	ure references and data: Manufacturer's MSDS file.						
16.4.			sification and procedure used to derive the classification for mixture according to Regulation (EC) 2/2008 (CLP)						
Classification		Classification procedure -							
16.5.	Rele	evant H	l statements (num	per and	full text)				
	H:	Н: 319 С		Cause	Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness.				
16.6.	Trai	ning a	dvice:	-					
16.7.	Fur	Further information:			** "X" in the product code marks different volumes (different packagings of the product) We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.				

ANNEX: Exposure scenario resulting to chemical safety assessment