

GD3-OT-X**

Trading name:

Product code:

SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006

amended by Regulation (EU) No. 2020/878

		Page 1 of 18	
GRAM DECOLOR	IZER SOLUTION 3		
Revision date:	23 Dec 2022	Version:	4

SECTI		the substance	e/mixture	e and of the company/undertaking	
1.1	Product identifier	T			
	Trading name:	GRAM DEC	OLORIZER	R SOLUTION 3	
	Chemical name:	-			
	Catalogue number:	GD3-OT-X*	*		
1.2	Relevant identified use	es of the subs	tance or n	nixture and uses advised against	
	Uses:		Solution	for use in Gram bacterial staining.	
	Uses advised against:		Only the	e identified uses are advised.	
	Reason why uses advis	sed against:	duct is intended for use only as an <i>in vitro</i> diagnostic medical registered at the Agency for Medicinal Products and Medical and there is no reason to use it for other purposes.		
1.3	Details of the supplier of the safety data sheet				
	Supplier:		BioGnost Ltd.		
	Address:		Medjugorska 59, Zagreb		
	Telephone number:		+385 1 2409997 +385 1 2404039		
	Telefax.:				
	e-mail of competent p	erson:	msds@b	piognost.hr	
	National contact:		-		
1.4	Emergency telephone	number			
	National Protection ar	d Rescue Dire	ectorate:	112	
	Medical information:			+385 1 2348 342	
	Other information:			-	

SECTIO	SECTION 2. Hazards identification				
2.1	Classification of the substance or mixture				
2.1.1	Classification according to Regulation (EC) No	1272/2008 (CLP)			
	Hazard class and category code:	Hazard statements*:			
	Flam. Liq. 2	H225			
	Eye Irrit. 2	H319			
	STOT SE 3	H336			
		EUH066			
2.1.2.	Additional information				
	-				
*For fu	Il text of Hazard- and EU Hazard-statements: se	e SECTION 16			
2.2	Label elements				
	Product identification: GRAM DECO	LORIZER SOLUTION 3			



Page 2 of 18

Trading name:	GRAM DECOLORIZER SOLUTION 3				
Product code:	GD3-OT-X**	Revision date:	23 Dec 2022	Version:	4

	Identification number:	-
	Authorization number:	-
	Hazard pictograms:	GHS02 GHS07
	Signal word:	Danger
	Hazard statements:	 H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. EUH066 Repeated exposure may cause skin dryness or cracking.
	Precautionary statements:	P210 Keep away from heat/sparks/open flames/hot surfaces. Do not smoke. P280 Wear protective gloves/protective clothing/eye/protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	Supplemetal hazard information (EU):	-
2.3	Other hazards	
	The product has no other kno	own specific hazards for human or environment.
	Results of PBT and vPvB asses PBT or vPvB substances.	ssment: Based on available data, the product does not contain any
	Endocrine disrupting propert	y: Based on available data, does not contain endocrine disruptors.

SECTION 3. Co	SECTION 3. Composition/information on ingredients					
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)		
64-17-5/ 200-578-6/ 603-002-00-5	01-2119457610-43- 0147	15 – 25 %	ethanol	Flam. Liq. 2; H225		
67-64-1/ 200-662-2/ 606-001-00-8	-	70 - 90 %	acetone	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336		

SECTION 4. First aid measures



Page 3 of 18

Trading name:	GRAM DECOLORIZER SOLUTION 3				
Product code:	GD3-OT-X**	Revision date:	23 Dec 2022	Version:	4

4.1	Description of first aid measures			
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.		
	Following inhalation:	Take the victim into fresh air, loosen his clothes and place him in a comfortable position. If breathing difficulty occurs, administer artificial respiration. In case of complaints call a physician.		
	Following skin contact:	Remove the contaminated clothes. Wash the skin surface under plenty of running water. Seek medical assistance if the symptoms of irritation remain.		
	Following eye contact:	In case of contact with eyes flush with water holding eyelids apart and moving the eyeballs (for at least 10 minutes). If the symptoms remain, immediately call in ophthalmologist.		
	Following ingestion:	Place the victim in a comfortable position. Rinse the mouth with clean water. If the victim is conscious induce vomiting. Do not give the victim anything orally, and do not induce vomiting if the victim is unconscious or suffers from convulsions.		
	Self-protection of the first aider:	-		
4.2	Most important symptoms and eff	fects, both acute and delayed		
	Following inhalation:	Depending on concentration and exposure time, it may lead to mucosa irritation, cough, and dyspnea.		
	Following skin contact:	Defatting, dry skin.		
	Following eye contact:	Depending on concentration and exposure time, it may lead to irritation, tearing, redness and pain.		
	Following ingestion:	Depending on concentration and exposure time, it may lead to stinging and digestive mucus damage, abdominal pain, nausea, vomiting.		
4.3	Indication of any immediate media	cal attention and special treatment needed		

SECTION	SECTION 5. Firefighting measures				
5.1	Extinguishing media				
	Suitable extinguishing media:	Dry powder, alcohol-resistant foam, water spray, carbon-dioxide.			
	Unsuitable extinguishing media:	No information available.			
5.2	Special hazards arising from the substance or mixture				
	Hazardous combustion products:	No information available.			
5.3	Advice for firefighters				
	Wear full protective clothing and se water spray. Use water spray to diss	olf-contained breathing apparatus. Cool the fire affected containers with sipate alcohol vapors.			
5.4	Additional information				



Page 4 of 18

Trading name:	GRAM DECOLORIZER SOLUTION 3				
Product code:	GD3-OT-X**	Revision date:	23 Dec 2022	Version:	4

-

SECTIO	ON 6. Accidental release meas	ures	
6.1	Personal precautions, protective equipment and emergency procedures		
6.1.1.	For non-emergency personne	· I	
	Protective equipment:	Use personal protective equipment (see Section 8).	
	Accident prevention methods	Evacuate members of all non-essential personnel and those members without protective equipment.	
	Emergency procedures:	Mark the area using proper signs.	
6.1.2.	For emergency responders:		
	Avoid contact with skin, eyes and clothing and inhaling gases, vapors and aerosols. Ensure adequate ventilation. Vapors may accumulate at floor level in low and confined spaces. Remove all heat, ignition and spark sources, turn off machines. Ignition spark arrestor must not be operated in the danger area. Use spark-proof tools. Be aware of the risk of slipping.		
6.2	Environmental precautions:		
	Dispose of the spillage and the resulting waste according to the applicable environmental regulations. Do not allow the product and the resulting waste to enter sewers/soil/surface or ground water. Notify the respective authorities in accordance with local law in the case of environmental pollution immediately.		
6.3	Methods and material for containment and cleaning up		
6.3.1.	Bunding, covering of drains; capping procedures:	Sand protective barrier or barriers made of similar materials.	
6.3.2.	Cleaning up:	Collect the spilled product with inert, non-combustible absorbent (e.g. sand, vermiculite, earth) then place into a suitable, closed, properly labelled chemical waste container for removal/disposal. During the collection, placement, disposal of the waste, wear appropriate individual protective equipment. Flush the remains with plenty of water. The product loses its flammability, if diluted with significant amount of water (approx. 10% solution).	
6.3.3.	Other information:	Secure proper ventilation. Do not use incompatible materials (see Section 10).	
6.4	Reference to other sections		
	See Section 7 for information on safe handling.		
	See Section 7 for information	on safe nandling.	
		on personal protection equipment.	

SECTION 7. Handling and storage		
7.1	Precautions for safe handling	
7.1.1.	Protection measures	



Page 5 of 18

Trading name:					
Product code:	GD3-OT-X**	Revision date:	23 Dec 2022	Version:	4

	Measures to prevent fire:	Use in well ventilated storage rooms. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use non-sparkling tools and equipment.
	Measures to prevent aerosol and dust generatio	n: Ensure adequate ventilation.
	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.
	Other measures:	Protect against electrostatic charges.
7.1.2.	Advice on general occupational hygiene:	
	Do not eat, drink or smoke in the workspace. The	oroughly wash hands after work and before eating.
7.2	Conditions for safe storage, including any incom	patibilities
	Technical measures and storage conditions:	Store in a well-ventilated place, protected from sunlight, away from sources of heat and ignition, in its original, unopened and hermetically sealed packaging, away from oxidizing agents, food, feed and articles of consumption.
	Packaging materials:	Manufacturer's original packaging.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).
7.3	Specific end use(s)	
	Recommendations:	-
	Industrial sector specific solutions:	-

SECTION 8. Exposure controls/personal protection							
8.1 Control parameters							
Substance	CAS No	·	exposure limit t term values	Biological limit values			
		ppm	mg/m³	•			
Ethanol	64-17-5	1000/-	1900/-	-			
Acetone	67-64-1	500/-	1210/-				



Page 6 of 18

Trading name:	GRAM DECOLORIZER SOLUTION 3				
Product code:	GD3-OT-X**	Revision date:	23 Dec 2022	Version:	4

Substance name:	_							
EC No:	-	CAS No:		_				
DNEL						·		
Industrial								
Route of	Acu	te		Acute		Cł	nronic	Chronic
exposure:	effect	local	effe	ct systemic	С	effe	ct local	effect systemic
Oral	-		-		-			-
Inhalation	1900 mg (ethanol)		-		-			380 mg/m³ (ethanol) 1210 mg/m³ (acetone)
Dermal	-		-		-			343 mg/kg (ethanol) 186 mg/kg (acetone)
Critical physical par	rameters: s	olubility,	flamm	ability, cor	rrosiv	ity:	-	-
Consumer								
Route of	Ac	cute		Acute		Cł	nronic	Chronic
exposure:	effec	t local	effe	ct systemi	с	effe	ct local	effect systemic
Oral	-		-		-			87 mg/kg bw/day (ethanol)
Inhalation	950 m (ethan	_	-		-	-		114 mg/m³ (ethanol) 200 mg/m³ (acetone)
Dermal	-		-		-			206 mg/kg (ethanol) 62 mg/kg (acetone)
PNEC					L			
Environmental prot	ection targ	get			PNE	C		
Fresh water						mg/l (eth		
Freshwater sedime	nts				3.6 r	mg/kg (etl mg/kg (a	nanol)	
Marine water					0.79 mg/l (ethanol) 1.06 mg/kg (acetone)			
Marine sediments				2.9 mg/kg (ethanol) 3.04 mg/kg (acetone)				
Food chain			380-720 mg/kg (ethanol)					
			580 mg/l (ethanol)					
Microorganisms in sewage treatment				mg/l (ace				
Soil (agricultural)						mg/kg (e mg/kg (a		
Air							n available	
<u>. </u>								



Page 7 of 18

Trading name:		GRAM DECOLORIZER SOLUTION 3					
Product code:	GD3-OT-X**	Revision date:	23 Dec 2022	Version:	4		

8.2	Exposure controls				
8.2.1.	Appropriate engineering controls				
	Substance/mixture related measures to prevent exposure during identified uses: Structural measures to prevent exposure: Organisational measures to prevent exposure: Technical measures to prevent exposure:		In case of a hazardous material with no controlled concentration limit it is the employer's duty to keep concentration levels down to a minimum achievable by existing scientific and technological means, where the hazardous substance poses no harm to workers.		
			In accordance with Section 7.		
			Organization of work in order to reduce other worker's influence during work process.		
			In pursuance of work is proper foresight needed to avoid spilling onto clothes and floors and to avoid contact with eyes and skin. Use according to general application methods and with adequate ventilation.		
			Use non-sparkling ventilation system.		
			Provide appropriate personal protective equipment, safety shower and eye-wash station.		
8.2.2.	Personal protection equipment				
8.2.2.1.	Eye and face protection:	Use appropriate, chemical-proof protective glasses/face shield (EN ISO 16321-1:2022, EN 166).			
8.2.2.2.	Skin protection				
	Hand protection:	Use ap	propriate, chemical-resistant protective gloves (EN 374).		
	Other skin protection:	Use ap	propriate protective clothing.		
8.2.2.3.	Respiratory protection:	In case of normal usage and ventilation, it is not necessary. concentration of ethyl alcohol exceeds occupational exposure limit in the air, use a self-contained breathing apparatus. For shor contact and if the oxygen content of the air is greater than 18 %, us a protective gas mask with filter A (EN 14837/A1).			
8.2.2.4.	Thermal hazards:	No the	rmal hazards known.		
8.2.3.	Environmental exposure controls				
	Substance/mixture related measures to prevent exposure:	See Se	ction 6		
	Structural measures to prevent exposure:	Use mo	odern equipment.		
	Organisational measures to prevent exposure:	Adapt workpl	the work process to the required working conditions of the ace.		
	Technical measures to prevent exposure:	See Se	ction 6		



Page 8 of 18

Trading name:	GRAM DECOLORIZER SOLUTION 3				
Product code:	GD3-OT-X**	Revision date:	23 Dec 2022	Version:	4

C C C C C C C C C C C C C C C C C C C	Physical state: Colour: Odour/odour threshold: Melting point / freezing point: Boiling point or initial boiling point and boiling range: Flammability: Lover and upper explosion limit: Flash point: Auto-ignition temperature:	Value liquid colourless acetone like/no information available No information available No information available No information available No information available 12 °C No information available	Method No information available
C C C C C C C C C C C C C C C C C C C	Colour: Odour/odour threshold: Melting point / freezing point: Boiling point or initial boiling point and boiling range: Flammability: Lover and upper explosion limit: Flash point: Auto-ignition temperature:	colourless acetone like/no information available No information available No information available No information available No information available 12 °C	No information available
F F F F F F F F F F F F F F F F F F F	Odour/odour threshold: Melting point / freezing point: Boiling point or initial boiling point and boiling range: Flammability: Lover and upper explosion limit: Flash point: Auto-ignition temperature:	acetone like/no information available No information available No information available No information available No information available 12 °C	No information available
P P P P P P P P P P P P P P P P P P P	Melting point / freezing point: Boiling point or initial boiling point and boiling range: Flammability: Lover and upper explosion limit: Flash point: Auto-ignition temperature:	available No information available No information available No information available No information available 12 °C	No information available
B F L F C F C F F F F F F	Boiling point or initial boiling point and boiling range: Flammability: Lover and upper explosion limit: Flash point: Auto-ignition temperature:	No information available No information available No information available 12 °C	No information available No information available No information available No information available
F	Pooint and boiling range: Flammability: Lover and upper explosion limit: Flash point: Auto-ignition temperature:	No information available No information available 12 °C	No information available No information available No information available
L F A	Lover and upper explosion limit: Flash point: Auto-ignition temperature:	No information available 12 °C	No information available No information available
F A C	Flash point: Auto-ignition temperature:	12 °C	No information available
Д С	Auto-ignition temperature:	-	
Ę		No information available	No information available
p	Documentiion tomporature		140 illioilliation available
	Decomposition temperature:	No information available	No information available
V	oH:	No information available	No information available
, N	Kinematic viscosity:	No information available	No information available
S	Solubility:	No information available	No information available
	Partition coefficient n- octanol/water (log value):	No information available	No information available
V	Vapour pressure:	No information available	No information available
Г	Density and/or relative density:	No information available	No information available
F	Relative vapour density:	No information available	No information available
F	Particle characteristics:	No information available	No information available

SECTION	SECTION 10. Stability and reactivity				
10.1	Reactivity:	See Section 10.5.			
10.2	Chemical stability:	Stable within normal temperature and general work conditions.			
10.3	Possibility of hazardous reactions:	See Section 10.5.			
10.4	Conditions to avoid:	Keep away from heat, sparks, open flames, strong heating and ignition sources. No smoking.			
10.5	Incompatible materials:	Strong oxidizing agents (inorganic strong acid, nitric acid, perchlorates, peroxy compounds, perchloric acid, permanganates etc.), alkali metals, alkali earth metals.			
10.6	Hazardous decomposition products:	Carbon monoxide and carbon dioxide.			



SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006

amended by Regulation (EU) No. 1907/2006

Page 9 of 18

Trading name:					
Product code:	GD3-OT-X**	Revision date:	23 Dec 2022	Version:	4

	oxicological inforr ation on hazard cla		in Regulat	ion (EC) No 127	72/2008	
Acute t		sses as defined i	iii kegulai	1011 (LC) 110 121	2/2000	
Route of exposure:	Method	Species	Dose	LD ₅₀ /LC ₅₀ or ATE _{mix}	Exposure t	ime Results
Oral:	-	- rat		LD ₅₀	-	7.060 mg/kg (ethanol) 5.800 mg/kg (acetone)
Dermal:	-	rabbit		LD ₅₀	-	>20.000 mg/l (ethanol) 20.000 mg/kg (acetone)
Inhalation:	-	rat		LC ₅₀	4 h	>8.000 mg/l (ethanol) 76 mg/l (acetone)
Spocifie	target organ toxic	ity – single ovno	ocuro (STO	T CEI:		
Specific		ecific effects	Jaule (310	Target o	organ	Note
Oral:	No information		<u> </u>	No information available		-
Dermal:	No informatio	n available	1	No information available -		-
Inhalation:	Narcotic effec	ts	١			May cause drowsiness or dizziness.
Aspirat	ion hazard:	N	o informa	ition available.		
Irritatio	n and corrosion					
	Exposi	ure time	Species	<u>Evaluati</u>	on Method	Note
Skin corrosion/irritat	ion:	-		-	-	-
Serious eye damage/irritatio	on -	-		-	-	-
Sensitiz	zation					
Skin sensitizatio	n: No ii	nformation avail	able.			
Respiratory sens	sitization: No i	nformation avail	ahla			



Page 10 of 18

Trading name:	GRAM DECOLORIZER SOLUTION 3							
Product code:	GD3-OT-X**	Revision date:	23 Dec 2022	Version:	4			

Sympto	ms rela	ited to the ph	ysical, chemic	al and toxicolog	jical characterist	ics	
Oral exposure:		unconscious:	ness and alcoh	ol poisoning. In	case of swallowi	ess, drunkenness, ng great quantities, y lead to liver cirrh	nausea and
Dermal exposure	1.	After prolon cracking of s		ted exposure s	symptoms may	include: defatting,	dryness and
Inhalation expos	IIro:	Inhalation of membranes.	great quantitie	es may cause diz	ziness, euphoria	and mild irritation	of the mucous
Eye exposure:		May cause in	ritation and re	dness.			
Repeate	ed dose	toxicity (sub	acute, subchro	onic. chronic)			
- 		Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral	No availa	information able	No information available	No information available	No information available	No information available	-
Subacute dermal	No availa	information able	No information available	No information available	No information available	No information available	-
Subacute inhalation	No availa	information able	No information available	No information available	No information available	No information available	-
Subchronic oral	No availa	information able	No information available	No information available	No information available	No information available	-
Subchronic dermal	No availa	information able	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No availa	information able	No information available	No information available	No information available	No information available	-
Chronic oral	No availa	information able	No information available	No information available	No information available	No information available	-
Chronic dermal	No availa	information able	No information available	No information available	No information available	No information available	-
Chronic inhalation	No availa	information able	No information available	No information available	No information available	No information available	-



Page 11 of 18

Trading name:		GRAM DECOLORIZER SOLUTION 3							
Product code:	GD3-OT-X**	Revision date:	23 Dec 2022	Version:	4				

	Specific target	organ toxicity – repeated e	ехро	sure (STOT	RE):			
		Specific effe	cts		Target organ	Note		
Subacu	ıte oral	No information available			No information available	-		
Subacu	ite dermal	No information available			No information available	-		
Subacu	ıte inhalation	No information available			No information available	-		
Subchr	thronic oral No information available				No information available	-		
Subchr	ochronic dermal No information available				No information available	-		
Subchr	ubchronic inhalation No information available				No information available	-		
Chronic oral No information		No information available			No information available	-		
Chronic	c dermal	No information available			No information available	-		
Chronic	c inhalation	No information available			No information available	-		
	CMR effects (c	arcinogenicity; mutagenicit	y; re	productive	toxicity)			
	Carcinogenicit	y:	Based on available data, the classification criteria are not met.					
	Mutagenicity i	n vitro:	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.					
	Genotoxicity:							
	Mutagenicity i	n vivo:						
	Germ cell mut	agenicity:						
	Reproductive t	toxicity:						
	Summary of properties:	evaluation of the CN	MR	Based on met.	available data, the classifica	ation criteria are no		
11.2	Information or	n other hazards:						
11.2.1.	Endocrine disr	upting properties:						
	The substance/mixture does not cont components considered to have endocr disrupting properties according to REA Article 57(f) or Commission Delegative regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% bigher							
	higher.							

SECTION 12. Ecological information



Page 12 of 18

Trading name:	GRAM DECOLORIZER SOLUTION 3							
Product code:	GD3-OT-X**	Revision date:	23 Dec 2022	Version:	4			

12.1 Toxicity						
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	golden orf	No information available	8.140 mg/l /48 h (ethanol) 6.210 mg/l (acetone)	-
Crustacea:	EC ₅₀	48 hours	daphnia magna	No information available	7.800 mg/l (ethanol) 8.800 mg/l (acetone)	-
Algae/aquatic plants	IC ₅₀	4 days	algae	No information available	5.000 mg/l / 7d (ethanol) 530 mg/l (acetone)	-
Other organisms	-	-	-	_	-	-
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants	IC ₅₀	72 hours	No information available	No information available	No information available	-
Other organisms	-	-	-	_	-	-

12.2 Persist	ence and degradability								
Abiotic degradation									
	Degradation half-lives	Method	Evaluation	Note					
Marine water	No information available	No information available	No information available	-					
Fresh water	No information available	No information available	No information available	-					
Air	No information available	No information available	No information available	-					
Soil	No information available	No information available	No information available	-					



Page 13 of 18

Trading name:		GRAM DECOLORIZER SOLUTION 3									
Product code:	GD3-OT-X**	Revision date:	23 Dec 2022	Version:	4						

	D:l		•										
0/ D	Biodegr			T' ()	``					- I .:			NI /
	gradatior	1		Time (d				1ethod		Evaluation			Note
No info availabl			No availa		ormatio		o into ailab	ormation		informatior ilable	ו		ormation
avallabl			avana	ibie		av	anab	ile .	available		available		
12.3	Pioaccu	mula	tivo n	otontial									
12.3	Bioaccumulative potential Octanol-water partition coefficient (log Kow)												
\/-											-4:		Note
Val	iue		ncentra		рН	°C		Method		Evalua	ation		Note
-		-			-	-	•	-		-		-	
	5.				CE)								
	Bioconc	entra	ation f					4 .1 .1					
V	alue	_		Specie				Method		Evaluation		Note	
-			No ıvailab		ormatio	ation No inf availab		ormation le	No informati available		on	-	
			Ivaliab			avi	unab		_ uv	diabic			
	Chronic	ecot	oxicity	/									
		-			F	xposu	re						
	Value			Dose	•	time		Species		Method	Eval	uation	Note
					No)		No	N	0	No		
Chronic	toxicity of	on fis	sh	LC_{50}		formati		information	1	formation		nation	-
						ailable		available		vailable	availa	ble	
Chronic	toxicity o	on		EC ₅₀	No int	o formati	ion	No information	No in	o formation	No inforr	nation	_
crustace	ea (<i>Daphr</i>	nia)		LC50		ailable		available	1	ailable	availa		
			<u> </u>					i			<u>. </u>		·
12.4	Mobility	in s	oil										
	Known	or pr	edicte	d distrik	oution i	n envir	onm	ental compar	tme	nts:			
	No info	rmati	ion ava	ailable									
	Surface	tensi	ion:										
	Valu	е		°C		Conce	entra	tion	N	1ethod			Note



Page 14 of 18

Trading name:	GRAM DECOLORIZER SOLUTION 3								
Product code:	GD3-OT-X**	Revision date:	23 Dec 2022	Version:	4				

	information inf		No information available	No information available	1	No information available	n	-	
	Adsorpt	ion / c	desorption						
Transpo	· ·	A/I	O coefficient ry's constant	log Kow	Eν	aporation rate	Meth	nod	Note
Soil-wa	ter	No availa	information able	No information available		o information ailable	No inforn available	nation	-
Water-a	air	No availa	information able	No information available		o information ailable	No inforn available	nation	-
Soil-air	No information			No information available		o information ailable	No inforn available	nation	-
12.5	This sub	stance							
	This sub toxic (PE Endocrin The sub accordin	estance BT), or ne disi stance ng to F	e/mixture conta very persistent rupting properti e/mixture does i REACH Article 5	ins no component and very bioaccur es not contain compo 7(f) or Commission	oner n De	nts considered to	vels of 0.19	% or high	isrupting propertie:
12.6.	This sub toxic (PE Endocrin The sub accordin	estance BT), or ne disi stance ng to F	e/mixture conta very persistent rupting properti e/mixture does i REACH Article 5 J) 2018/605 at l	ins no component and very bioaccur ies not contain compo	oner n De	nts considered to	vels of 0.19	% or high	isrupting propertie:
12.6.	This sub toxic (PE Endocrin The sub accordin Regulati	estance BT), or the displayment stance ang to Fi ion (El	e/mixture conta very persistent rupting properti e/mixture does i REACH Article 5 J) 2018/605 at I	ins no component and very bioaccur es not contain compo 7(f) or Commission	oner n De	ntive (vPvB) at le	o have endion (EU) 20	% or high	isrupting propertie:
12.6.	This subtoxic (PE Endocrin The subaccordin Regulati Other ac	estance BT), or the disposition stance ang to Figure in the disposition is an estance and the disposition is an estance and an estance and an estance and an estance and an estance and a disposition and an estance and an estance	e/mixture conta very persistent rupting properti e/mixture does i REACH Article 5 J) 2018/605 at I	ins no component and very bioaccur ies not contain compo 7(f) or Commission evels of 0.1% or hi	oner n De	ntive (vPvB) at le	o have endion (EU) 20	% or high	isrupting propertie:
12.6. 12.7.	This subtoxic (PE Endocrir The subaccordir Regulati Other actor Do not I	estance BT), or the disposal stance ang to F ion (El diverse et the	e/mixture conta very persistent rupting properti e/mixture does i REACH Article 5 J) 2018/605 at I effects product or its r	ins no component and very bioaccur ies not contain compo 7(f) or Commission evels of 0.1% or hi	oner n De	ntive (vPvB) at le	o have endion (EU) 20	% or high	isrupting propertie:
12.6. 12.7. SECTIO 13.1	This subtoxic (PE Endocrir The subaccordir Regulati Other ac Do not I	estance and displayed stance and to F dion (EU diverse et the	e/mixture contavery persistent rupting propertice/mixture does in REACH Article 5 J) 2018/605 at I effects product or its r	ins no component and very bioaccur les not contain component component contain component contain component contain component component contain contai	oner n De	ntive (vPvB) at le	o have endion (EU) 20	% or high	isrupting propertie:
12.6. 12.7. SECTIO 13.1	This subtoxic (PE Endocrir The subaccordir Regulati Other ac Do not I Waste	estance BT), or the displayed stance ing to F ion (EU diverse et the et the treatr ct/Pac it for c	e/mixture contavery persistent rupting propertice/mixture does in REACH Article 5 J) 2018/605 at I effects product or its reconsideration ment methods	ins no component and very bioaccur les not contain component component contain component contain component contain component component contain contai	oner n De ighe	nts considered to elegated regulater.	o have endion (EU) 20	% or high	isrupting properties or Commission
12.5 12.6. 12.7. SECTIO 13.1. 13.1.1.	This subtoxic (PE Endocrir The subaccordir Regulati Other ac Do not I Waste Produ Submi Protec	stance at the sposal at treatment of the sposal at treatment of the sposal at the sposal at the sposal at treatment of the sposal at the sposa	e/mixture contavery persistent rupting properticular does in REACH Article 5 J) 2018/605 at I effects product or its reconsideration ment methods kaging disposal disposal to the Information of the Inform	ins no component and very bioaccur ies not contain component component contain component contain component contain component component contain conta	onern Deighe	nts considered to elegated regulater. ystem, waterway	o have endion (EU) 20	% or high	isrupting properties or Commission



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 15 of 18

Trading name:		GRAM DECOLORIZ	ZER SOLUTION 3		
Product code:	GD3-OT-X**	Revision date:	23 Dec 2022	Version:	4

13.1.3. Waste treatment – releva		nt information:		
	No information available			
13.1.4.	Sewage disposal – releva	nt information:		
	Waste must not be dispo	sed of into the sewage system.		
13.1.5.	Other disposal recomme	ndations:		
	authorized by the minist	product's remains into the sewage system. Submit the remains to the collectors try in charge. Do not dispose of the packaging into the sewage system. Submit ellectors authorized by the ministry in charge. Unused product residues may be		
13.1.6.	Relevant Community pro	visions:		
	Disposal must be made a	according to official regulations.		
SECTIO	N 14 TRANSPORT INFORM	MATION		
	Transporting/shipment by	road (ADR)		
UN num	ıber:	1993		
UN prop	per shipping name:	Flammable liquid, n.o.s. (acetone, ethanol)		
Transpo	rt hazard class(es):	3		
Packing	group:	II.		
Environr	mentally hazardous:	-		
Special _I	precautions for user:	-		
	Transporting/shipment by	rail (RID)		
UN num	ıber:	1993		
UN prop	per shipping name:	Flammable liquid, n.o.s. (acetone, ethanol)		
Transpo	rt hazard class(es):	3		
Packing	group:	II.		
Environr	mentally hazardous:	-		
Special precautions for user:		-		
	Inland waterway transport	(ADN)		
UN number:		1993		
UN proper shipping name:		Flammable liquid, n.o.s. (acetone, ethanol)		
Transport hazard class(es):		3		
Packing group:		II.		
Environmentally hazardous:		-		
Special precautions for user:		-		



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 16 of 18

Trading name:	GRAM DECOLORIZER SOLUTION		IZER SOLUTION 3		
Product code:	GD3-OT-X**	Revision date:	23 Dec 2022	Version:	4

Transporting/shipment by sea (IN	(טעווי
UN number:	1993
UN proper shipping name:	Flammable liquid, n.o.s. (acetone, ethanol)
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (IC.	AO-TI/IATA-DGR)
UN number:	1993
UN proper shipping name:	Flammable liquid, n.o.s. (acetone, ethanol)
Transport hazard class(es):	3
Packing group:	II
Environmentally hazardous:	-
Special precautions for user:	-

SECTION	SECTION 15. Regulatory information		
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture		
	EU regulations		
	rictions of use		
	Authorizations: -		
	Restrictions: -		



Page 17 of 18

Trading name:	GRAM DECOLORIZER SO		IZER SOLUTION 3		
Product code:	GD3-OT-X**	Revision date:	23 Dec 2022	Version:	4

15.2	Chemical safety assessment	
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
	Information according 1999 guideline)	1/13/EC about limitation of emissions of volatile organic compounds (VOC-
	Other EU regulations:	REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);
		amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006; COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
		amending Directive 1999/13/EC; Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work; Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures,
		Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC; Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and

SECTION 16. Other information		
16.1 Indication of changes:	-	



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 18 of 18

Trading name:	GRAM DECOLORIZER		IZER SOLUTION 3		
Product code:	GD3-OT-X**	Revision date:	23 Dec 2022	Version:	4

16.2	Abbreviations and acronyms:		ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative		
16.3.	Key literature references and source of data:				
16.4.	Classification and procedure 1272/2008 (CLP)		used to derive the classification for mixture according to Regulation (EC)		
Classifi	assification		Classification procedure		
_			-		
16.5.	Relevant H statements (num		per and full text)		
		225	Highly flammable liquid and vapor.		
	H:	319	Causes serious eye irritation.		
		336	May cause drowsiness or dizziness.		
		(EUH066)	Repeated exposure may cause skin dryness or cracking.		
16.6.	Training advice:		-		
16.7.	. Further information:		** "X" in the product code marks different volumes (different packagings of the product) We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.		

