

Page 1 of 17

Trading name:		GRAM SAFRAN	IN SOLUTION		
Product code:	GSF-OT-X**	Revision date:	23 Dec 2022	Version:	6

1.1	Product identifier					
	Trading name:	GRAM SAFE	RANIN SO	LUTION		
	Chemical name:	-				
	Catalogue number:	GSF-OT-X**	SF-OT-X**			
1.2	Relevant identified use	es of the subst	tance or m	nixture and uses advised against		
	Uses:		For use i	n Gram staining using BioGram 4 kit.		
	Uses advised against:		Only the	identified uses are advised.		
	Reason why uses advis	dvised against: device,		e product is intended for use only as an <i>in vitro</i> diagnostic medical vice, registered at the Agency for Medicinal Products and Medical vices and there is no reason to use it for other purposes.		
1.3	Details of the supplier	of the safety	data shee	t		
	Supplier:		BioGnost Ltd.			
	Address:		Medjugorska 59, Zagreb +385 1 2409997			
	Telephone number:					
	Telefax.:		+385 1 2404039 <u>msds@biognost.hr</u>			
	e-mail of competent p	erson:				
	National contact:		-			
1.4	Emergency telephone	number				
	National Protection an	d Rescue Dire	ectorate:	112		
	Medical information:			+385 1 2348 342		
	Other information:			-		

SECTIO	N 2. Hazards identification					
2.1	Classification of the substance or mixture					
2.1.1	Classification according to Reg	Classification according to Regulation (EC) No 1272/2008 (CLP)				
	Hazard class and catego	ory code:		Hazard statements*:		
	Flam. Liq. 3 H226					
2.1.2.	Additional information					
	-					
*For ful	l text of Hazard- and EU Hazard-	statements: see S	ECTION 16			
2.2	Label elements					
	Product identification:	GRAM SAFRANI	N SOLUTION			
	Identification number:	-				
	Authorization number:	-				



Page 2 of 17

Trading name:		GRAM SAFRA	NIN SOLUTION		
Product code:	GSF-OT-X**	Revision date:	23 Dec 2022	Version:	6

	Hazard pictograms:	GHS02
	Signal word:	Danger
	Hazard statements:	H226 Flammable liquid and vapor.
	Precautionary statements:	<ul> <li>P210 Keep away from heat, hot sparks, open flames and other ignition sources. No smoking.</li> <li>P233 Keep container tightly closed.</li> <li>P280 Wear protective gloves/protective clothing/eye/protection/face protection.</li> </ul>
	Supplemetal hazard information (EU):	-
2.3	Other hazards	
	Results of PBT and vPvB assess PBT or vPvB substances.	n specific hazards for human or environment. ment: Based on available data, the product does not contain any Based on available data, does not contain endocrine disruptors.

SECTION 3. Co	mposition/information	on ingredients		
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)
64-17-5/ 200-578-6/ 603-002-00-5	01-2119457610-43- 0147	10 – 20 %	ethanol	Flam. Liq. 2; H225

SECTI	ON 4. First aid measures	
4.1	Description of first aid measures	
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.
	Following inhalation:	Take the victim into fresh air, loosen his clothes and place him in a comfortable position. If breathing difficulty occurs, administer artificial respiration. In case of complaints call a physician.
	Following skin contact:	Remove the contaminated clothes. Wash the skin surface under plenty of running water. Seek medical assistance if the symptoms of irritation remain.



Page 3 of 17

Trading name:		GRAM SAFRA	NIN SOLUTION		
Product code:	GSF-OT-X**	Revision date:	23 Dec 2022	Version:	6

	Following eye contact:	In case of contact with eyes flush with water holding eyelids apart and moving the eyeballs (for at least 10 minutes). If the symptoms remain, immediately call in ophthalmologist.
	Following ingestion:	<ul><li>Place the victim in a comfortable position. Rinse the mouth with clean water. If the victim is conscious induce vomiting.</li><li>Do not give the victim anything orally, and do not induce vomiting if the victim is unconscious or suffers from convulsions.</li></ul>
	Self-protection of the first aider:	-
4.2	Most important symptoms and ef	fects, both acute and delayed
	Following inhalation:	Inhalation of larger quantities may affect the central nervous system.
	Following skin contact:	Prolonged or repeated dermal contact may cause the defatting and dryness of the skin.
	Following eye contact:	May irritate the eyes.
	Following ingestion:	Ingestion of larger quantities may affect the central nervous system.
4.3	-	cal attention and special treatment needed ne body, obtain medical treatment (gastric lavage, activated carbon).

SECTI	ON 5. Firefighting measures	
5.1	Extinguishing media	
	Suitable extinguishing media:	Extinguishing powder, alcohol-resistant foam, water, carbon-dioxide.
	Unsuitable extinguishing media:	Water with full jet.
5.2	Special hazards arising from the su	ibstance or mixture
	Hazardous combustion products:	Highly flammable liquid and vapour. In case of fire, smoke, and other combustion products (carbon monoxide, carbon dioxide) may be formed, the inhalation of such combustion products can have serious adverse effects on health. Vapours may form an explosive mix with air. Vapours may be ignited by open flames, sparks, electrical equipment, or static charge. Vapours may travel to great distances, ignite in contact with ignition sources and flash back to the primer source (container). Vapours of ethyl alcohol mix greatly with air and may form an explosive mixture. Air containing $3.3 - 19$ % ethyl alcohol vapours may explode in contact with ignition sources. Diluting the mixture with large amounts of water results in the loss of its flammability (around 10% concentration of ethyl alcohol).
5.3	Advice for firefighters	
	Wear full protective clothing and s water spray. Use water spray to dis	elf-contained breathing apparatus. Cool the fire affected containers with ssipate alcohol vapours.
5.4	Additional information	
	-	



Page 4 of 17

Trading name:		GRAM SAFRA	NIN SOLUTION		
Product code:	GSF-OT-X**	Revision date:	23 Dec 2022	Version:	6

6.1	Personal precautions, protection	ve equipment and emergency procedures
6.1.1.	For non-emergency personne	l .
	Protective equipment:	Use personal protective equipment (see Section 8).
	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment.
	Emergency procedures:	Mark the area using proper signs.
6.1.2.	For emergency responders:	
	ventilation. Vapours may accu	and clothing and inhaling gases, vapours and aerosols. Ensure adequate mulate at floor level in low and confined spaces. Remove all heat, ignition achines. Ignition spark arrestor must not be operated in the danger area. Use the risk of slipping.
6.2	Environmental precautions:	
	not allow the product and the	e resulting waste according to the applicable environmental regulations. Do e resulting waste to enter sewers/soil/surface or ground water. Notify the dance with local law in the case of environmental pollution immediately.
6.3	Methods and material for con-	tainment and cleaning up
6.3.1.	Bunding, covering of drains; capping procedures:	Sand protective barrier or barriers made of similar materials.
		Collect the spilled product with inert, non-combustible absorbent (e.g.
6.3.2.	Cleaning up:	sand, vermiculite, earth) then place into a suitable, closed, properly labelled chemical waste container for removal/disposal. During the collection, placement, disposal of the waste, wear appropriate individual protective equipment. Flush the remains with plenty of water. The product loses its flammability, if diluted with significant amount of water (approx. 10% solution).
6.3.2. 6.3.3.	Cleaning up: Other information:	sand, vermiculite, earth) then place into a suitable, closed, properly labelled chemical waste container for removal/disposal. During the collection, placement, disposal of the waste, wear appropriate individual protective equipment. Flush the remains with plenty of water. The product loses its flammability,
6.3.3.		sand, vermiculite, earth) then place into a suitable, closed, properly labelled chemical waste container for removal/disposal. During the collection, placement, disposal of the waste, wear appropriate individual protective equipment. Flush the remains with plenty of water. The product loses its flammability, if diluted with significant amount of water (approx. 10% solution). Secure proper ventilation. Do not use incompatible materials (see Section
	Other information:	sand, vermiculite, earth) then place into a suitable, closed, properly labelled chemical waste container for removal/disposal. During the collection, placement, disposal of the waste, wear appropriate individual protective equipment. Flush the remains with plenty of water. The product loses its flammability, if diluted with significant amount of water (approx. 10% solution). Secure proper ventilation. Do not use incompatible materials (see Section 10).

SECTIC	SECTION 7. Handling and storage			
7.1	Precautions for safe handling			
7.1.1.	7.1.1. Protection measures			



Page 5 of 17

						Page 5 of 17		
Tradin	ng name:		GRAM	M SAFRAI	NIN SOLUTION			
Produ	ct code:	GSF-OT-X**	Revisior	n date:	23 Dec 2022	Version:	6	
	Measures	to prevent fire:			away from heat, ł flames and othe	ated storage rooms. not surfaces, sparks, er ignition sources non-sparkling tools	open 5. No	
	Measures	to prevent aerosol and	l dust generatio	n:	Ensure adequate	ventilation.		
	Measures to protect the environment: Other measures:				Prevent spilling in and waterways.	to the sewage system	m	
					Protect against ele	ectrostatic charges.		
7.1.2.	2. Advice on general occupational hygiene:							
	Do not eat, drink or smoke in the workspace. Thoroughly wash				vash hands after work	and before eating.		
7.2	Conditions for safe storage, including any incompatibilities							
	Technical	measures and storage	conditions:	away fro unopen	a well-ventilated place om sources of heat ar ed and hermetically xidizing agents, foo ption.	nd ignition, in its or sealed packaging,	iginal, away	
	Packaging	g materials:		cturer's original packa	ging.			
	Requirem	ents for storage rooms	and vessels:	Keep away from food and drink. Keep the containers tightly closed.			ers	
	Advices fo	Advices for storage equipment:			The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.			
	Further information on storage conditions:			and do	place the unused mat not use empty con Ils. Do not store with ir 10).	tainers for storing	other	
7.3	Specific e	nd use(s)						
	Recomme	endations:		-				
	Industrial	sector specific solution	is:	-				

trol parameters				
tion parameters				
Substance				Biological limit values
		ppm	mg/m <sup>3</sup>	
	64-17-5	1000/-	1900/-	-
-	stance		stance CAS No values/short	ppm mg/m <sup>3</sup>



Page 6 of 17

Trading name:			GRAM SAFRA	NIN SOLUTION		
Product code:	GSF-C	DT-X**	Revision date:	23 Dec 2022	Version:	6
EC No:		CAS No:				

- 0	CAS No:	-				
		In	dustrial			
		Acute effect systemi	ic	Chronic effect local	Chronic effect systemic	
-	-	-	-		-	
1900 mg/r (ethanol)	m <sup>3</sup> -		-		380 mg/m <sup>3</sup> (ethanol)	
-	-		-		343 mg/kg (ethanol)	
ameters: so	lubility, fla	mmability, co	rrosivity:	-		
		Co	onsumer			
		Acute effect system	ic	Chronic effect local	Chronic effect systemic	
-	-		-		87 mg/kg bw/day (ethanol)	
-	-	-	-		114 mg/m <sup>3</sup> (ethanol)	
-	-		-		206 mg/kg (ethanol)	
ection targe	et		PNEC			
			0.96 mg/l (ethanol)			
nts			3.6 mg/kg (ethanol)			
			0.79 mg/l (ethanol)			
			2.9 mg/kg (ethanol)			
			380-720	mg/kg (ethanol)		
sewage trea	itment		580 mg/l (ethanol)			
			0.63 mg/kg (ethanol)			
			no information available			
ure controls						
priate engin	eering co	ntrols				
Substance/mixture related measures to prevent exposure during identified uses:		concentra concentra existing	ation limit it is th ation levels down scientific and tech	naterial with no controlled le employer's duty to keep to a minimum achievable by nological means, where the no harm to workers.		
ural measure ure:	es to preve	ent	In accord	ance with Section 7	7.	
	Acute effect lo - 1900 mg/r (ethanol) - rameters: so Acu effect - 950 mg, (ethano 2 - 950 mg, (ethano 3 - ection targe nts sewage trea sewage trea nts priate engin	Acute       effect local         -       -         1900 mg/m³       -         (ethanol)       -         -       -         rameters: solubility, fla         Acute       effect local         -       -         950 mg/m³       -         (ethanol)       -         -       -         950 mg/m³       -         (ethanol)       -         -       -         section target       -         nts       -         sewage treatment       -         ure controls       -         priate engineering controls       -         ural measures to preve       -	Acute Acute effect systemi 	Industrial         Acute       Acute         effect local       effect systemic         -       -         1900 mg/m³       -         (ethanol)       -         -       -         iethanol)       -         -       -         ameters: solubility, flammability, corrosivity:         Consumer         Acute       Acute         effect local       effect systemic         -       -         950 mg/m³       -         (ethanol)       -         -       -         950 mg/m³       -         (ethanol)       -         -       -         ection target       PNEC         0.96 mg/m         ints       3.6 mg/kg         2.9 mg/kg         380-720 mg         sewage treatment       580 mg/l         0.63 mg/l         no inform         sewage treatment       580 mg/l         no inform         priate engineering controls       In case         priate engineering controls       In case         unce/mixture related measures to prevent       In accord	Industrial       Acute     Acute     Chronic       effect local     effect systemic     effect local       -     -     -       1900 mg/m³     -     -       (ethanol)     -     -       -     -     -       ameters: solubility, flammability, corrosivity:     -       Consumer       Acute     Acute       effect local     effect systemic       effect local     effect systemic       effect local     effect systemic       effect local     effect systemic       -     -       950 mg/m³     -       (ethanol)     -       -     -       950 mg/m³     -       (ethanol)     -       -     -       950 mg/m³     -       (ethanol)     -       -     -       ection target     PNEC       0.96 mg/l (ethanol)     0.79 mg/l (ethanol)       1s     3.6 mg/kg (ethanol)       380-720 mg/kg (ethanol)       sewage treatment     580 mg/l (ethanol)       0.63 mg/kg (ethanol)     no information available   ure controls priate engineering controls In case of a hazardous r concentration limit it is th concentration limit it is th concentration limit it is t	



Page 7 of 17

		GRAM SAFRANIN SOLUTION					
		GSF-OT-X**	Revision date:		23 Dec 2022	Version:	
		nisational measures to p ure:	orevent	nt Organization of work in order to reduce other wor influence during work process.			
		ical measures to preven	nt exposure:	avoid spilli contact wit	ce of work is proper for ng onto clothes and flo h eyes and skin. Use acc methods and with ade	ors and to avoid cording to general	

o prevent exposure.	•••
	Use non-sparkling ventilation system.
	Provide appropriate personal protective equipm

Provide appropriate personal protective equipment, safety shower and eye-wash station.

8.2.2.	Personal protection equipment					
8.2.2.1.	Eye and face protection:	Use appropriate, chemical-proof protective glasses/face shield (EN ISO 16321-1:2022, EN 166).				
8.2.2.2.	Skin protection					
	Hand protection:	Use appropriate, chemical-resistant protective gloves (EN 374).				
	Other skin protection:	Use appropriate protective clothing.				
8.2.2.3.	Respiratory protection:	In case of normal usage and ventilation, it is not necessary. If concentration of ethyl alcohol exceeds occupational exposure limits in the air, use a self-contained breathing apparatus. For short contact and if the oxygen content of the air is greater than 18 %, use a protective gas mask with filter A (EN 14837/A1).				
8.2.2.4.	Thermal hazards:	No thermal hazards known.				
8.2.3.	Environmental exposure controls					
	Substance/mixture related measures to prevent exposure:	See Section 6				
	Structural measures to prevent exposure:	Use modern equipment.				
	Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.				
	Technical measures to prevent exposure:	See Section 6				

SECTI	SECTION 9. Physical and chemical properties				
9.1	Information on basic physical and chemical properties				
		Value	Method		
	Physical state:	liquid	No information available		
	Colour:	red	No information available		
	Odour/odour threshold:	ethanol like/no information available	No information available		
	Melting point / freezing point:	No information available	No information available		



Page 8 of 17

Trading name:	GRAM SAFRANIN SOLUTION				
Product code:	GSF-OT-X**	Revision date:	23 Dec 2022	Version:	6

	Boiling point or initial boiling point and boiling range:	No information available	No information available
	Flammability:	No information available	No information available
	Lover and upper explosion limit:	No information available	No information available
	Flash point:	49 °C	No information available
	Auto-ignition temperature:	No information available	No information available
	Decomposition temperature:	No information available	No information available
	pH:	No information available	No information available
	Kinematic viscosity:	No information available	No information available
	Solubility:	No information available	No information available
	Partition coefficient n- octanol/water (log value):	No information available	No information available
	Vapour pressure:	No information available	No information available
	Density and/or relative density:	No information available	No information available
	Relative vapour density:	No information available	No information available
	Particle characteristics:	No information available	No information available
2	Other information		

SECTIO	SECTION 10. Stability and reactivity				
10.1	Reactivity:	See Section 10.5.			
10.2	Chemical stability:	Stable within normal temperature and general work conditions.			
10.3	Possibility of hazardous reactions:	See Section 10.5.			
10.4	Conditions to avoid:	Keep away from heat, sparks, open flames, strong heating and ignition sources. No smoking.			
10.5	Incompatible materials:	Strong oxidizing agents (inorganic strong acid, nitric acid, perchlorates, peroxy compounds, perchloric acid, permanganates etc.), alkali metals, alkali earth metals.			
10.6	Hazardous decomposition products:	Carbon monoxide and carbon dioxide.			

SECTION 11. Toxicological information							
11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008							
Acute toxicity:							
Route of exposure:	Method	Species	Dose LD <sub>50</sub> /LC <sub>50</sub> or ATE <sub>mix</sub>	Exposure time	Results		
Oral:	-	rat (ethanol)	LD <sub>50</sub>	-	7.060 mg/kg		
Dermal:	-	rabbit (ethanol)	LD <sub>50</sub>	-	>20.000 mg/l		



Page 9 of 17

Trading name:		GRAM SAFRANIN SOLUTION								
Product code:	G	SF-OT-X**	Re	evision	date:	23 Dec 2	022	Versi	ion:	6
Inhalation:		- rat (ethanol)			LC <sub>50</sub>		4 h		>8.000 n	ng/l
Spacific	targo	t organ toxicit	v – cinglo ovn	osuro (S						
Specific	cific target organ toxicity – single e Specific effects			Usure (S	101 3L).	Target orgar	1	Note		
Oral:	N	lo information			No info	rmation availa				
Dermal:	N	lo information	available		No info	rmation availa	able -			
Inhalation:	N	lo information	available		No info	rmation availa	able -			
:										
Aspiratio	on ha:	zard:	١	lo inforr	nation av	vailable.				
Irritation	n and	corrosion	- time -	Creat		Fuelvetien	Matha d		Nata	
Skin		Exposur	e ume	Speci	es	Evaluation	Method		Note	
corrosion/irritatio	on:	-	-			-	-	-		
Serious eye		-	-			-	-	_		
damage/irritatior	า									
Sensitiza	ation									
Skin sensitization	n:	No inf	ormation avai	lable.						
Respiratory sensi	tizatio	on: No inf	ormation avai	lable.						
Sympton	ms rel	lated to the ph	-							
Oral exposure:			ness and alcol	quantities may cause dizziness, drunkenness, euphoria, cohol poisoning. In case of swallowing great quantities, nausea and peated or prolonged exposure may lead to liver cirrhosis.						
Dermal exposure	:	After prolon cracking of s		peated exposure symptoms may include: defatting, dryness and						
Inhalation exposi	ure:	Inhalation of membranes.	great quantiti	ntities may cause dizziness, euphoria and mild irritation of the mucous						
Eye exposure: May cause irritation and			ritation and re	l redness.						
:										
Repeate	d dos	e toxicity (sub		onic, chr	onic)					
		Dose	Exposure time	Specie	es	Method	Evaluatio	on	Note	
Subacute oral	cute oral No information No information		No information available	No inforn availa		No information available	No infor available		-	



Page 10 of 17

Trading name:		GRAM SAFRA	NIN SOLUTION		
Product code:	GSF-OT-X**	Revision date:	23 Dec 2022	Version:	6

Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	_
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

	Specific effects	Target organ	Note	
Subacute oral	No information available	No information available	-	
Subacute dermal	No information available	No information available	-	
Subacute inhalation	No information available	No information available	-	
Subchronic oral No information available		No information available	-	
Subchronic dermal No information availabl		No information available	-	
Subchronic inhalation	No information available	No information available	-	
Chronic oral	No information available	No information available	-	
Chronic dermal	No information available	No information available	-	
Chronic inhalation	No information available	No information available	-	



Page 11 of 17

						Fage IT OF T				
Trading	g name:		GR	AM SAFRA	NIN SOLUTION					
Produc	ct code:	GSF-OT-X**	Revis	ion date:	23 Dec 2022	Version:	6			
		· · · ·	_							
	Mutageni	city <i>in vitro</i> :	Bas	sed on availa	ble data, the classificati	on criteria are not n	net.			
	Genotoxi	city:	Ba	sed on availa	ble data, the classificati	on criteria are not n	net.			
	Mutagenicity <i>in vivo</i> :			sed on availa	ble data, the classificati	on criteria are not n	net.			
	Germ cell	mutagenicity:	Ba	Based on available data, the classification criteria are not met.						
	Reproductive toxicity:			sed on availa	ble data, the classificati	on criteria are not n	net.			
	Summary		CMR	Based on a met.	available data, the clas	sification criteria ar	e not			
	propertie	~								
11.2	Informatio	on on other hazards:								
11.2.1.	Endocrine	e disrupting properties:								
		Based on available data, does not contain endocrine disruptors.								
11.2.2.	Other info	ormations:								
	-									

SECTION 12. Ecologie	SECTION 12. Ecological information						
12.1 Toxicity							
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note	
Fish	LC <sub>50</sub>	96 hours	golden orf	No information available	8.140 mg/l /48 h (ethanol)	-	
Crustacea:	EC <sub>50</sub>	48 hours	daphnia magna	No information available	7.800 mg/l (ethanol)	-	
Algae/aquatic plants	IC <sub>50</sub>	4 days	algae	No information available	5.000 mg/l / 7d (ethanol)	-	
Other organisms	-	-	-	-	-	-	
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note	
Fish	LC <sub>50</sub>	96 hours	No information available	No information available	No information available	-	
Crustacea:	EC <sub>50</sub>	48 hours	No information available	No information available	No information available	-	



Page 12 of 17

				GRAM SAFRA	ANIN SOLU	τιον		
G	SF-OT-X**		R	evision date:	23 Dec 2022		Vers	ion:
Algae/aquatic plants IC <sub>50</sub> 72 hours				information		_		
ns		-	-	-	-		-	
		oility			·			, 
				Method	Evalua	tion	١	Note
	-				No informa available	tion	-	
No in	o information available				No informa available	tion	-	
No in	o information available					tion	-	
No in	No information available					tion	-	
radatic	on							
'n	Time (d	days)		Method	Evalua	tion	1	Note
		formation	No information available		No information available		No information available	
	•		log K	ow)				
Conc	entration	рН	°C	Method	Ev	aluation		Note
-		-	-	-	-		-	
centrat		-						
_		Method No information available		Evaluation No information available			Note	
	lants s ence ar degra Deg No in No in No in No in No in	GSF-OT-X** Iants IC₅₀ s - ence and degradat degradation Degradation in No information a No in	GSF-OT-X**         Iants       IC <sub>50</sub> 72 hours         s       -       -         ence and degradability       -         No information available       -         Information available       -         No information available       -         No available       -         Information coefficient (       -         Concentration       pH         -       -         -       -         -       -         -       -         -       -         -       -         -       -         -       -         -       -         -	GSF-OT-X**       R         Iants       IC₅0       72 hours       I         s       -       -       -         ence and degradability       No       No       No         No information half-lives       No       No       No         No information available       No       ava       No         no information available       No       ava       No         no available       No       ava       ava         No       No       ava       ava         No       No       ava       ava         No       No       ava       ava         No       ava       ava       ava         No       ava       ava       ava	Revision date:IantsIC5072 hoursNo information availablesence stationIdegradation half-livesMethodNo information availableNo information availableNo information availableNo availableNo information availableNoinformation availableNoinformation availableNoinformation availableNoinformation availableImage: Noinformation availableImage: Noinf	GSF-OT-X**       Revision date:       23 Dec         Iants       IC <sub>50</sub> 72 hours       No information available       No information available         s       -       -       -       -       -         ence and degradability         degradation       Degradation half-lives       Method       Evalua         No information available       No information available       No information available       No information available         No information available       No information available       No information available       No information available         No information available       No information available       No information available       No information available         No information available       No information available       No information available       No information available         No information available       No information available       No information available       No information available         No       information available       No information available       No information available       No information available         No       information available       No information available       No information available       No information available         No       information available       Information available       Information available       Information available	GSF-OT-X**       Revision date:       23 Dec 2022         Iants       IC <sub>50</sub> 72 hours       No information available       No inf	GSF-OT-X**         Revision date:         23 Dec 2022         Vers           Iants         IC <sub>50</sub> 72 hours         No information available         No informatio



Page 13 of 17

Trading name:		GRAM SAFRAN	IN SOLUTION		
Product code:	GSF-OT-X**	Revision date:	23 Dec 2022	Version:	6

	Chronie		xicity	Exposure							
	Value		Dose	time	Spe	ecies	Meth	nod	Εv	aluation	Note
Chroni	c toxicity	on fish	LC <sub>50</sub>	information	No inforn availa	nation ble	No informa availab		-	rmation lable	-
	c toxicity ea ( <i>Daph</i>		EC <sub>50</sub>	information	No inform availa		No inform availab			rmation lable	-
12.4	Mobilit	y in soi	1								
	Known	or pred	dicted distributi	on in environme	ental co	ompart	ments:				
	No info	ormatio	n available								
	Surface	e tensio	n:								
	Val	Je	°C	Concentrat	ion		Metho	d		Note	
	NoNoinformationinformationavailableavailable		information			No information available			-		
	Adsorp	tion / c	desorption								
Transp	ort		D coefficient ry's constant	log Kow	Ev	Evaporation rate		Method		od	Note
Soil-wa	ater	No availa	information able	No information available	-	No information available		No information available		-	
Water-	air	No availa	information able	No information available					No information available		-
Soil-air		No availa	information able	No information available		o inform ailable	ation	No ir availa		ation	-
12.5	Results	of PRT	and vPvB asses	sment							
		-		product does no	t conta	ain any	PBT or v	PvB su	bstar	ices.	
12.6.	Endocr	ine disr	upting properti	es							
				not contain end							



12.7.

13.1

UN number:

#### SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

Page 14 of 17 Trading name: **GRAM SAFRANIN SOLUTION** Product code: GSF-OT-X\*\* Revision date: 23 Dec 2022 Version: 6 Other adverse effects Do not let the product or its residues reach sewer system, waterways and soil. **SECTION 13. Disposal considerations** Waste treatment methods 13.1.1. Product/Packaging disposal: Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection. 13.1.2. Waste codes/waste designations according to Law: Packaging that contains residual hazardous substances or is contaminated with hazardous substances 13.1.3. Waste treatment - relevant information: No information available 13.1.4. Sewage disposal - relevant information: Waste must not be disposed of into the sewage system. 13.1.5. Other disposal recommendations: Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge. Unused product residues may be burnt. 13.1.6. Relevant Community provisions: Disposal must be made according to official regulations. **SECTION 14 TRANSPORT INFORMATION** Transporting/shipment by road (ADR) UN number: 1170 Ethanol solution UN proper shipping name: 3 Transport hazard class(es): Ш Packing group: Environmentally hazardous: \_ Special precautions for user: \_ Transporting/shipment by rail (RID)

1170



Page 15 of 17

Trading name:	GRAM SAFRANIN SOLUTION						
Product code:	GSF-OT-X**	Revision date:	23 Dec 2022	Version:	6		

UN proper shipping name:	Ethanol solution		
Transport hazard class(es):	3		
Packing group:	III		
Environmentally hazardous:	-		
Special precautions for user:	-		
Inland waterway transport (A	ON)		
UN number:	1170		
UN proper shipping name:	Ethanol solution		
Transport hazard class(es):	3		
Packing group:	III		
Environmentally hazardous:	-		
Special precautions for user:	-		
Transporting/shipment by sea	a (IMDG)		
UN number:	1170		
UN proper shipping name:	Ethanol solution		
Transport hazard class(es):	3		
Packing group:	III		
Environmentally hazardous:	-		
Special precautions for user:	-		
Transport in bulk according to Annex of MARPOL 73/78 and the IBC code:	< II _		
Transporting/shipment by air	(ICAO-TI/IATA-DGR)		
UN number:	1170		
UN proper shipping name:	Ethanol solution		
Transport hazard class(es):	3		
Packing group:	Ш		
Environmentally hazardous:	-		
Special precautions for user:	-		
Further information:ADR: Special Provision 144 – An aqueous solution containing 24% or less alcohol volume is not subject to classification.IATA: Special Provision A58 - An aqueous solution containing 24% or less alcohol volume is not subject to classification.			

SECTION 15. Regulatory information			
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture		



Page 16 of 17

Trading name:	GRAM SAFRANIN SOLUTION				
Product code:	GSF-OT-X**	Revision date:	23 Dec 2022	Version:	6

	EU regulations					
	Authorization and/or restrictions of use					
	Authorizations:	-				
	Restrictions:	-				
	Other EU regulations:	<ul> <li>Regulation (EC) No 1907/2006 of the European Parliament and of the Council 18 December 2006 concerning the Registration, Evaluation, Authorisation ar Restriction of Chemicals (REACH), establishing a European Chemicals Agence amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/9 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EE and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC; Directive 2004/42/CE of the European Parliament and of the Council of 21 April 200 on the limitation of emissions of volatile organic compounds due to the use of organ solvents in certain paints and varnishes and vehicle refinishing products ar amending Directive 1999/13/EC;</li> <li>Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safe of workers from the risks related to chemical agents at work;</li> <li>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 10 December 2008 on classification, labelling and packaging of substances and mixture amending and repealing Directives 67/548/EEC and 1999/45/EC, and amendir Regulation (EC) No 1907/2006;</li> <li>COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).</li> <li>REACH Restrictions on the manufacturing, placing on the market and use of certa device of the term of the te</li></ul>				
	dangerous substances, mixtures and articles (Annex XVII); Information according 1999/13/EC about limitation of emissions of volatile organic compounds (V					
	guideline)					
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act				
15.2	Chemical safety assessme	ent				
	None					

SECTION 16. Other information			
16.1	Indication of changes:	-	



Page 17 of 17

Trading name:		GRAM SAFRANIN SOLUTION						
Product code: GSF-OT-X**			Revision date: 23 Dec 2022		Version:	6		
16.2	Abbreviati	ions and acronyms:	route Good IMDG IATA: GHS: EINEG CAS: DNEL LC50: LD50 PBT:	DNEL:Derived No-Effect Level (UK REACH)LC50:Lethal concentration, 50 percentLD50:Lethal dose, 50 percent				
16.3.	Key literat source of	ure references and data:	-					
16.4.		ification and procedure used to derive the classification for mixture according to Regulation (EC) /2008 (CLP)						
Classification		Classification procedure						
-		-						
16.5. Relevant H statements (number and full text)								
	H: 2	25	Highly flammable liquid and vapor.					
	2	26	Flammable liquid and vapor.					
16.6.	Training a	dvice:	-					
16.7.	Further in	formation:	the pro- We are instruct	** "X" in the product code marks different volumes (different packagings of the product) We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.				

#### ANNEX: Exposure scenario resulting to chemical safety assessment

\_