

Page 1 of 17

Trade name:	HAYEM'S SOLUTION			
Product code:	HY-OT-X**	Date of compilation:	06 December 2023	Version: 6

1.1.	ON 1: Identification of the substance/mixture and of the company/undertaking Product identifier					
	Trade name:	HAYEM'S SOLUTION				
	Chemical name:	-				
	Catalogue number:	HY-OT-X**				
1.2.	Relevant identified uses of the substance or mixture and uses advised against					
	Uses:		Solution	n for manual counting of erythrocytes in microscopy.		
	Uses advised against:		Only the	e identified uses are advised.		
	Reason why uses advised	medical device, registered at the		duct is intended for use only as an <i>in vitro</i> diagnostic device, registered at the Agency for Medicinal Products dical Devices and there is no reason to use it for other es.		
1.3.	Details of the supplier of the safety data sheet					
	Supplier:	BioGno	st Ltd.			
	Address:	Medjugorska), Zagreb		
	Telephone number:	+385 1	2409997			
	Telefax:	+385 1 24040		04039		
	e-mail of competent per	erson: <u>msds@biogno</u>		<u>ost.hr</u>		
	National contact:	-				
1.4.	Emergency telephone number					
	National Protection and	Rescue Directora	ate:	112		
	Medical information:			+385 1 2348 342		
	Other information:			-		

SECTIO	SECTION 2. Hazards identification					
2.1.	Classification of the substance or mixture					
2.1.1.	Classification according to Regulation (EC) No 1272/2008 (CLP)					
	Hazard class and category code:	Hazard statement*:				
	Acute Tox. 4	H302				
2.1.2.	Additional information					
	-					
* For fu	ıll text of Hazard- and EU Hazard-statements:	see SECTION 16				
2.2.	Label elements					
	Product identification:	HAYEM'S SOLUTION				
	Identification number:	-				



Page 2 of 17

Trade name:	HAYEM'S SOLUTION			
Product code:	HY-OT-X**	Date of compilation:	06 December 2023	Version: 6

	Authorisation number:	-
	Hazard pictograms:	GHS07
	Signal word:	Warning
	Hazard statement:	H302 Harmful if swallowed.
	Precautionary statement:	P280 Wear protective gloves/protective clothing/eye/protection/face protection P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/ P308+P313 IF exposed or concerned: Get medical advice/attention.
	Supplemetal hazard information (EU):	-
2.3.	Other hazards	
	Endocrine Disrupting Properties:	
	No known endocrine disrupting properties.	

SECTION 3. Composition/information on ingredients							
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)			
7487-94-7 231-299-8 080-010-00-X	-	0.25 %	mercuric chloride	Acute Tox. 2; H300 Skin Corr. 1B; H314 Muta. 2; H341 Repr. 2; H361f STOT RE 1; H372 Aquatic Acute 1;H400 Aquatic Chronic 1;H410			

SECTI	SECTION 4. First aid measures				
4.1.	Description of first aid measures				
	General notes:	Consult a physician. Show this safety data sheet to the doctor in attendance.			
	Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. If breathing becomes erratic or it stops, immediately apply artificial respiration (other than mouth-to-mouth) and contact a physician.			



Page 3 of 17

Trade name:	HAYEM'S SOLUTION			
Product code:	HY-OT-X**	Date of compilation:	06 December 2023	Version: 6

	Following skin contact: Following eye contact: Following ingestion:		Remove contaminated clothing. Immediately wash with plenty of water and soap. Seek medical assistance if the symptoms of irritation remain.	
			Rinse out with plenty of water for at least 15 minutes with the eyelid held wide open using clean fingers. If the symptoms remain, immediately call a physician.	
			Provide the afflicted person with water to rinse mouth. Do not induce vomiting. If vomiting occurs, keep the afflicted person's head in low position in order to prevent aspiration. If the symptoms remain, immediately call a physician.	
	Self-protection of the first aider		Avoid direct contact with the chemical; use appropriate protective equipment described in Section 8.	
4.2.	Most important symptoms a	s and effects, both acute and delayed		
	Following inhalation:	irritat	cause respiratory tract irritation. Breathing Mercuric Chloride can e the lungs causing coughing and/or shortness of breath. Higher sures can cause a build-up of fluid in the lungs (pulmonary edema).	
	Following skin contact:	May cause irritation. May be absorbed through the skin in harmful amounts. May cause irritation, redness, pain and tearing.		
	Following eye contact:			
	Following ingestion:	May cause irritation of the digestive tract. May be harmful if swallowed. Mercuric Chloride may cause liver and kidney damage.		
4.3.	Indication of any immediate	medica	al attention and special treatment needed	
	No information available			

SECTIO	SECTION 5. Firefighting measures				
5.1.	Extinguishing media				
	Suitable extinguishing media:	Water spray, alcohol-resistant foam, dry chemical or CO ₂			
	Unsuitable extinguishing media:	No information available			
5.2.	Special hazards arising from the substance or mixture				
	Hazardous combustion products:	Sulphur oxides, sodium oxides.			
5.3.	Advice for firefighters				
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing.				
	Cool closed containers exposed to fire with water spray or vapor.				
5.4.	Additional information				
	Do not contaminate the environment	with extinguishing media.			

SECTION 6. Accidental release measures
--

6.1. Personal precautions, protective equipment and emergency procedures



Page 4 of 17

Trade name:	HAYEM'S SOLUTION			
Product code:	HY-OT-X**	Date of compilation:	06 December 2023	Version: 6

6.1.1.	For non-emergency personnel			
	Protective equipment:	Use personal protective equipment (see Section 8).		
	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment. Remove all sources of sparks and ignition. Do not smoke.		
	Emergency procedures:	Mark the area using proper signs.		
6.1.2.	For emergency responders:			
	Wear protective equipment (see	e Section 8).		
6.2.	Environmental precautions:			
	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.			
6.3.	Methods and material for conta	ainment and cleaning up		
6.3.1.	Bunding, covering of drains; capping procedures:	Sand or clay barriers.		
6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using inflammable material (sand, diatomaceous earth, vermiculite). Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and and involved materials with water.		
6.3.3.	Other information:	-		
	Reference to other sections			

SECTIO	ECTION 7. Handling and storage					
7.1.	Precautions for safe handling					
7.1.1.	Protective measures					
	Measures to prevent fire:	Keep away from sources of heat and ignition. Do not smoke.				
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.				
	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.				
	Other measures:	-				
7.1.2.	Advice on general occupational hygiene:					
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.					
7.2.	Conditions for safe storage, including any incompatibilities					



Page 5 of 17

Trade name:	HAYEM'S SOLUTION			
Product code:	HY-OT-X**	Date of compilation:	06 December 2023	Version: 6

	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a cool, dry, well ventilated storage rooms, and away from incompatible substances.
	Packaging materials:	Manufacturer's original packaging.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed. Light sensitive.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 9).
7.3.	Specific end use(s)	
	Recommendations:	-
	Industrial sector specific solutions:	-

SECTION 8	SECTION 8. Exposure controls/personal protection							
8.1. Co	ontrol para	ameters						
Substance CA:		CAS No	•		upational exposure limit lues/short term values		Biological limit values	
					ppm	mg/m ³	3	_
mercuric cl	nloride		7487-94	-7	-	0,02	No	information available
Substance:	-	-						
EC No:	-	- CAS		-				
DNEL	·							
					Industrial			
Doute of o	(DOCUEO:	Acu	te effect	Acute effect		Chronic effect		Chronic effect
Route of ex	kposure.	sure: local		systemic		local		systemic
Oral -			-		-		-	
Inhalation -		-		-		-		-
Dermal -		-		-		-		
Critical phy	sical para	meters: s	olubility, flar	nmab	ility, corrosivity:			•
					Consumer	·		



Page 6 of 17

Trade name:	HAYEM'S SOLUTION				
Product code:	HY-OT-X**	Date of compilation:	06 December 2023	Version: 6	

kposure:	local	S	ystemic	local	systemic		
		systemic			Systerric		
	-	-		-	-		
	-	-		-	-		
	-	-		-	-		
ntal protec	tion target		PNEC	PNEC			
Fresh water				rmation available			
sediments	5		No info	rmation available			
ter			No info	rmation available			
liments			No info	rmation available			
l			No info	rmation available			
nisms in se	wage treatment		No info	rmation available			
ltural)			No info	rmation available			
Air			No info	No information available			
Exposure controls							
Appropriate engineering controls							
	· ·		Use the product in well ventilated rooms. Use personal				
		ıre	protective equipment. Do not eat, drink or smoke in the workspace.				
	•	ent	No informati	No information available			
		prevent	-	organization of work in order to reduce other worker's offluence during work process.			
		ent		ecure proper workspace ventilation in order to keep oncentration levels in air below permitted levels.			
Personal	protection equipme	ent:					
Eye and	face protection:	Safety	glasses that st	ick to face (EN166) or vis	or.		
Skin prot	tection:						
materials: - polychloro - nitrile rubb			als: hloroprene, 0. rubber, 0.35 r rubber, 0.5 m	5 mm, mm, m,	ı) made of following		
	sediments ter liments hisms in second and se	sediments ter liments misms in sewage treatment litural) Exposure controls Appropriate engineering conduction during identified uses: Structural measures to prevent exposure exposure: Organisational measures to exposure: Technical measures to prevent exposure: Personal protection equipm Eye and face protection: Skin protection:	sediments ter liments Exposure controls Appropriate engineering controls Substance/mixture related measures to prevent exposure during identified uses: Structural measures to prevent exposure: Organisational measures to prevent exposure: Technical measures to prevent exposure: Personal protection equipment: Eye and face protection: Safety or Skin protection: Hand protection: Protect material polyce in trile butyle	r No information sediments No information sediments No information in sewage treatment No information in sewage treatment No information No i	No information available sediments No information available liments No information available Exposure controls Appropriate engineering controls Substance/mixture related measures to prevent exposure during identified uses: Structural measures to prevent exposure: Organisational measures to prevent exposure: Organisational measures to prevent exposure: Secure proper workspace ventilation i concentration levels in air below perm Personal protection equipment: Eye and face protection: Safety glasses that stick to face (EN166) or vision materials: - polychloroprene, 0.5 mm.		



Page 7 of 17

Trade name:	HAYEM'S SOLUTION			
Product code:	HY-OT-X**	Date of compilation:	06 December 2023	Version: 6

	Other skin protection:		Wear antistatic clothing made of natural fibers (such as cotton) with long sleeves, and shoes that cover the entire foot.		
8.2.2.3.	Respiratory protection:	•	Use a protective mask or a half mask with A-P3 combined filter (brownwhite).		
8.2.2.4.	Thermal hazards:	No info	ormation available		
8.2.3.	Environmental exposure co	ontrols			
	Substance/mixture related measures to prevent expo		See Section 6		
	Structural measures to pre exposure:	vent	Use modern equipment.		
	Organisational measures t exposure:	o prevent	Adapt the work process to the required working conditions of the workplace.		
	Technical measures to prevent		See Section 6		

1.	Information on basic physical and	chemical properties	
		Value	Method
	Physical state:	Liquid	No information available
	Colour:	Colorless	No information available
	Odour/odour threshold:	Odourless/no information available	No information available
	Melting point / freezing point:	No information available	No information available
	Boiling point or initial boiling point and boiling range:	No information available	No information available
	Flammability:	No information available	No information available
	Lover and upper explosion limit:	No information available	No information available
	Flash point:	No information available	No information available
	Auto-ignition temperature:	No information available	No information available
	Decomposition temperature:	No information available	No information available
	pH:	No information available	No information available
	Kinematic viscosity:	No information available	No information available
	Solubility:	No information available	No information available
	Partition coefficient noctanol/water (log value):	No information available	No information available
	Vapour pressure:	No information available	No information available
	Density and/or relative density	No information available	No information available



Aspiration hazard:

No information available

SAFETY DATA SHEET BIOGNOST® According to Regulation (EC) No 1907/2006 amended by Regulation (EU) No. 2020/878

Page 8 of 17

Trade name:	HAYEM'S SOLUTION			
Product code:	HY-OT-X**	Date of compilation:	06 December 2023	Version: 6

	Relative vapour density:	No information available	No information available
	Particle characteristics:	No information available	No information available
9.2.	Other information		
	-		

SECTIO	SECTION 10.: Stability and reactivity							
10.1.	Reactivity:	No information available						
10.2.	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using.						
10.3.	Possibility of hazardous reactions:	No information available						
10.4.	Conditions to avoid:	Light.						
10.5.	Incompatible materials:	Strong oxidizing agents, strong bases.						
10.6.	Hazardous decomposition products:	Sodium oxides, sulfur oxides.						

11.1. Inform	ation on toxicological e	effects			
Acute t	oxicity:				
Route of exposure:	Method	Species	Effective Dose LD ₅₀ /LC ₅₀ or ATE _{mixture}	Exposure time	Results
Oral:	No information _ No information _ available available		-	No information available	
Dermal:	No information _ No information available available		-	No information available	
Inhalation:	No information available	-	No information available	-	No information available
Specifi	c target organ toxicity -	- single expos	ure (STOT SE):		
	S	Specific effects		get organ	Note
Oral:	No information av	mation available		-	
Dermal:	No information av	/ailable	-	-	
Inhalation:	nhalation: No information available		-	-	



Page 9 of 17

Trade name:	HAYEM'S SOLUTION						
Product code:	HY-OT-X**	Date of compilation:	06 December 2023	Version: 6			

			Exposure time	Species	Evaluation	Method	Note				
Skin corrosion/irritat	ion	_		-	-	-	No information available				
Serious eye damage,	/irritation	_		-	-	-	No information available				
Sensitizatio	n										
Skin sensitization:		No inf	ormation available								
Respiratory sensitiza	tion:	No inf	ormation available								
Symptoms	related to	the phy	sical, chemical and	toxicological c	naracteristics						
Oral exposure:	H	armful i	f swallowed.								
Dermal exposure:	М	ay caus	e irritation. May be	harmful if abso	orbed through	skin.					
Inhalation exposure:	М	ay be h	y be harmful if inhaled. May cause respiratory tract irritation.								
Eye exposure:	Irı	itation	tion and swelling may occur after direct contact with eyes.								
Repeated d	ose toxicit	y (suba	cute, subchronic, ch	ronic)							
	Do	se	Exposure time	Species	Method	Evaluation	on Note				
Subacute oral	No informat available	-	No information available	No information available	No information available	No information	on -				
Subacute dermal	No informat available		No information available	No information available	No information available	No informatio available	on -				
Subacute inhalation	No informat available		No information available	No information available	No information available	No information available	on -				
Subchronic oral	No ic oral information available		No information available	No information available	No information available	No information available	on -				
Subchronic dermal information available		No information available	No information available	No information available	No information available	on -					
Subchronic inhalation	No informat	tion	No information available	No information	No information	No information	on -				



Page 10 of 17

Trade name:			HAYEM'S SOLUTION					
Product code:	HY-OT-X** Date of		of compilation: 06 December 2		r 2023	2023 Version: 6		
Chronic oral	No information available	No information available	No information available	No information available	No informa availab			
Chronic dermal	No information available	No information available	No information available	No information available	No informa availab			
Chronic inhalation	No information available	No information available	No information available	No information available	No informa availab			
Specific ta	rget organ toxicit	y – repeated exposu	ITA (STOT RE)					
эресте ш	3	pecific effects		arget organ		Note		
Subacute oral		nation available		No information available		-		
Subacute dermal	No inform	nation available	No informa	No information available		_		
Subacute inhalation	n No inform	nation available	No information available			-		
Subchronic oral	No inform	No information available		No information available		-		
Subchronic dermal	No inform	No information available		No information available		-		
Subchronic inhalati	on No inform	No information available		No information available		-		
Chronic oral	No inform	nation available	No information available			-		
Chronic dermal	No inform	nation available	No informa	No information available		-		
Chronic inhalation	No inform	nation available	No informa	ation available		_		
CMR effec	ts (carcinogenicit	y; mutagenicity; repi	oductive toxicit	ty)				
Carcinoge	nicity:	· · · · · · · · · · · · · · · · · ·	ARC: Group 3: N	Not classified as	carcinog	genic to human		
Mutagenio	Mutagenicity <i>in-vitro</i> :			available				
Genotoxic	Genotoxicity:			available				
Mutagenio	city in-vivo:	Ŋ	No information	available				
Germ cell	mutagenicity:	Ŋ	No information available					
Reproduct	tive toxicity:	١	No information	available				

11.2. Information on other hazards: 11.2.1. Endocrine disrupting properties: No known endocrine disrupting properties that affect human health. 11.2.2. Other informations:

No information available

Summary of evaluation of the CMR

properties;



Page 11 of 17

Trade name:	HAYEM'S SOLUTION						
Product code:	HY-OT-X**	Date of compilation:	06 December 2023	Version: 6			

-

SECTION 12. E	cological	informat	ion				
12.1. Toxicit	у						
Acute (short-term) toxicity		Dose	Exposur e time	Species	Method	Evaluation	Note
Fish:		LC ₅₀	96 hours	No information available	No informat available	intormation	-
Crustacea:		EC ₅₀	48 hours	No information available	No informat available	int∩rmation	-
Algae/aquatic p	olants:	IC ₅₀	72 hours	No information available	No informat available	intormation	-
Other organisms:		-	-	No information available	No informat available	intormation	-
Chronic (long-t toxicity	erm)	Doza	Exposur e time	Species	Method	Evaluation	Note
Fish:		LC ₅₀	96 hours	No information available	No informat available	ion No information available	-
Crustacea:		EC ₅₀	48 hours	No information available	No informat available	ion No information available	-
Algae/aquatic p	olants:	IC ₅₀	72 hours	No information available	No informat available	ion No information available	-
Other organism	ns:	-	-	No information available	No informat available	ion No information available	-
				:	1	i	:
12.2. Persist	ence and	degradab	ility				
Abioti	degrada	tion		1			
Degradation half-lives		Metho	od	Evaluation	Note		
Marine water	No info	rmation av	vailable	No information	No information available		on -
Fresh water No information available		vailable	No information	available	No information	on -	



Page 12 of 17

Trade name:		HAYEM'S SOLUTION									
Product code: HY-0		T-X**		Date o	of compilatio	on: 0	6 Decem	ber 2023	Vers	ion:	6
Air No information available		No	No information available		ole No informa		mation	-			
Soil	No inform	nation avail	able	No	information a	vailable	No ava	inform ailable	mation	-	
Biodeg	radation										
% Degradation		 Γime (days)		M	1ethod	Ev	valuation		N	lote	
No information available		ormation ble		No info		No info	ormation le		informa ilable	ation	
	ol-water par Concen No infa	tition coeff	icient (pH -	log Kow	Metho	d mation	Eva No availabl	aluation informatio	on -	No	ote
	centration f)								
Value		Species		Method			Evaluation		Note No information		
No information available	availat	ormation ble		availab	ormation lle	No ir availa	nformatio able		o inform railable	natioi	1
Chronic	c ecotoxicit	W									
Value		Dose		osure ime	Species		Method	Evaluat	ion	1	Note
Chronic toxicity on fish		LC ₅₀	No infor	mation able	No information available	01	formati	No informat available		-	
Chronic toxicity on crustacea (Daphnia)		EC ₅₀	No infor availa	mation able	No information available	N in	formati	No informat available		-	



Page 13 of 17

Trade	name:		HAYEM'S SOLUTION								
Produc	ct code	: Н	Y-OT-X**	Date of compilation:		06 Decembe	r 2023	Version: 6			
								T			
						available					
12.4.	Mobil	ity in so	il								
12.1.	1			on in environment	tal compartme	ents:					
	-	······	n available								
	Surfac	e tensic	n:								
	Va	lue	°C	Concentratio	n N	Method		Note			
	No inform availal		No information available	No information available	n No inforr available	mation	_				
	Adsor	ption/d	esorption								
Transpo	ort	-	coefficient y's constant	log Kow	Evaporation	rate Met	hod	Note			
Soil-Wa	ater	No info	ormation le	No information available	No informati available	on No informavailable		-			
Water-	Air	No info	ormation le	No information available			mation	_			
Soil-Air	-	No info	ormation le	No information available	No informati available	on No infori available		_			
12.5.	Result	s of PBT	and vPvB asses	ssment							
		-		mponente koje se o bioakumulirajuć		•	-				
	· 										
12.6.	Endoc	rine dis	rupting properti	es							
	57(f),	propisa	o Registraciji, o	•	avanju i ograni	čavanjju kemika	ılija (REA	upcije prema članku CH), ili delegiranoj ili više.			
12.7.		adverse	, , ,				·				
	No inf	ormatic	n available								

SECTION 13. Disposal considerations

13.1. Waste treatment methods



Page 14 of 17

Trade name:	HAYEM'S SOLUTION					
Product code:	HY-OT-X**	Date of compilation:	06 December 2023	Version: 6		

13.1.1.	Product/Packaging disposal:
	Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.
13.1.2.	Waste codes/waste designations according to Low:
	15 01 10*: Packaging that contains residual hazardous substances or is contaminated with hazardous substances.
13.1.3.	Waste treatment – relevant information:
	No information available
13.1.4.	Sewage disposal – relevant information:
	Waste must not be disposed of into the sewage system.
13.1.5.	Other disposal recommendations:
	Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge. Do not dispose of in places where ignition may occur.
13.1.6.	Relevant Community provisions:
	-

SECTION 14. Transport information						
Transporting/shipment by road (ADR)						
UN number:	Not subject to transport regulations.					
UN proper shipping name:	-					
Transport hazard class(es):	-					
Packing group:	-					
Environmental hazards:	_					
Special precautions for user:	-					
Transporting/shipment by	rail (RID)					
UN number:	Not subject to transport regulations.					
UN proper shipping name:	_					
Transport hazard class(es):	-					
Packing group:	-					
Environmental hazards:	-					



Page 15 of 17

Trade name:	HAYEM'S SOLUTION			
Product code:	HY-OT-X**	Date of compilation:	06 December 2023	Version: 6

Special precautions for user:	-
Transporting/shipment by inland	waterways (ADN)
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmental hazards:	-
Special precautions for user:	-
Transporting/shipment by sea (IN	MDG)
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmental hazards:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL73/78 and the IBC code:	
Transporting/shipment by air (ICA	AO-TI/IATA-DGR)
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmental hazards:	-
Special precautions for user:	-
Further information: The product is n	not subject to classification.

SECTIO	ON 15. Regulatory information		
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture		
	EU regulations		
	Authorisations and/or	r restrictions on use	
	Authorisations:	-	
	Restrictions:		



Page 16 of 17

Trade name:	HAYEM'S SOLUTION			
Product code:	HY-OT-X**	Date of compilation:	06 December 2023	Version: 6

	Other EU regulations:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC; Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC; Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work; Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006; REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);
	Information according 1999 guideline)	/13/EC about limitation of emissions of volatile organic compounds (VOC-
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Transport of Hazardous Substances Act
15.2.	Chemical safety assessment	
	None	

SECTIO	SECTION 16. Other information				
16.1.	Indication of changes:		-		
	16.2. Abbreviations and acronyms:		PBT	Stable, bioaccumulative and toxic	
			vPvB	Strongly stable and strongly bioaccumulative	
16.2.			LD ₅₀	Lethal dose, 50%	
			LC ₅₀	Lethal concentration, 50%	
			STOT-SE	Specific target organ toxicity – single exposure	
16.3.	6.3. Key literature references and source of data:		-		
16.4. Classification and procedure used to 1272/2008 (CLP)		to derive the cla	assification for mixture according to Regulation (EC)		
Classification Class		Class	sification procedure		
		-			



Page 17 of 17

Trade name:	HAYEM'S SOLUTION			
Product code:	HY-OT-X**	Date of compilation:	06 December 2023	Version: 6

16.5.	Relevant H statements (number and full text)		
		300	Fatal if swallowed.
		302	Harmful if swallowed.
		314	Causes severe skin burns and eye damage.
	ы.	341	Suspected of causing genetic defects.
	H:	361f	Suspected of damaging fertility.
		372	Causes damage to organs through prolonged or repeated exposure.
		400	Very toxic to aquatic life.
		410	Very toxic to aquatic life with long lasting effects.
16.6.	5. Training advice:		-
	Further information:		** "X" in the product code marks different volumes (different packagings of the product)
16.7.			We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.

ANNEX: Exposure scenario resulting to Chemical safety assessment