

Page 1 of 18

Trade name:	WRIGHT'S SOLUTION				
Product code:	WR-OT-X**	Date of compilation:	14 November 2022	Version:	8

1.1.	Product identifier			
	Trade name:	WRIGHT'S SO	LUTION	
	Chemical name:	-		
	Catalogue number:	WR-OT-X**		
1.2.	Relevant identified uses of the	substance or mix	ture and uses advised against	
	Uses:	For staining in	n hematology, cytology and cytogenetics.	
	Uses advised against:	Only the iden	tified uses are advised.	
	Reason why uses advised against:	The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.		
1.3.	Details of the supplier of the safety data sheet			
	Supplier:	BioGnost Ltd.		
	Address:	Medjugorska 59, Zagreb		
	Telephone number:	+385 1 2409997		
	Telefax:	+385 1 2404039		
	e-mail of competent person:	msds@biogno	<u>ost.hr</u>	
	National contact:			
1.4.	Emergency telephone numbers			
	National Protection and Rescue	Directorate:	112	
	Medical information:		+385 1 2348 342	
	Other information:		-	

SECTIO	SECTION 2. Hazards identification					
2.1.	Classification of the substance or mixture					
2.1.1.	Classification according to Regulation (EC) No	1272/2008 (CLP)				
	Hazard class and category code:	Hazard statement*:				
	Flam. Liq. 2	H225				
	Acute Tox. 3	H301				
	Acute Tox. 3	H311				
	Acute Tox. 3	H331				
	STOT SE 1	H370				
2.1.2.	Additional information					
	-					
* For fu	For full text of Hazard- and EU Hazard-statements: see SECTION 16					
2.2.	Label elements					



Page 2 of 18

Trade name:	WRIGHT'S SOLUTION				
Product code:	WR-OT-X**	Date of compilation:	14 November 2022	Version:	8

	PBT or a vPvB.		
	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not		
	No known endocrine disrup		
2.5.	Endocrine Disrupting Prop	perties:	
2.3.	information (EU): Other hazards		
	Supplemetal hazard	-	
	Precautionary statements:	H370 Causes damage to organs (eyes). P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P280 Wear protective gloves, protective clothing, eye protection, face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P308+P311 IF exposed or concerned: Call a POISON CENTER or doctor.	
	Hazard statements:	H225 Highly flammable liquid and vapour. H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.	
	Signal word:	Danger	
	Hazard pictograms:	GHS02 GHS06 GHS08	
	Authorisation number.		
	Identification number: Authorisation number:	-	
	Product identification:	WRIGHT'S SOLUTION	



Page 3 of 18

Trade name:	WRIGHT'S SOLUTION				
Product code:	WR-OT-X**	Date of compilation:	14 November 2022	Version:	8

SECTION 3. Composition/information on ingredients						
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)		
67-56-1/ 200-659-6/ 603-001-00-X	01-2119433307- 44-xxxx	95 - 100 %	methanol	Flam. Liq. 2, H225 Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 3, H331 STOT SE 1, H370		

SECTI	TION 4. First aid measures					
4.1.	Description of first aid n	neasures				
	General notes:	First aider needs to protect himself.				
	Following inhalation:	Carry the afflicted person out for fresh air, place them in half lying position and calm them down. If breathing stops, immediately apply artificial respiration, if necessary also oxygen. In case of irregular breathing or respiratory arrest provide artificial respiration.				
	Following skin contact:	Remove contaminated clothing. Wash with plenty of water and soap for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.				
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.				
	Following ingestion:	Rinse with water and expectorate. Make the afflicted person drink one glass (100 ml) of 40% ethanol (adult dose). Call a doctor immediately (mention methanol ingestion). Only in exceptional cases, if no medical care is available within one hour, induce vomiting (only in fully conscious persons) and make victim drink ethanol again (approx. 0.3 ml of a 40% alcoholic beverage/kg body weight/hour). Do not attempt to neutralise.				
	Self-protection of the first aider	Avoid direct contact with the chemical; use appropriate protective equipment described in Section 8.				
4.2.	Most important symptoms and effects, both acute and delayed					
	Following inhalation:	Irritation to the airways and possible damage to the lung probably only through very high vapor concentrations, then even absorptive-toxic effects.				
	Following skin contact:	Minor/no irritation, degreasing action, following massive contact watch for danger of skin absorption and possibly delayed onset of systemic effects.				
	Following eye contact:	Slight through to moderate irritation due to the liquid and concentrated vapors, conjunctivitis, later chemosis, apparently minor probability of cornea damage, later occurring visual disturbances are caused not primarily through local contact but are systemically related (following absorption).				
	Following ingestion:	Stomach and bowel irritation, feeling unwell, nausea, vomiting, strong abdominal pain. Absorption may cause toxic effects.				



Page 4 of 18

Trade name:	WRIGHT'S SOLUTION				
Product code:	WR-OT-X**	Date of compilation:	14 November 2022	Version:	8

4.3.	Indication of any immediate medical attention and special treatment needed
	_

SECTI	SECTION 5. Firefighting measures				
5.1.	Extinguishing media				
	Suitable extinguishing media:	water spray, foam, dry powder, CO ₂			
	Unsuitable extinguishing media:	No information available			
5.2.	Special hazards arising from the substance or mixture				
	Hazardous by products of fire:	Combustible. Vapours are heavier than air and may spread along floors. Forms explosive mixtures with air at ambient temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.			
5.3.	Advice for firefighters				
	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.				
5.4.	Additional information				
	Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.				

SECTIO	ION 6. Accidental release measures				
6.1.	Personal precautions, protective equipment and emergency procedures				
6.1.1.	For non-emergency pe	rsonnel			
	Protective equipment:		Use personal protective equipment (see Section 8).		
	Accident prevention m	ethods:	Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.s		
	Emergency procedures: Mark the area using proper signs.				
6.1.2.	For emergency responders:				
	Use protective equipment; in case of inadequate ventilation use adequate airways protective equipment (see Section 8).				
6.2.	Environmental precaut	ions:			
	Do not let product enter drains. Risk of explosion.				
6.3.	Methods and materials for containment and cleaning up				
6.3.1.	Bunding, covering of drains; capping procedures:	capping Cover drains. Collect, bind and pump off spills.			



Page 5 of 18

Trade name:		WRIGHT'	S SOLUTION		
Product code:	WR-OT-X**	Date of compilation:	14 November 2022	Version:	8

6.3.2.	For cleaning:	Where possible, the substance can be absorbed by using inflammable material (sand, diatomaceous earth, vermiculite). Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and and involved materials with water.		
6.3.3.	Other information:	Do not use tools that may cause sparks.		
6.4.	Reference to other se	ctions		
	See Section 7 for information on safe handling.			
	See Section 8 for information on personal protective equipment.			
	See Section 13 for dis	posal information.		

SECTIO	ON 7. Handling and storage			
7.1.	Precautions for safe handling			
7.1.1.	Protection measures			
	Measures for fire prevention:	Use in well ventilated storage rooms. Keep away from sources of heat and ignition and direct sunlight. Do not smoke. Take precautionary measures against static discharge.		
	Measures for preventing spray and dust formation	Secure proper ventilation. Prevent formation of aerosols.		
	Environmental precautions:	Prevent spilling into the sewage system and waterways.		
	Other measures: Protect against electrostatic charges.			
7.1.2.	Advice on general occupational hygiene:			
	Do not eat, drink or smoke in the workspace. Thor	oughly wash hands after work and before eating.		
7.2.	Conditions for safe storage, including any incompa	atibilities		
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms, and away from sources of heat, sunlight, and other incompatible substances.		
	Packaging materials:	Manufacturer's original packaging.		
	Requirements for storage rooms and vessels:	oms and vessels: Keep away from food and drink. Keep the containers tightly closed.		
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.		



Trade name:

SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 amended by Regulation (EU) No. 2020/878

WRIGHT'S SOLUTION

Page 6 of 18

Product code: WR-0		WR-OT	-X**	Date o	f compilation	on:	14 Novemb	er 2022	Version:	8
										_ 1
	Further in	urther information on storage conditions:			ns:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).			g other	
7.3.	Specific e	nd use(s)								
	Recomme	endations:			-					
	Industrial	sector spe	cific solutio	ns:	-					
SECTI	ON 8. Expo	sure contr	ols/person	al protec	tion					
8.1.	Control p	arameters								
	Substance	9	CAS No		Occupational exposure limit values/short term values		Bio	Biological limit values		
					ppm		mg/m³			
Metha	inol		67-56-1		200		260	24.7 mmol/mol of creatinine* (7.0 mg/g of creatinine*), end-of-shift urinary excretion		e*),
	all results pe leration	rtaining cre	eatinine leve	els, creati	nine concen	tratio	on < 0.5 g/l and	d > 3.0 g/l	may not be t	aken into
Substa	ance: -									
EC No	: -		CAS No:	-						
DNEL										
				•	Industria	al				
Route of			Acute		Acute		Chroni		Chro	
-		ect local	effe	ect systemic		effect lo	cal	effect sy	stemic	
Oral -			-			-		-		
Inhalation		260 m (meth	•	260 mg (metha	-		260 mg/m³ (methanol)		260 mg/m ³ (methanol)
Dermal - 40 mg/kg (/kg (methan	ol)			40 mg/kg (m	nethanol)			
Critica	l physical pa	rameters:	solubility, fla	ammabili	ty, corrosivit	:y:		-		

		Consumer		
Route of	Acute	Acute	Chronic	Chronic
exposure:	effect local	effect systemic	effect local	effect systemic
Oral	-	8 mg/kg (methanol)	-	8 mg/kg (methanol)
Inhalation	50 mg/m ³	50 mg/m ³	50 mg/m ³	50 mg/m ³
innaiation	(methanol)	(methanol)	(methanol)	(methanol)
Dermal	-	8 mg/kg (methanol)		8 mg/kg (methanol)
DNEC				



Page 7 of 18

Trade name:		WRIGHT'	S SOLUTION		
Product code:	WR-OT-X**	Date of compilation:	14 November 2022	Version:	8

Environm	ental protection target		PNEC		
Fresh wat	er		154 mg/l (methanol)		
Freshwate	er sediments		570.4 mg/kg (methanol)		
Marine water			15.4 mg/l (methanol)		
Marine se	ediments		No information available		
Food chai	in		No information available		
Microorga	anisms in sewage treatment		100 mg/l (methanol)		
Soil (agric	cultural)		23.5 mg/kg (methanol)		
Air			No information available		
	:				
8.2. Exposure controls					
8.2.1.	Appropriate engineering measures	,			
	Substance/mixture related measures to prevent exposure during identified uses:	prote	the product in well ventilated rooms. Use personal ective equipment. Do not eat, drink or smoke in the space.		
	Structural measures to prevent exposure:	No in	nformation available		
	Organisational measures to prevent exposure:		nization of work in order to reduce other worker's ence during work process.		
	Technical measures to prevent exposure:		re proper workspace ventilation in order to keep entration levels in air below permitted levels.		
8.2.2.	Personal protection equipment				
8.2.2.1.	Eye and face protection:	prote	shield and safety glasses. Use equipment for eye ection tested and approved under appropriate government dards such as EN 166(EU).		
8.2.2.2.	Skin protection:				
		The protective gloves to be used must comply with the specification of EC Directive 2016/425 and the related standard EN374.			
		Full contact:			
	Hand protection	Glove material: butyl rubber Glove thickness: 0.70 mm			
	Hand protection:	Break through time: > 480 min			
		Splash contact:			
		Spids	Gloves material: viton (R)		
			Glove thickness: 0.70 mm		
			Break through time: >120 min		



Page 8 of 18

Trade name:		WRIGHT'	S SOLUTION	•	
Product code:	WR-OT-X**	Date of compilation:	14 November 2022	Version:	8

	Other skin protection:	Complete antistatic suit protecting against chemicals (EN 13688). The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace and shoes that cover the entire foot.
8.2.2.3.	Respiratory protection:	Required when vapours/aerosols are generated. Recommended filter type: gas filter AX, colour code brown (EN 371). The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.
8.2.2.4.	Thermal hazards:	No information available
8.2.3.	Environmental exposure controls	
	Substance/mixture related measures to prevent exposure:	See Section 6
	Structural measures to prevent exposure:	Use modern equipment. Do not let product enter drains. Risk of explosion.
	Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
	Technical measures to prevent exposure:	See Section 6

9.1.	ON 9. Physical and chemical properties Information on basic physical and chemical properties				
J.1.	illionnation on basic physical and	Value	Method		
	Physical state:	liquid	No information available		
	Colour:	dark blue	No information available		
	Odour/odour threshold:	methanol like/no information available	No information available		
	Melting point / freezing point:	No information available	No information available		
	Boiling point or initial boiling point and boiling range:	65 °C (at 1.013 hPa)	No information available		
	Flammability:	No information available	No information available		
	Lover and upper explosion limit:	lower: 6 % (V) methanol upper: 36.5 % (V) methanol	No information available		
	Flash point:	12 °C	No information available		
	Auto-ignition temperature:	No information available	No information available		
	Decomposition temperature:	No information available	No information available		
	pH:	No information available	No information available		
	Kinematic viscosity:	No information available	No information available		



Page 9 of 18

Trade name:		WRIGHT'	S SOLUTION	_	
Product code:	WR-OT-X**	Date of compilation:	14 November 2022	Version:	8

	Solubility:	No information available	No information available
	Partition coefficient n- octanol/water (log value):	No information available	No information available
	Vapour pressure:	No information available	No information available
	Density and/or relative density	No information available	No information available
	Relative vapour density:	No information available	No information available
	Particle characteristics:	No information available	No information available
9.2.	Other information		
	-		

SECTIO	SECTION 10.: Stability and reactivity							
10.1.	Reactivity:	Vapours may form explosive mixture with air.						
10.2.	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).						
10.3.	Possibility of hazardous reactions:	Risk of explosion with: Oxidizing agents, alkali metals, nitric acid, sulphuric acid, hydrogen peroxide, permanganic acid, sodium hypochlorite. The substance can react dangerously with: halogens, oxidizing agents, reducing agents, acids, acetyl bromide, alkylaluminium solutions, beryllium hydride, chloroform, chromium (VI)-oxide, cyanuric chloride, alkaline-earth metals, magnesium splinters, phosphorus trioxide, Raneynickel/hydrogenation, acid anhydrides, acid halogenides, tetrachloromethane/light metals.						
10.4.	Conditions to avoid:	Sources of heat, sparks, and ignition.						
10.5.	Incompatible materials:	Various plastics, magnesium, zinc alloys, aluminium and galvanised iron.						
10.6.	Hazardous decomposition products:	No information available.						

SECTIO	SECTION 11. Toxicological information										
11.1.	Informat	Information on hazard classes as defined in Regulation (EC) No 1272/2008									
Acute toxicity:											
Route of exposure:		Method	Species	Effective Dose LD ₅₀ /LC ₅₀ or ATE _{mixture} Exposure time		Results					
Oral:		No information available	rat	LD ₅₀	-	125.13 mg/kg (methanol)					
Dermal:		No information available	rabbit	LD ₅₀	-	375.13 mg/kg (methanol)					



Page 10 of 18

Trade name:			WRIGHT	S SOLUT	ΓΙΟΝ	Page 10 of 18	
Product code:	WR-OT-X**	Date of com	compilation: 14 November 2022			Version: 8	
Inhalation:	No information available	rat		LC ₅₀ 4 h		3.88 mg/l (methanol)	
Specific	target organ toxicity -	single exposure	(STOT-SE)	:			
	Specific			Target	organ	Note	
Oral:	No information avai	lable	No ii		n available	-	
Dermal:	No information avai	lable	No ii	nformatio	n available	-	
Inhalation:	No information avai	lable	Eyes			mixture causes damage to organs	
Aspirati	on hazard:	No inf	ormation a	available			
Irritatio	n and corrosion Exposure tim	<u> </u>			NA .1. 1	.	
Skin corrosion/irritation	ne Specie	es EV	aluation	Method -	Note drying-out effect resulting in rough and		
Serious eye damage/irritation	n -	-	-			chapped skin irritations of mucous membranes	
Sensitiz	ation						
Skin sensitization		sensitization.					
Respiratory sensitization:	No information						
Sympto	ms related to the phys	ical, chemical an	d toxicolo	gical chara	acteristics:		
Oral exposure:		irritation, acidos	is, drop in	blood pre	essure, feeling	unwell, vomiting, stronkidney, cardiac.	
Dermal exposure:	Minimum level of irr			ed exposu	re may cause	absorption and greater	
Inhalation exposure:	Airways irritation and dizziness, drowsines		_	_		or concentration,	
Eye exposure:		dness, irreversibl				s, lesser possibility of isual impairments may	
Danasta	ad does tovisite (sub		abras: -)				
Kepeate	ed dose toxicity (subac			A .	10th 5 -	Fundamental R	
_	Dose E	xposure time	Species	N	1ethod	Evaluation No	



Page 11 of 18

Trade name:		WRIGHT'S SOLUTION							
Product code:	WR-OT-X**	Date of compilation:	14 November 2022	Version:	8				

Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

C 'C' '		epeated exposure	(CTOT DE)
Snacitic target or	an tovicity - re	anastad avnaciira	(
Specific faract of	uali luxicity - ir	enegred evnoyale	13101-1161.

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-
Chronic inhalation	No information available	No information available	-



Page 12 of 18

Trade name:		WRIGHT'S SOLUTION							
Product code:	WR-OT-X**	Date of compilation:	14 November 2022	Version:	8				

	CMR effects (carcinogenicity, mutagenicity, re	productive toxicity)
	Carcinogenicity:	No information available
	Mutagenicity in-vitro:	No information available
	Genotoxicity:	No information available
	Mutagenicity in-vivo:	No information available
	Germ cell mutagenicity:	No information available
	Reproductive toxicity:	No information available
	Summary of evaluation of the CMR properties:	No information available
11.2.	Information on other hazards:	
11.2.1.	Endocrine disrupting properties:	
	No known endocrine disrupting properties that affect human health.	
11.2.2.	Other informations:	
	-	

SECTION	12. Ecolo	gical information

12.1. Toxicity									
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note			
Fish	LC ₅₀	96 hours	Lepomis macrochirus (Bluegill sunfish)	No information available	No information available	15.400 mg/l (methanol)			
Crustacea:	EC ₅₀	48 hours	Daphnia magna	No information available	No information available	>18.260 mg/l (methanol)			
Algae/aquatic plants:	IC ₅₀	8 days	Pseudokirchneriella subcapitata (green algae)	No information available	No information available	22.000 mg/l (methanol)			
Other organisms	_	-	-	-	-	-			
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note			
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	•			



Page 13 of 18

Trade name	:				WRIGHT'	S SOLU	TION			ge 13	-
Product cod	le:	WR-OT-X** Date of compilation: 1		14 No	vember	2022	Vers	sion:	8		
Crustacea:		EC ₅₀	48 hour	No information available				No informa availabl		-	
Algae/aquation	C	IC ₅₀	72 hour	'C	information ilable	No informavaila	mation able	No informa availabl	ation -		
Other organis	sms	-	-	-		-		_		_	
12.2. Pers	istence	e and degrada	ahility								
		gradation	Jonity								
		Degradation h	alf-lives		Method			Evalu	uation		Note
Marine water	<u> </u>	information a			information ava	ilable	No in	formatio		able	-
Fresh water		information a			information ava			formatio			-
Air		information a		No	information ava	ilable		formatio			-
Soil	No	information a	vailable	No	information ava	ilable	No in	formatio	n avail	able	-
	I			i .			<u> </u>				:
Biod	legrad	ation									
% Degradat	ion	Time (da	ays)		Method	E	valuatio	n		Not	e
-		-		-	-		No information available		-		

		ulative potenti									
		ater partition	1								
Value		ncentration	рН	°C	Method		Evalua			No	ote
-	No availa	information able	-	-	-		o inform ⁄ailable	ation	-		
Bioc	oncen	tration Factor	(BCF)								
Value		Spec			Method		Evaluatio	on		Not	:e
No information	on	No informat			No information available		No information available		No information available		



Page 14 of 18

Trade name:		WRIGHT'S SOLUTION					
Product code:	WR-OT-X**	Date of compilation:	14 November 2022	Version:	8		

	Chr	onic ecotoxicit	У								
	Va	lue	Dose	Exposure time		Species	Me	thod	Evalu	ation	Note
Chronic toxicity on fish LC		LC ₅₀	No information available		lo Iformation vailable	No inform availal		No inforn available	nation	-	
Chronic toxicity on crustacea (Daphnia)		No information available		lo Iformation vailable	No inform availal		No inforn available	nation	-		
12.4. Mobility in soil											
	Kno	wn or predicte	d distribut	tion in enviro	nmen	tal compartn	nents:				
	No	information av	ailable								
	Surf	ace tension:									
	Value No information No available available			°C No information available No i		Concentration No information available		Method No information available		Note	
										-	
	Δds	orption / deso	rotion								
	Aus	A/D coef	·								
Transp	ort	Henry's co		log Kow		Evaporation rate		M	ethod	Note	
Soil-W	ater	No in available	formation	No inform available	ation	No informa	nation No info		rmation e	-	
Water-	-Air	No in available	formation	No information available				No information available		-	
Soil-Ai	r	No in available	formation	No informatio available				No information available		-	
12.5.		ults of PBT and									
		stance(s) in the		<u> </u>	eet the	criteria for	PBT or vl	PvB			
12.6. Endocrine disrupting properties				ties							



Page 15 of 18

Trade name:	WRIGHT'S SOLUTION					
Product code:	WR-OT-X**	Date of compilation:	14 November 2022	Version:	8	

12.7.	Other adverse effects				
	No adverse effects are expected.				
SECTIO	N 13. Disposal considerations				
13.1.	Waste treatment methods				
13.1.1.	Product/Packaging disposal:				
	Waste material must be disposed of according to the national and local rules and regulations. Do not mix with other sorts of waste. Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.				
13.1.2.	Waste codes/waste designations according to Law:				
	No information available				
13.1.3.	Waste codes/waste designations according to Low:				
	15 01 10*: packaging that contains residual hazardous substances or is contaminated with hazardous substances				
13.1.4.	Sewage disposal – relevant information:				
	Waste must not be disposed of into the sewage system.				
13.1.5.	Other disposal recommendations:				
	Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors				
	authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge. Do not dispose of in places where ignition may occur.				
13.1.6.	the packaging to the collectors authorized by the ministry in charge. Do not dispose of in places where				

SECTION 14. Transport information

Transporting/shipment by	road (ADR)
UN number:	1992
UN proper shipping name:	Flammable liquid, toxic, n.o.s. (methanol solution)
Transport hazard class(es):	3 (6.1)
Packing group:	II .
Environmental hazards:	-
Special precautions for user:	-



Page 16 of 18

Trade name:		WRIGHT'S SOLUTION					
Product code:	WR-OT-X**	Date of compilation:	14 November 2022	Version:	8		

JN number: JN proper shipping name:	1992
	Flammable liquid, toxic, n.o.s. (methanol solution)
ransport hazard class(es):	3 (6.1)
Packing group:	II
Environmental hazards:	-
Special precautions for user:	-
Transporting/shipment by inland	d waterways (ADN)
JN number:	1992
JN proper shipping name:	Flammable liquid, toxic, n.o.s. (methanol solution)
ransport hazard class(es):	3 (6.1)
Packing group:	II
nvironmental hazards:	-
Special precautions for user:	-
Transporting/shipment by sea (II	MDG)
JN number:	1992
JN proper shipping name:	Flammable liquid, toxic, n.o.s. (methanol solution)
ransport hazard class(es):	3 (6.1)
Packing group:	II
nvironmental hazards:	-
Special precautions for user:	-
ransport in bulk according to Annex II of MARPOL73/78 and the IBC code:	-
Transporting/shipment by air (IC	AO-TI/IATA-DGR)
JN number:	1992
JN proper shipping name:	Flammable liquid, toxic, n.o.s. (methanol solution)
ransport hazard class(es):	3 (6.1)
Packing group:	II
Environmental hazards:	-
Special precautions for user:	-

SECTIO	ON 15. Regulatory information				
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture				
	EU regulations				



Page 17 of 18

Trade name:		WRIGHT'S SOLUTION						
Product code:	WR-OT-X**	Date of compilation:	14 November 2022	Version:	8			

	Authorisations and/or res	trictions on use
	Authorisations:	-
	Restrictions:	-
	Other EU regulations:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation an Restriction of Chemicals (REACH), establishing a European Chemicals Agency amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/9 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC an 2000/21/EC; Directive 2004/42/CE of the European Parliament and of the Council of 21 Apr 2004 on the limitation of emissions of volatile organic compounds due to the use organic solvents in certain paints and varnishes and vehicle refinishing products an amending Directive 1999/13/EC; Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safet of workers from the risks related to chemical agents at work; Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 1 December 2008 on classification, labelling and packaging of substances an mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, an amending Regulation (EC) No 1907/2006; REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);
	Information according 19 guideline)	99/13/EC about limitation of emissions of volatile organic compounds (VOC-
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
5.2.	Chemical safety assessme	ent
	None	

SECTION 16. Other information		
	16.1. Indication of changes:	-



Page 18 of 18

Trade name:		WRIGHT'S SOLUTION					
Product code:	WR-OT-X**	Date of compilation:	14 November 2022	Version:	8		

16.2.	Abbreviations and acronyms:		ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative	
			VEVD. Very Fersistent and very bloaccumulative	
16.3.	Key literature references and source of data:		-	
16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)			
Classification			Classification procedure	
-			-	
16.5.	Relevant H statements (num		ber and full text)	
	225		Highly flammable liquid and vapor.	
	H: 301+311+	-331	Toxic if swallowed, in contact with skin or if inhaled.	
	370		Causes damage to organs (eyes).	
16.6.	Training advice:		-	
16.7.	Further information:		** "X" in the product code marks different volumes (different packaging of the product) We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.	

Α	ANNEX: Exposure scenario resulting to Chemical safety assessment
_	