


Trading name:	<b>BIOSCHIFF FORTE REAGENT</b>			
Product code:	BSF-OT-X**	Date of compilation:	06 Dec 2023	Version: 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1	Product identifier	
	Trading name:	BIOSCHIFF FORTE REAGENT
	Chemical name:	-
	Catalogue number:	BSF-OT-X**
1.2	Relevant identified uses of the substance or mixture and uses advised against	
	Uses:	For use with special staining kits.
	Uses advised against:	Only the identified uses are advised.
	Reason why uses advised against:	The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.
1.3	Details of the supplier of the safety data sheet	
	Supplier:	BioGnost Ltd.
	Address:	Medjugorska 59, Zagreb
	Telephone number:	+385 1 2409997
	Telefax.:	+385 1 2404039
	e-mail of competent person:	<a href="mailto:msds@biognost.hr">msds@biognost.hr</a>
	National contact:	-
1.4	Emergency telephone number	
	National Protection and Rescue Directorate:	112
	Medical information:	+385 1 2348 342
	Other information:	-

SECTION 2. Hazards identification		
2.1	Classification of the substance or mixture	
2.1.1	Classification according to Regulation (EC) No 1272/2008 (CLP)	
	Hazard class and category code:	Hazard statements*:
	Carc. 1B	H350
	-	EUH031
2.1.2.	Additional information	
	-	
*For full text of Hazard- and EU Hazard-statements: see SECTION 16		
2.2	Label elements	
	Product identification:	BIOSCHIFF FORTE REAGENT
	Identification number:	-

Trading name:	<b>BIOSCHIFF FORTE REAGENT</b>			
Product code:	BSF-OT-X**	Date of compilation:	06 Dec 2023	Version: 4

Authorization number:	-
Hazard pictograms:	 GHS08
Signal word:	Danger
Hazard statements:	H350 May cause cancer. EUH031 Contact with acids liberates toxic gas.
Precautionary statements:	P201 Obtain special instructions before use. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P405 Store locked up. P501 Dispose of contents/container in accordance with local regulations.
Supplemental hazard information (EU):	-
2.3	Other hazards
<b>Endocrine Disrupting Properties:</b> No known endocrine disrupting properties <b>Results of PBT and vPvB assessment:</b> According to the results of its assessment, this substance is not a PBT or a vPvB.	

SECTION 3. Composition/information on ingredients				
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)
569-61-9/ 209-321-2/ 611-031-00-X	-	10 - 13 %	4,4'-(4-iminocyclohexa- 2,5-dienylidenemethylene) dianiline hydrochloride	Carc. 1B; H350
7681-57-4/ 231-673-0/ 016-063-00-2	-	1 – 3 %	sodium metabisulfite	Acute Tox. 4; H302 Eye Dam. 1; H318 EUH031
7647-01-0/ 231-595-7/ 017-002-01-X	-	0.7 – 1 %	hydrochloric acid, 36.5%	Skin Corr. 1B; H314 Acute Tox. 3; H331

SECTION 4. First aid measures	
4.1	Description of first aid measures

Trading name:	<b>BIOSCHIFF FORTE REAGENT</b>			
Product code:	BSF-OT-X**	Date of compilation:	06 Dec 2023	Version: 4

	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.
	Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.
	Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.
	Following ingestion:	Rinse the oral cavity, drink 1-2 glasses of water. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.
	Self-protection of the first aider:	-
4.2	Most important symptoms and effects, both acute and delayed	
	Following inhalation:	Depending on concentration and exposure time, it may lead to mucosa irritation, cough, and dyspnea.
	Following skin contact:	Depending on concentration and exposure time, it may lead to irritation, rash, skin drying and skin cracking.
	Following eye contact:	Depending on concentration and exposure time, it may lead to irritation, tearing, redness and pain.
	Following ingestion:	Depending on concentration and exposure time, it may lead to stinging and digestive mucus damage, abdominal pain, nausea, vomiting.
4.3	Indication of any immediate medical attention and special treatment needed	
	-	

SECTION 5. Firefighting measures		
5.1	Extinguishing media	
	Suitable extinguishing media:	Small fire - water spray, dry powder, CO <sub>2</sub> Large fire - water spray or alcohol-resistant foam
	Unsuitable extinguishing media:	Water jet
5.2	Special hazards arising from the substance or mixture	
	Hazardous combustion products:	Sulfur oxides.
5.3	Advice for firefighters	
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing.	
5.4	Additional information	

Trading name:	<b>BIOSCHIFF FORTE REAGENT</b>			
Product code:	BSF-OT-X**	Date of compilation:	06 Dec 2023	Version: 4

Do not contaminate the environment with extinguishing media.
--

<b>SECTION 6. Accidental release measures</b>	
6.1	Personal precautions, protective equipment and emergency procedures
6.1.1.	For non-emergency personnel
	Protective equipment: Use personal protective equipment (see Section 8).
	Accident prevention methods: Evacuate members of all non-essential personnel and those members without protective equipment. Avoid breathing vapors and avoid contact with skin and eyes. Do not smoke.
	Emergency procedures: Mark the area using proper signs.
6.1.2.	For emergency responders:
	Use protective equipment; in case of inadequate ventilation use adequate airways protective equipment (see Section 8).
6.2	Environmental precautions:
	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.
6.3	Methods and material for containment and cleaning up
6.3.1.	Bundling, covering of drains; capping procedures: Sand or clay barriers.
6.3.2.	Cleaning up: Where possible, the substance can be absorbed by using absorbing material. Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and involved materials with water.
6.3.3.	Other information: Do not use incompatible materials (see Section 10).
6.4	Reference to other sections
	See Section 7 for information on safe handling. See Section 8 for information on personal protective equipment. See Section 13 for disposal information.

<b>SECTION 7. Handling and storage</b>	
7.1	Precautions for safe handling
7.1.1.	Protection measures
	Measures to prevent fire: Use in well ventilated storage rooms.
	Measures to prevent aerosol and dust generation: Secure proper ventilation.
	Measures to protect the environment: Prevent spilling into the sewage system and waterways.

Trading name:	<b>BIOSCHIFF FORTE REAGENT</b>			
Product code:	BSF-OT-X**	Date of compilation:	06 Dec 2023	Version: 4

	Other measures:	-
7.1.2.	Advice on general occupational hygiene:	
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.	
7.2	Conditions for safe storage, including any incompatibilities	
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms at temperatures ranging from 15 to 25 °C.
	Packaging materials:	Manufacturer's original packaging. Avoid metal containers.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).
7.3	Specific end use(s)	
	Recommendations:	-
	Industrial sector specific solutions:	-

SECTION 8. Exposure controls/personal protection				
8.1	Control parameters			
Substance	CAS No	Occupational exposure limit values/short term values		Biological limit values
		ppm	mg/m <sup>3</sup>	
sodium metabisulfite	7681-57-4	-/-	5/-	No information available
Substance name: -				
EC No: - CAS No: -				
DNEL				
Industrial				
Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	-

Trading name:	<b>BIOSCHIFF FORTE REAGENT</b>			
Product code:	BSF-OT-X**	Date of compilation:	06 Dec 2023	Version: 4

Dermal	-	-	-	-
--------	---	---	---	---

Critical physical parameters: solubility, flammability, corrosivity:

-

#### Consumer

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	-
Dermal	-	-	-	-

#### PNEC

Environmental protection target	PNEC
Fresh water	No information available
Freshwater sediments	No information available
Marine water	No information available
Marine sediments	No information available
Food chain	No information available
Microorganisms in sewage treatment	No information available
Soil (agricultural)	No information available
Air	No information available

### 8.2 Exposure controls

#### 8.2.1. Appropriate engineering controls

Substance/mixture related measures to prevent exposure during identified uses:	Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.
Structural measures to prevent exposure:	In accordance with Section 7.
Organisational measures to prevent exposure:	Organization of work in order to reduce other worker's influence during work process.
Technical measures to prevent exposure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels. Secure stations for rinsing eyes and showering.

#### 8.2.2. Personal protection equipment

8.2.2.1.	Eye and face protection:	Safety glasses that stick to face (EN 166) or visor in case of lower levels of concentration in air; protective gas mask that covers the entire face in case of higher levels of concentration in air.
8.2.2.2.	Skin protection	
	Hand protection:	Protective nitrile gloves, 0.11 mm thick (EN 374).

Trading name:	<b>BIOSCHIFF FORTE REAGENT</b>			
Product code:	BSF-OT-X**	Date of compilation:	06 Dec 2023	Version: 4

	Other skin protection:	Wear antistatic clothing made of natural fibers (such as cotton) with long sleeves (EN 340) and shoes that cover the entire foot.
8.2.2.3.	Respiratory protection:	Suitable mask (EN 136) or half mask (EN 140) equipped with a combined "A1 + Form" filter (EN 143) used when concentration levels exceed GVI.
8.2.2.4.	Thermal hazards:	No information available
8.2.3.	Environmental exposure controls	
	Substance/mixture related measures to prevent exposure:	See Section 6
	Structural measures to prevent exposure:	Use modern equipment.
	Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
	Technical measures to prevent exposure:	See Section 6

SECTION 9. Physical and chemical properties			
9.1	Information on basic physical and chemical properties		
		Value	Method
	Physical state:	liquid	No information available
	Colour:	colourless	No information available
	Odour/odour threshold:	sharp/no information available	No information available
	Melting point / freezing point:	No information available	No information available
	Boiling point or initial boiling point and boiling range:	No information available	No information available
	Flammability:	No information available	No information available
	Lower and upper explosion limit:	No information available	No information available
	Flash point:	No information available	No information available
	Auto-ignition temperature:	No information available	No information available
	Decomposition temperature:	No information available	No information available
	pH:	1.2 – 1.6	No information available
	Kinematic viscosity:	No information available	No information available
	Solubility:	No information available	No information available
	Partition coefficient n-octanol/water (log value):	No information available	No information available
	Vapour pressure:	No information available	No information available
	Density and/or relative density	No information available	No information available

Trading name:	<b>BIOSCHIFF FORTE REAGENT</b>			
Product code:	BSF-OT-X**	Date of compilation:	06 Dec 2023	Version: 4

	Relative vapour density:	No information available	No information available
	Particle characteristics:	No information available	No information available
9.2	Other information		
	-		

SECTION 10. Stability and reactivity		
10.1	Reactivity:	No information available
10.2	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using.
10.3	Possibility of hazardous reactions:	No information available
10.4	Conditions to avoid:	No information available
10.5	Incompatible materials:	Strong oxidants (acids).
10.6	Hazardous decomposition products:	Sulfur dioxide, sodium oxide.

SECTION 11. Toxicological information					
11.1	Information on toxicological effects				
	Acute toxicity:				
Route of exposure:	Method	Species	Dose LD <sub>50</sub> /LC <sub>50</sub> or ATE <sub>mix</sub>	Exposure time	Results
Oral:	OECD Test Guideline 401	rat (sodium metabisulphite) mouse (C.I. Basic Red 9)	LD <sub>50</sub>	-	1.540 mg/kg (sodium metabisulphite) 5.000 mg/kg (C.I. Basic Red 9)
Dermal:	OECD Test Guideline 402	rat	No information available	-	>2.000 mg/kg (sodium metabisulphite)
Inhalation:	OECD Test Guideline 403	rat	No information available	4h	>5.5 mg/l (sodium metabisulphite)
Specific target organ toxicity – single exposure (STOT SE):					
	Specific effects		Target organ		Note
Oral:	No information available		No information available		-
Dermal:	No information available		No information available		-
Inhalation:	No information available		No information available		-



Trading name:	<b>BIOSCHIFF FORTE REAGENT</b>				
Product code:	BSF-OT-X**	Date of compilation:	06 Dec 2023	Version:	4

Aspiration hazard:		No information available.				
Irritation and corrosion						
Exposure time		Species	Evaluation	Method	Note	
Skin corrosion/irritation:	4h	rabbit (sodium metabisulphite)	-	-	no skin irritation	
Serious eye damage/irritation	-	rabbit	-	-	causes serious eye damage (sodium metabisulphite)	
Sensitization						
Skin sensitization:		No information available				
Respiratory sensitization:		No information available				
Symptoms related to the physical, chemical and toxicological characteristics						
Oral exposure:	May cause gastrointestinal irritation accompanied by abdominal pains and cramps; higher levels of concentration may induce vomiting and diarrhea.					
Dermal exposure:	May cause skin irritation.					
Inhalation exposure:	May cause respiratory system irritation. At high levels of concentration, prolonged exposure and when used by sensitive persons bronchospasm may occur, as well as asthma attack and gastrointestinal irritation.					
Eye exposure:	May cause eye irritation.					
Repeated dose toxicity (subacute, subchronic, chronic)						
	Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-

Trading name:	<b>BIOSCHIFF FORTE REAGENT</b>				
Product code:	BSF-OT-X**	Date of compilation:	06 Dec 2023	Version:	4

Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

Specific target organ toxicity – repeated exposure (STOT RE):

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-
Chronic inhalation	No information available	No information available	-

CMR effects (carcinogenicity; mutagenicity; reproductive toxicity)

Carcinogenicity:	Contains a component that has been reported to be probably carcinogenic. Possible human carcinogen.
Mutagenicity <i>in vitro</i> :	No information available
Genotoxicity:	No information available
Mutagenicity <i>in vivo</i> :	No information available
Germ cell mutagenicity:	No information available
Reproductive toxicity:	No information available

Trading name:	<b>BIOSCHIFF FORTE REAGENT</b>				
Product code:	BSF-OT-X**	Date of compilation:	06 Dec 2023	Version:	4

	Summary of evaluation of the CMR properties:	No information available
11.2	Information on other hazards:	
11.2.1.	Endocrine disrupting properties:	
	No known endocrine disrupting properties that affect human health.	
11.2.2.	Other informations:	
	-	

SECTION 12. Ecological information						
12.1	Toxicity					
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	Golden orfe (sodium metabisulphite) Mosquito fish (hydrochloric acid)	No information available	316 mg/l (sodium metabisulphite) 282 mg/l (hydrochloric acid)	-
Crustacea:	EC <sub>50</sub>	48 hours	Daphnia magna (sodium metabisulphite)	No information available	89 mg/l (sodium metabisulphite)	-
Algae/aquatic plants	IC <sub>50</sub>	4 days	Green algae (sodium metabisulphite)	No information available	43.8 mg/l (sodium metabisulphite)	-
Other organisms	-	-	-	-	-	-
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	No information available	No information available	No information available	-
Crustacea:	EC <sub>50</sub>	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants	IC <sub>50</sub>	72 hours	No information available	No information available	No information available	-
Other organisms	-	-	-	-	-	-
12.2	Persistence and degradability					

Trading name:	<b>BIOSCHIFF FORTE REAGENT</b>			
Product code:	BSF-OT-X**	Date of compilation:	06 Dec 2023	Version: 4

Abiotic degradation				
	Degradation half-lives	Method	Evaluation	Note
Marine water	No information available	No information available	No information available	-
Fresh water	No information available	No information available	No information available	-
Air	No information available	No information available	No information available	-
Soil	No information available	No information available	No information available	-

Biodegradation				
% Degradation	Time (days)	Method	Evaluation	Note
No information available	No information available	No information available	No information available	No information available

<b>12.3 Bioaccumulative potential</b>						
Octanol-water partition coefficient (log Kow)						
Value	Concentration	pH	°C	Method	Evaluation	Note
-	-	-	-	-	-	-

Bioconcentration factor (BCF)				
Value	Species	Method	Evaluation	Note
No information available	No information available	No information available	No information available	-

Chronic ecotoxicity						
Value	Dose	Exposure time	Species	Method	Evaluation	Note
Chronic toxicity on fish	LC <sub>50</sub>	No information available	No information available	No information available	No information available	-

Trading name:	<b>BIOSCHIFF FORTE REAGENT</b>				
Product code:	BSF-OT-X**	Date of compilation:	06 Dec 2023	Version:	4

Chronic toxicity on crustacea ( <i>Daphnia</i> )	EC <sub>50</sub>	No information available	No information available	No information available	No information available	-
--	------------------	--------------------------	--------------------------	--------------------------	--------------------------	---

#### 12.4 Mobility in soil

Known or predicted distribution in environmental compartments:					
No information available					
Surface tension:					
	Value	°C	Concentration	Method	Note
	No information available	No information available	No information available	No information available	-

#### Adsorption / desorption

Transport	A/D coefficient Henry's constant	log Kow	Evaporation rate	Method	Note
Soil-water	No information available	No information available	No information available	No information available	-
Water-air	No information available	No information available	No information available	No information available	-
Soil-air	No information available	No information available	No information available	No information available	-

#### 12.5. Results of PBT and vPvB assessment

Substance(s) in the mixture do(es) not meet the criteria for PBT or vPvB
--

#### 12.6. Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
---

#### 12.7. Other adverse effects

No information available
--------------------------

### SECTION 13. Disposal considerations

Trading name:	<b>BIOSCHIFF FORTE REAGENT</b>			
Product code:	BSF-OT-X**	Date of compilation:	06 Dec 2023	Version: 4

13.1	Waste treatment methods
13.1.1.	Product/Packaging disposal:
	Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.
13.1.2.	Waste codes/waste designations according to Law:
	Packaging that contains residual hazardous substances or is contaminated with hazardous substances
13.1.3.	Waste treatment – relevant information:
	No information available
13.1.4.	Sewage disposal – relevant information:
	Waste must not be disposed of into the sewage system.
13.1.5.	Other disposal recommendations:
	Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge.
13.1.6.	Relevant Community provisions:
	-

#### SECTION 14. Transport information

	Transporting/shipment by road (ADR)
UN number:	Not subject to transport regulations
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
	Transporting/shipment by rail (RID)
UN number:	Not subject to transport regulations
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-

Trading name:	<b>BIOSCHIFF FORTE REAGENT</b>			
Product code:	BSF-OT-X**	Date of compilation:	06 Dec 2023	Version: 4

Special precautions for user:	-
Inland waterway transport (ADN)	
UN number:	Not subject to transport regulations
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by sea (IMDG)	
UN number:	Not subject to transport regulations
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (ICAO-TI/IATA-DGR)	
UN number:	Not subject to transport regulations
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Further information:	
-	

<b>SECTION 15. Regulatory information</b>	
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture
	EU regulations
	Authorization and/or restrictions of use
	Authorizations: -
	Restrictions: -

Trading name:	<b>BIOSCHIFF FORTE REAGENT</b>			
Product code:	BSF-OT-X**	Date of compilation:	06 Dec 2023	Version: 4

Other EU regulations:	<p>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC;</p> <p>Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC;</p> <p>Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work;</p> <p>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006;</p> <p>REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);</p>
Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline)	
National legislation:	<p>Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act</p>
15.2	Chemical safety assessment
	None

SECTION 16. Other information		
16.1	Indication of changes:	-
16.2	Abbreviations and acronyms:	<p>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)</p> <p>IMDG: International Maritime Code for Dangerous Goods</p> <p>IATA: International Air Transport Association</p> <p>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</p> <p>EINECS: European Inventory of Existing Commercial Chemical Substances</p> <p>CAS: Chemical Abstracts Service (division of the American Chemical Society)</p> <p>DNEL: Derived No-Effect Level (UK REACH)</p> <p>LC50: Lethal concentration, 50 percent</p> <p>LD50: Lethal dose, 50 percent</p> <p>PBT: Persistent, Bioaccumulative and Toxic</p> <p>vPvB: very Persistent and very Bioaccumulative</p>
16.3.	Key literature references and source of data:	-



Trading name:	<b>BIOSCHIFF FORTE REAGENT</b>			
Product code:	BSF-OT-X**	Date of compilation:	06 Dec 2023	Version: 4

16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)		
Classification		Classification procedure	
-		-	
16.5.	Relevant H statements (number and full text)		
	H:	302 314 318 331 350 EUH031	Harmful if swallowed. Causes severe skin burns and eye damage Causes serious eye damage. Toxic if inhaled. May cause cancer. Contact with acids liberates toxic gas.
16.6.	Training advice:		-
16.7.	Further information:		** "X" in the product code marks different volumes (different packagings of the product) We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.

<b>ANNEX: Exposure scenario resulting to chemical safety assessment</b>
-